

## MAXI Curve 1.2m Series LED Linear Pendants



### Description

The Maxi-Curve Down suspension pendant is designed to suit commercial and residential applications, this profile system incorporates an extruded aluminium body with flat PMMA diffuser, and PLEX-COB-20W LED Strip. The system offers many additional options such as DALI dimming and Emergency function upon request. Available in 1.2M, 1.7M and 2.4M.


- Profile includes Driver and PLEX-COB-20W LED Strip.
- Aluminium profile and diffuser.
- Inbuilt LED Driver.
- Adjustable length 3m wire suspension.
- Complete with 3m clear power cable.
- Made to order in Australia from local and imported components.
- CRI90
- IP20 Indoor Use Only.



### Specification Features

Input Voltage:	240V AC
IP rating (IP):	IP20
Power (W):	24W
Lumens (lm):	Warm White 3000K - 2160lm Neutral White 4000K - 2400lm
LED type:	COB Strip
CCT:	3000K - 4000K
CRI:	≥90
Beam angle (°):	120°
Dimmable:	Yes
Lifespan (hrs):	50,000hrs

### Diagrams / Additional



Item No.	Variant			Diffuser	CCT
	Wht	Blk	Alu		
MAXI-CURVE-1.2M	30377	30384	30370	Prismatic	3000K
	30378	30385	30371	Frosted	
	30379	30386	30372	Honeycomb	
	30380	30387	30373	Opal	
	30381	30388	30374	Black	
	30382	30389	30375	Clear	
MAXI-CURVE-1.2M	30398	30404	30391	Frosted	4000K
	30399	30405	30392	Prismatic	
	30400	30406	30393	Honeycomb	
	30401	30407	30394	Opal	
	30402	30408	30395	Black	
	30403	30409	30396	Clear	

## MAXI Curve 1.7m Series LED Linear Pendants



### Description

The Maxi-Curve Down suspension pendant is designed to suit commercial and residential applications, this profile system incorporates an extruded aluminium body with flat PMMA diffuser, and PLEX-COB-20W LED Strip. The system offers many additional options such as DALI dimming and Emergency function upon request. Available in 1.2M, 1.7M and 2.4M.


- Profile includes Driver and PLEX-COB-20W LED Strip.
- Aluminium profile and diffuser.
- Inbuilt LED Driver.
- Adjustable length 3m wire suspension.
- Complete with 3m clear power cable.
- Made to order in Australia from local and imported components.
- CRI90
- IP20 Indoor Use Only.



### Specification Features

Input Voltage:	240V AC
IP rating (IP):	IP20
Power (W):	34W
Lumens (lm):	Warm White 3000K - 3060lm Neutral White 4000K - 3400lm
LED type:	COB Strip
CCT:	3000K - 4000K
CRI:	≥90
Beam angle (°):	120°
Dimmable:	Yes
Lifespan (hrs):	50,000hrs

### Diagrams / Additional



Item No.	Variant			Diffuser	CCT
	Wht	Blk	Alu		
MAXI-CURVE-1.7M	30419	30426	30412	Prismatic	3000K
	30420	30427	30413	Frosted	
	30421	30428	30414	Honeycomb	
	30422	30429	30415	Opal	
	30423	30430	30416	Black	
	30424	30431	30417	Clear	
MAXI-CURVE-1.7M	30440	30447	30433	Frosted	4000K
	30441	30448	30434	Prismatic	
	30442	30449	30435	Honeycomb	
	30443	30450	30436	Opal	
	30444	30451	30437	Black	
	30445	30452	30438	Clear	

## MAXI Curve 2.4m Series LED Linear Pendants



### Description

The Maxi-Curve Down suspension pendant is designed to suit commercial and residential applications, this profile system incorporates an extruded aluminium body with flat PMMA diffuser, and PLEX-COB-20W LED Strip. The system offers many additional options such as DALI dimming and Emergency function upon request. Available in 1.2M, 1.7M and 2.4M.


- Profile includes Driver and PLEX-COB-20W LED Strip.
- Aluminium profile and diffuser.
- Inbuilt LED Driver.
- Adjustable length 3m wire suspension.
- Complete with 3m clear power cable.
- Made to order in Australia from local and imported components.
- CRI90
- IP20 Indoor Use Only.



### Specification Features

Input Voltage:	240V AC
IP rating (IP):	IP20
Power (W):	48W
Lumens (lm):	Warm White 3000K - 4320lm Neutral White 4000K - 4800lm
LED type:	COB Strip
CCT:	3000K - 4000K
CRI:	≥90
Beam angle (°):	120°
Dimmable:	Yes
Lifespan (hrs):	50,000hrs

### Diagrams / Additional



Item No.	Variant			Diffuser	CCT
	Wht	Blk	Alu		
MAXI-CURVE-2.4M	30461	30468	30454	Prismatic	3000K
	30462	30469	30455	Frosted	
	30463	30470	30456	Honeycomb	
	30464	30471	30457	Opal	
	30465	30472	30458	Black	
	30466	30473	30459	Clear	
MAXI-CURVE-2.4M	30482	30489	30475	Frosted	4000K
	30483	30490	30476	Prismatic	
	30484	30491	30477	Honeycomb	
	30485	30492	30478	Opal	
	30486	30493	30479	Black	
	30487	30494	30480	Clear	