

# DOMUS<sup>®</sup>

LED Lighting, LED Globes & Ceiling Fan Range 2016



S  
u  
b  
m  
i  
s  
s  
i  
o  
n

Interior

Exterior

Power Supplies



# Contents

## Interior ..... 2-145

LED Downlights.....	2-15
LED Downlight Retrofit Lamp.....	16
LED Downlight Frames.....	17-19
LED Downlights Accessories.....	20-21
LED Globes.....	22-33
LED Cabinet Lights.....	34-35
LED Strips.....	36-49
LED Profiles.....	50-73
LED Controllers.....	74-89
LED Oysters.....	90-95
LED Panel Lights.....	96-98
LED Panel Light Accessories.....	99-101
LED Crystal and Pendants.....	102-119
LED Track Lights.....	120-121
LED Wall Lights.....	122-123
LED Picture Lights.....	124
LED Step Lights.....	125-129
Ceramic Wall Lights.....	130-145

## Ceiling Fans ..... 146-163

DC Ceiling Fans.....	148-149
AC Ceiling Fans.....	150-161
Ceiling Fans Accessories.....	162-163

## Exterior ..... 164-297

LED Wall Lights.....	165-174
LED Step Lights.....	175-179

LED Spotlights.....	190-195
LED Floodlights.....	196
LED Garden Spike Lights.....	197-198
LED Post Lights.....	199
LED Deck Lights.....	200-202
LED Inground Lights.....	203-209
Exterior Bunkers.....	210-212
Exterior Wall Lights.....	213-215
Polycarbonate Ceiling Lights.....	216-218
Polycarbonate Wall Lights.....	219
Post Light Accessories.....	220
Polycarbonate Garden Lights.....	221-223
Garden Lights.....	224
Garden Lights Accessories.....	225
Exterior Traditional Lights.....	226-297

## Power Supplies ..... 298-309

Internal Constant Voltage.....	299
Internal Constant Current.....	300-301
Weatherproof Constant Voltage 12V DC.....	302-304
Weatherproof Constant Voltage 24V DC.....	305-306
Weatherproof Constant Voltage Slim Series.....	307-308
Weatherproof Constant Current.....	309

## Technical Information ..... 310-319

Wiring Diagrams.....	310-313
Index.....	314-319



# Interior

## Poly-10

NEW

10W round LED recessed downlight with anti-glare flat frame, opal diffuser, dimmable integrated LED Driver & flex and plug. Constructed from V0 thermal resistant polyamide, along with an aluminium internal heat sink to allow for optimum heat dissipation. The POLY-10 offers a compact and cost effective solution to most installations. Fully dimmable with Domus Dimmer series.

### Specification:

**Diameter:** 115mm

**Height:** 58mm

**Cut-out:** (Ø) 90mm

### Order Code:

**20630** White - Warm White LED 3000K

**20631** White - White LED 5000K



### Tek-10

10W round LED recessed downlight with anti-glare flat frame, opal diffuser, dimmable LED Driver & flex and plug. Fully dimmable with Domus Dimmer series.

**Specification:**

**Diameter:** 101mm

**Height:** 31mm

**Cut-out:** (Ø) 90mm


**Order Code:**

**20600** Satin White Trim - Warm White LED 3000K

**20601** Satin White Trim - White LED 5000K

**20602** Satin Chrome Trim - Warm White LED 3000K

**20603** Satin Chrome Trim - White LED 5000K



### Tek-13

13W round LED recessed downlight with anti-glare flat frame, opal diffuser, dimmable LED Driver & flex and plug. Fully dimmable with Domus Dimmer series.

**Specification:**

**Diameter:** 101mm

**Height:** 31mm

**Cut-out:** (Ø) 90mm


**Order Code:**

**20610** Satin White Trim - Warm White LED 3000K

**20611** Satin White Trim - White LED 5000K

**20612** Satin Chrome Trim - Warm White LED 3000K

**20613** Satin Chrome Trim - White LED 5000K



NEW

### Deco-8

8W mini LED recessed downlight with anti-glare deep set frame, opal diffuser, dimmable LED Driver & flex and plug. Fully dimmable with Domus Dimmer series.

**Specification:**

**Diameter:** 85mm

**Height:** 39.5mm

**Cut-out:** (Ø) 70-75mm


**Order Code:**

**20510** Satin White Trim - Warm White LED 3000K

**20511** Satin White Trim - White LED 5000K

**20512** Aluminium Trim - Warm White LED 3000K

**20513** Aluminium Trim - White LED 5000K



### Deco-13 Round

13W round LED recessed downlight with anti-glare deep set frame, opal diffuser, dimmable LED Driver & flex and plug. Fully dimmable with Domus Dimmer series.

**Specification:**

**Diameter:** 110mm

**Height:** 38mm

**Cut-out:** (Ø) 90mm


**Order Code:**


**20520** Satin White Trim - Warm White LED 3000K

**20519** Satin White Trim - Neutral White LED 4000K

**20521** Satin White Trim - White LED 5000K

**20522** Aluminium Trim - Warm White LED 3000K

**20523** Aluminium Trim - White LED 5000K





### Deco-13 Square

13W square LED recessed downlight with anti-glare deep set frame, opal diffuser, dimmable LED Driver & flex and plug. Fully dimmable with Domus Dimmer series.

**Specification:**

**Dimensions:** (L) 110mm x (W) 110mm

**Height:** 38mm

**Cut-out:** (Ø) 90mm



**Order Code:**

**20524** Satin White Trim - Warm White LED 3000K

**20525** Satin White Trim - White LED 5000K

**20526** Aluminium Trim - Warm White LED 3000K

**20527** Aluminium Trim - White LED 5000K



### Deco-13 Tilt

13W round tilt LED recessed downlight with anti-glare deep set frame, opal diffuser, dimmable LED Driver & flex and plug. Fully dimmable with Domus Dimmer series.

**Specification:**

**Diameter:** 110mm

**Height:** 41.5mm

**Cut-out:** (Ø) 95mm


**Order Code:**

**20530** Satin White Trim - Warm White LED 3000K

**20531** Satin White Trim - White LED 5000K



### Deco-20

20W round LED recessed downlight with anti-glare deep set frame, opal diffuser, dimmable LED Driver & flex and plug. Fully dimmable with Domus Dimmer series.

**Specification:**

**Diameter:** 190mm

**Height:** 43mm

**Cut-out:** (Ø) 160-170mm

**Order Code:**

**20540** Satin White Trim - Warm White LED 3000K

**20541** Satin White Trim - Neutral White LED 4000K

**20542** Satin White Trim - White LED 5000K



### Deco-28

28W round LED recessed downlight with anti-glare deep set frame, opal diffuser, dimmable LED Driver & flex and plug. Fully dimmable with Domus Dimmer series.

**Specification:**

**Diameter:** 228mm

**Height:** 43mm


**Cut-out:** (Ø) 200-210mm

**Order Code:**

**20543** Satin White Trim - Warm White LED 3000K

**20544** Satin White Trim - Neutral White LED 4000K

**20545** Satin White Trim - White LED 5000K



### Splash Round

13W LED round recessed weatherproof downlight with opal diffuser, Dimmable LED Driver & flex and plug. IP54 rated, ideal for bathrooms and exterior applications. Fully dimmable with Domus Dimmer series.

**Specification:**

**Diameter:** 110mm

**Height:** 31.3mm

**Cut-out:** (Ø) 90mm

**Order Code:**

**20560** Satin White Trim - Warm White LED 3000K

**20561** Satin White Trim - White LED 5000K

**20562** Silver Trim - Warm White LED 3000K

**20563** Silver Trim - White LED 5000K



### Splash Square

13W LED square recessed weatherproof downlight with opal diffuser, Dimmable LED Driver & flex and plug. IP54 rated, ideal for bathrooms and exterior applications. Fully dimmable with Domus Dimmer series.

**Specification:**

**Dimensions:** (L) 100mm x (W) 100mm

**Height:** 31.3mm

**Cut-out:** (Ø) 90mm


**Order Code:**

**20564** Satin White Trim - Warm White LED 3000K

**20565** Satin White Trim - White LED 5000K

**20566** Silver Trim - Warm White LED 3000K

**20567** Silver Trim - White LED 5000K



### DIk-10

10W LED recessed adjustable downlight with mono lens reflector, dimmable LED Driver & flex and plug. Using a special adaptor ring makes the downlight fit into cut-outs as small as 70mm through to 90mm cut-outs. Fully dimmable with Domus Dimmer series.

**Specification:**

**Diameter:** 110mm

**Height:** 85mm

**Cut-out:** (Ø) 70-90mm



**Order Code:**

**20496** Satin White Trim - Warm White LED 3000K

**20497** Satin White Trim - White LED 5000K

**20498** Silver Trim - Warm White LED 3000K

**20499** Silver Trim - White LED 5000K



### DIk-13

13W LED recessed adjustable downlight with mono lens reflector, dimmable LED Driver & flex and plug. Using a special adaptor ring makes the downlight fit into cut-outs as small as 80mm through to 90mm cut-outs. Fully dimmable with Domus Dimmer series.

**Specification:**

**Diameter:** 110mm

**Height:** 100mm

**Cut-out:** (Ø) 80-90mm



**Order Code:**

**20500** Satin White Trim - Warm White LED 3000K

**20501** Satin White Trim - White LED 5000K

**20502** Silver Trim - Warm White LED 3000K

**20503** Silver Trim - White LED 5000K





### Deep-75


10W LED recessed fixed downlight with mono lens reflector, dimmable LED Driver & flex and plug. Stylish anti-glare deep set frame. Fully dimmable with Domus Dimmer series.

**Specification:**

**Diameter:** 85mm  
**Height:** 90mm  
**Cut-out:** (Ø) 75mm

**Order Code:**

**20550** Satin White Trim - Warm White LED 3000K  
**20551** Satin White Trim - White LED 5000K



### Deep-90


13W LED recessed tilt downlight with mono lens reflector, dimmable LED Driver & flex and plug. Stylish anti-glare deep set frame. Fully dimmable with Domus Dimmer series.

**Specification:**

**Diameter:** 100mm  
**Height:** 98mm  
**Cut-out:** (Ø) 90mm

**Order Code:**

**20552** Satin White Trim - Warm White LED 3000K  
**20553** Satin White Trim - White LED 5000K



### Neo-13


13W LED single chip (COB) downlight, 60° beam angle, dimmable LED Driver & flex and plug. These are ideal for higher light levels directly under the fitting providing a nice effect at floor level. Fully dimmable with Domus Dimmer series.

**Specification:**

**Diameter:** 110mm  
**Height:** 53mm  
**Cut-out:** (Ø) 90-95mm


**Order Code:**

**20576** Satin White Trim - Warm White LED 3000K  
**20577** Satin White Trim - White LED 5000K



### Neo-25


25W LED single chip (COB) downlight, 60° beam angle, dimmable LED Driver & flex and plug. These are ideal for commercial applications providing a nice effect at floor level. Fully dimmable with Domus Dimmer series.

**Specification:**

**Diameter:** 190mm  
**Height:** 76mm  
**Cut-out:** (Ø) 160-170mm

**Order Code:**

**20578** Satin White Trim - Warm White LED 3000K  
**20579** Satin White Trim - White LED 5000K



### Neo-35

35W LED single chip (COB) downlight, 60° beam angle, dimmable LED Driver & flex and plug. These are ideal for commercial applications providing a nice effect at floor level. Fully dimmable with Domus Dimmer series.

**Specification:**

**Diameter:** 225mm

**Height:** 87mm

**Cut-out:** (Ø) 200-210mm

**Order Code:**

**20580** Satin White Trim - Warm White LED 3000K

**20581** Satin White Trim - White LED 5000K



### Neo-SM 13

13W LED single chip (COB) surface mounted downlight, 60° beam angle, dimmable LED Driver & flex and plug. Available in black or satin white finishes. These are ideal for higher light levels directly under the fitting, providing a nice effect at floor level. For areas where there is no access to recess LED drivers in the ceiling, for example concrete ceilings. Fully dimmable with Domus Dimmer series.

**Specification:**

**Diameter:** 90mm

**Height:** 100mm

**Order Code:**

**20680** Black Trim - Warm White LED 3000K

**20681** Black Trim - White LED 5000K

**20684** Satin White Trim - Warm White LED 3000K

**20685** Satin White Trim - White LED 5000K



NEW

### Neo-SM 25

25W LED single chip (COB) surface mounted downlight, 60° beam angle, dimmable LED Driver & flex and plug. Available in black or satin white finishes. These are ideal for commercial applications, providing a nice effect at floor level. For areas where there is no access to recess LED drivers in the ceiling, for example concrete ceilings. Fully dimmable with Domus Dimmer series.

**Specification:**

**Diameter:** 120mm

**Height:** 110mm

**Order Code:**

**20686** Black Trim - Warm White LED 3000K

**20687** Black Trim - White LED 5000K

**20690** Satin White Trim - Warm White LED 3000K

**20691** Satin White Trim - White LED 5000K



NEW



### Neo-SM 35

35W LED single chip (COB) surface mounted downlight, 60° beam angle, dimmable LED Driver & flex and plug. Available in black or satin white finishes. These are ideal for commercial applications providing a nice effect at floor level. For areas where there is no access to recess LED drivers in the ceiling, for example concrete ceilings. Fully dimmable with Domus Dimmer series.

**Specification:**

**Diameter:** 160mm

**Height:** 120mm

**Order Code:**

**20692** Black Trim - Warm White LED 3000K

**20693** Black Trim - White LED 5000K

**20696** Satin White Trim - Warm White LED 3000K

**20697** Satin White Trim - White LED 5000K



NEW

### Scoop-13

13W LED scoop adjustable downlight, 60° beam angle, 45° tilt feature, dimmable LED Driver & flex and plug. These are ideal for raked ceilings and wall washing to illuminate artwork. Fully dimmable with Domus Dimmer series.

**Specification:**

**Diameter:** 96mm


**Height:** 67mm

**Cut-out:** (Ø) 90mm

**Order Code:**

**20570** Satin White Trim - Warm White LED 3000K

**20571** Satin White Trim - White LED 5000K



### Scoop-25

25W LED scoop adjustable downlight, 60° beam angle, 45° tilt feature, dimmable LED Driver & flex and plug. These are ideal for shop lighting, high raked ceilings and wall washing to illuminate larger artwork. Fully dimmable with Domus Dimmer series.

**Specification:**

**Diameter:** 180mm


**Height:** 100mm

**Cut-out:** (Ø) 160-170mm

**Order Code:**

**20574** Satin White Trim - Warm White LED 3000K

**20575** Satin White Trim - White LED 5000K



### Retro-10

The RETRO-10 is specifically designed as a replacement for your traditional halogen lamps in most applications. RETRO-10 comes complete with lamp and LED Driver with flex and plug attached. Fully dimmable with Domus Dimmer series.

**Specification:**


**Diameter:** 49mm (lamp only dimensions)

**Height:** 70mm (lamp only dimensions)

**Order Code:**

**20490** RETRO-10 - Warm White LED 3000K

**20491** RETRO-10 - White LED 5000K



### Intro-8

INTRO-8 is specifically designed as a replacement to your traditional halogen lamps in most applications. New design and performance uses 8W and offers improved lumen output than many 10W models. INTRO-8 comes complete with lamp and Integrated LED Driver with flex and plug attached. Fully dimmable with Domus Dimmer series.

**Specification:**

**Diameter:** 49mm (lamp only dimensions)

**Height:** 98mm (lamp only dimensions)

**Order Code:**

**20488** INTRO-8 - Warm White LED 3000K

**20489** INTRO-8 - White LED 5000K



NEW



### Recessed Single Light Slotter

Recessed one light Slotter downlight, powder coated trim, steel frame, die-cast tilt downlight housing.

**LED Option:** LED MR16 Style Lamp (RETRO-10 or INTRO-8) recommended. Not included. Please refer to LED Downlights Retrofit Lamps page.


**Specification:**

**Dimensions:** (L) 118mm x (W) 118mm

**Height:** 60mm

**Cut-out:** (L) 102mm x (W) 110mm

**Requires:** LED Downlight Retrofit Lamp. (Not included).


**Order Code:**

**70001** DSL-101/1S Silver Frame

**70002** DSL-101/1S White Frame



### Recessed Twin Light Slotter

Recessed two light Slotter downlight, powder coated trim, steel frame, die-cast tilt downlight housing.

**LED Option:** LED MR16 Style Lamp (RETRO-10 or INTRO-8) recommended. Not included. Please refer to LED Downlights Retrofit Lamps page.

**Specification:**

**Dimensions:** (L) 226mm x (W) 118mm

**Height:** 60mm

**Cut-out:** (L) 208mm x (W) 110mm

**Requires:** LED Downlight Retrofit Lamps. (Not included).


**Order Code:**

**70003** DSL-101/2B Silver Frame

**70004** DSL-101/2B White Frame





### Recessed Three Light Slotter

Recessed three light Slotter downlight, powder coated trim, steel frame, die-cast tilt downlight housing.

**LED Option:** LED MR16 Style Lamp (RETRO-10 or INTRO-8) recommended. Not included. Please refer to LED Downlights Retrofit Lamps page.

**Specification:**

**Dimensions:** (L) 328mm x (W) 118mm

**Height:** 60mm


**Cut-out:** (L) 308mm x (W) 110mm

**Requires:** LED Downlight Retrofit Lamps. (Not included).

**Order Code:**

**70005** DSL-101/3B Silver Frame

**70006** DSL-101/3B White Frame



### Recessed Four Light Slotter

Recessed four light bar Slotter downlight, powder coated trim, steel frame, die-cast tilt downlight housing.

**LED Option:** LED MR16 Style Lamp (RETRO-10 or INTRO-8) recommended. Not included. Please refer to LED Downlights Retrofit Lamps page.

**Specification:**

**Dimensions:** (L) 428mm x (W) 118mm

**Height:** 60mm

**Cut-out:** 408mm x (W) 110mm

**Requires:** LED Downlight Retrofit Lamps. (Not included).

**Order Code:**

**70007** DSL-101/4B Silver Frame

**70008** DSL-101/4B White Frame



### Recessed Four Light Square Slotter

Recessed four light square Slotter downlight, powder coated trim, steel frame, die-cast tilt downlight housing.

**LED Option:** LED MR16 Style Lamp (RETRO-10 or INTRO-8) recommended. Not included. Please refer to LED Downlights Retrofit Lamps page.

**Specification:**

**Dimensions:** (L) 226mm x (W) 226mm

**Height:** 60mm

**Cut-out:** (L) 215mm x (W) 208mm

**Requires:** LED Downlight Retrofit Lamps. (Not included).

**Order Code:**

**70009** DSL-101/4SQ Silver Frame

**70010** DSL-101/4SQ White Frame



### 140mm Adaptor Plate for Deco-13

140mm adaptor plate to suit Deco-13 LED Downlight. Designed to allow the Deco-13 to be installed in larger cut-out hole sizes.

#### Specification:

**Diameter:** 140mm

**Height:** 27mm

**Cut-out:** (Ø) 110-130mm

#### Order Code:

**20504** 140mm Adaptor plate to suit Deco-13 Satin White



### LED Dimmer

The LED dimmer is a dedicated LED dimmer designed specifically to achieve smooth, low range and flicker free dimming (excluding ripple effect) with the Domus range of dimmable LED products, including the downlight range. Please contact the sales team for a list of compatible Domus products with the LED Dimmer.

#### Specification:

**Width:** 23mm

**Height:** 57.5mm

#### Order Code:

**20505** LED Dimmer 5-200W



### Dali Drivers

A range of DALI Drivers to suit Domus range of LED downlights, complete with input flylead to attach to downlight and flex and plug. Simply replace downlight driver and add the suitable driver to allow downlight to be compatible with DALI systems.

#### Order Code:

**20400** DALI Driver to suit TEK-10

**20401** DALI Driver to suit DEEP-75, DLK-10

**20402** DALI Driver to suit DECO-13, TEK-13, SPLASH-13

**20403** DALI Driver to suit DEEP-90, DLK-13

**20404** DALI Driver to suit NEO-13, SCOOP-13

**20405** DALI Driver to suit DECO-20

**20406** DALI Driver to suit NEO-25, SCOOP-25

**20407** DALI Driver to suit DECO-28

**20408** DALI Driver to suit NEO-35



NEW

## “Domus Key Series Globes – Quality is key”

### Choosing the right LED Globes

LED lights offer up to 90% energy savings compared to traditional halogen or incandescent bulbs in addition to having a vastly superior life span – LED Lamps typically last 50 to 100 times longer than incandescent filament lamps.

Furthermore, even when you compare LED bulbs with the older style Compact Fluorescent (CFL) technology there are clear benefits – as you turn on the light switch, an LED light will instantly offer full illumination whereas the CFL would still be warming up. LED lighting is also available in a range of different colour temperatures and quality of light (known as colour rendering).

Most people accept that LED lighting provides a huge number of benefits compared to traditional fluorescent and incandescent lighting, however most consumers don't understand that LED lights vary massively in quality.

So how do you tell a quality LED lamp from the rest?

#### 1. Heat Dissipation

A common misconception is that LED bulbs don't get hot, however this just isn't the case - they don't get nearly as hot as incandescent bulbs but since power goes into the LEDs, they do produce heat and this must be drawn away from the LEDs.

A good LED lamp will have an effective thermal management heatsink which increase the lifespan and effectiveness of your LED investment.

There are various designs for heat sinks – many are an array of metal fins designed to increase the surface area of the thermally conductive material. Better LEDs will have aluminium or ceramic heat sinks which perform more efficiently at heat dissipation than steel or other metals.

The ceramic fins in many cases are more effective than any metal heat sink, since they possess lots of tiny pores, which provide an even greater surface area to dissipate the heat when compared to metals. Ceramic heat sinks have a very low thermal capacity, but need the highest surface area to maximise heat loss into the surrounding environment.

So in our experience, better LED bulbs will utilise ceramics or aluminium but this alone does not make them a market leader!

#### 2. Chip Set

Second of all, the chipset used to produce the light from the LED is very important.

Better bulbs will use chips from better manufacturers, which generate light more efficiently with less heat – as with many other things you do get what you pay for with LED lighting and the cheapest option is not always the best.

#### 3. Colour Temperature

LED lights are available in many different colours – also known as the colour temperature of the bulb which varies from approximately 2000K to 6000K. Incandescent and halogen bulbs give out a warm light around the 3000K mark or a light with a lower colour temperature which is great for residential and

domestic purposes. On the contrary, office and commercial spaces will generally use a higher colour temperature or a 'whiter' light which is marginally brighter and better for working conditions.

In any case, colour temperatures across the spectrum are available with LED lighting – make sure you choose the colour that suits your application best.

#### 4. Lumens

As you might expect, LED bulbs vary in brightness. A higher wattage doesn't always mean higher light outputs as it used to be with halogen and incandescent lighting, rather to correctly measure light output you need to think in Lumens.

Make sure you look at the lumen output when selecting your next LED lamp and choose the brightness that suits your application best.

As a general rule of thumb, it's always better to overestimate the light you will need and use a dimmer to bring it back down, if required.

#### 5. Colour Rendering

A colour rendering index (CRI) is a quantitative measure of the ability of a light source to reveal the colours of various objects faithfully in comparison with an ideal or natural light source. That might sound a bit complicated, but essentially the higher the colour rendering index the closer to daylight the bulb is (daylight portrays objects perfectly – it has a CRI of 100%).

For high use areas, you want to go for an LED bulb with a CRI of 80+. The higher the CRI of the bulb, normally the more expensive it will be to buy, but if you are into painting, for example, you will want to pay more to ensure the bulb has a CRI of 90+ to ensure you are getting a more accurate view of what you are painting.

#### 6. Beam Angle

The last thing you should consider when buying LED bulbs is the beam angle and it's more important than you might think.

If you have a low ceiling or need an even spread of light across the room, it is really important to look for a wide beam angle >100° to give a good even spread of light throughout the room. If you have high ceilings or need to focus light over a particular area, you should go for a lower beam angle.

#### 7. Quality is Key

With LED lighting, as with many products, quality is absolutely key. Whilst you may be able to find an LED on the market for a cheap price, chances are that it will produce poor light and pack up within 12 months. We recommend spending a little more on a quality bulb and getting one that will last for years, give off a quality light and save you money.



## “Domus Key Series Globes – Quality is key”

### Key-GLS Frost

NEW

11W Standard household globe, GLS shape. Available in ES (E27) and BC (B22) base options. 2700K Warm White and 6500K White LED options. Frosted diffuser. \*Fully dimmable with Domus Dimmer series.

#### Specification:

Watt	Voltage	Watt Equiv.	Colour Temp.	Cap	CRI	Lumens	Beam Angle	Lifetime	Dimmable
11W	240V	75W	2700K/6500K	E27/B22	≥80	1055lm	300	15,000h	Yes*


#### Order Code:

**65000** Key-GLS-11-B22-2700K - 11W GLS Dimmable B22 Frosted Warm White 2700K

**65002** Key-GLS-11-B22-6500K - 11W GLS Dimmable B22 Frosted White 6500K

**65004** Key-GLS-11-E27-2700K - 11W GLS Dimmable E27 Frosted Warm White 2700K

**65006** Key-GLS-11-E27-6500K - 11W GLS Dimmable E27 Frosted White 6500K



Not suitable for outdoor use.



## “Domus Key Series Globes – Quality is key”

### Key-Fancy Round Frost


5.7W Mini household globe, fancy round shape. Available in ES (E27), BC (B22), SES (E14) and SBC (B15) base options. 2700K Warm White and 6500K White LED options. Frosted diffuser. \*Fully dimmable with Domus Dimmer series.

#### Specification:

Watt	Voltage	Watt Equiv.	Colour Temp.	Cap	CRI	Lumens	Beam Angle	Lifetime	Dimmable
5.7W	240V	40W	2700K/6500K	E27/B22 E14/B15	≥80	470lm	190	15,000h	Yes*

#### Order Code:

- 65020** Key-FR-5.7-FRS-B15-2700K - 5.7W Fancy Round Dimmable B15 Frosted Warm White 2700K
- 65022** Key-FR-5.7-FRS-B15-6500K - 5.7W Fancy Round Dimmable B15 Frosted White 6500K
- 65024** Key-FR-5.7-FRS-B22-2700K - 5.7W Fancy Round Dimmable B22 Frosted Warm White 2700K
- 65026** Key-FR-5.7-FRS-B22-6500K - 5.7W Fancy Round Dimmable B22 Frosted White 6500K
- 65028** Key-FR-5.7-FRS-E14-2700K - 5.7W Fancy Round Dimmable E14 Frosted Warm White 2700K
- 65030** Key-FR-5.7-FRS-E14-6500K - 5.7W Fancy Round Dimmable E14 Frosted White 6500K
- 65032** Key-FR-5.7-FRS-E27-2700K - 5.7W Fancy Round Dimmable E27 Frosted Warm White 2700K
- 65034** Key-FR-5.7-FRS-E27-6500K - 5.7W Fancy Round Dimmable E27 Frosted White 6500K



Not suitable for outdoor use.

## “Domus Key Series Globes – Quality is key”

### Key-Fancy Round Clear


6W Mini household globe, fancy round shape. Available in ES (E27), BC (B22), SES (E14) and SBC (B15) base options. 2700K Warm White and 6500K White LED options. Clear diffuser. Chrome body. \*Fully dimmable with Domus Dimmer series.

#### Specification:

Watt	Voltage	Watt Equiv.	Colour Temp.	Cap	CRI	Lumens	Beam Angle	Lifetime	Dimmable
6W	240V	40W	2700K/6500K	E27/B22 E14/B15	≥80	470lm	180	15,000h	Yes*

#### Order Code:

- 65040** Key-FR-6-CLR-B15-2700K - 6W Fancy Round Dimmable B15 Clear Warm White 2700K
- 65042** Key-FR-6-CLR-B15-6500K - 6W Fancy Round Dimmable B15 Clear White 6500K
- 65044** Key-FR-6-CLR-B22-2700K - 6W Fancy Round Dimmable B22 Clear Warm White 2700K
- 65046** Key-FR-6-CLR-B22-6500K - 6W Fancy Round Dimmable B22 Clear White 6500K
- 65048** Key-FR-6-CLR-E14-2700K - 6W Fancy Round Dimmable E14 Clear Warm White 2700K
- 65050** Key-FR-6-CLR-E14-6500K - 6W Fancy Round Dimmable E14 Clear White 6500K
- 65052** Key-FR-6-CLR-E27-2700K - 6W Fancy Round Dimmable E27 Clear Warm White 2700K
- 65054** Key-FR-6-CLR-E27-6500K - 6W Fancy Round Dimmable E27 Clear White 6500K



Not suitable for outdoor use.

## “Domus Key Series Globes – Quality is key”

### Key-Candle Frost


5.7W Mini household globe, candle shape. Available in ES (E27), BC (B22), SES (E14) and SBC (B15) base options. 2700K Warm White and 6500K White LED options. Frosted diffuser. \*Fully dimmable with Domus Dimmer series.

#### Specification:

Watt	Voltage	Watt Equiv.	Colour Temp.	Cap	CRI	Lumens	Beam Angle	Lifetime	Dimmable
5.7W	240V	40W	2700K/6500K	E27/B22 E14/B15	≥80	470lm	240	15,000h	Yes*

#### Order Code:

- 65060** Key-CAN-5.7-FRS-B15-2700K - 5.7W Candle Dimmable B15 Frosted Warm White 2700K
- 65062** Key-CAN-5.7-FRS-B15-6500K - 5.7W Candle Dimmable B15 Frosted White 6500K
- 65064** Key-CAN-5.7-FRS-B22-2700K - 5.7W Candle Dimmable B22 Frosted Warm White 2700K
- 65066** Key-CAN-5.7-FRS-B22-6500K - 5.7W Candle Dimmable B22 Frosted White 6500K
- 65068** Key-CAN-5.7-FRS-E14-2700K - 5.7W Candle Dimmable E14 Frosted Warm White 2700K
- 65070** Key-CAN-5.7-FRS-E14-6500K - 5.7W Candle Dimmable E14 Frosted White 6500K
- 65072** Key-CAN-5.7-FRS-E27-2700K - 5.7W Candle Dimmable E27 Frosted Warm White 2700K
- 65074** Key-CAN-5.7-FRS-E27-6500K - 5.7W Candle Dimmable E27 Frosted White 6500K



Not suitable for outdoor use.

## “Domus Key Series Globes – Quality is key”

### Key-Candle Clear


6W Mini household globe, candle shape. Available in ES (E27), BC (B22), SES (E14) and SBC (B15) base options. 2700K Warm White and 6500K White LED options. Clear diffuser. Chrome body. \*Fully dimmable with Domus Dimmer series.

#### Specification:

Watt	Voltage	Watt Equiv.	Colour Temp.	Cap	CRI	Lumens	Beam Angle	Lifetime	Dimmable
6W	240V	40W	2700K/6500K	E27/B22 E14/B15	≥80	470lm	200	15,000h	Yes*

#### Order Code:

- 65080** Key-CAN-6-CLR-B15-2700K - 6W Candle Dimmable B15 Clear Warm White 2700K
- 65082** Key-CAN-6-CLR-B15-6500K - 6W Candle Dimmable B15 Clear White 6500K
- 65084** Key-CAN-6-CLR-B22-2700K - 6W Candle Dimmable B22 Clear Warm White 2700K
- 65086** Key-CAN-6-CLR-B22-6500K - 6W Candle Dimmable B22 Clear White 6500K
- 65088** Key-CAN-6-CLR-E14-2700K - 6W Candle Dimmable E14 Clear Warm White 2700K
- 65090** Key-CAN-6-CLR-E14-6500K - 6W Candle Dimmable E14 Clear White 6500K
- 65092** Key-CAN-6-CLR-E27-2700K - 6W Candle Dimmable E27 Clear Warm White 2700K
- 65094** Key-CAN-6-CLR-E27-6500K - 6W Candle Dimmable E27 Clear White 6500K



Not suitable for outdoor use.

## “Domus Key Series Globes – Quality is key”

### Key-G80 Spherical

9.5W G80 sphere globe, 80mm Spherical shape. Available in ES (E27) and BC (B22) base options. 2700K Warm white and 6500K White LED options. Frosted diffuser. Non-dimmable.


NEW

#### Specification:

Watt	Voltage	Watt Equiv.	Colour Temp.	Cap	CRI	Lumens	Beam Angle	Lifetime	Dimmable
9.5W	240V	60W	2700K/6500K	E27/B22	≥80	806lm	200	15,000h	No

#### Order Code:

- 65140** Key-G80-9.5-B22-2700K - 9.5W G80 Spherical B22 Frosted Warm White 2700K  
**65142** Key-G80-9.5-B22-6500K - 9.5W G80 Spherical B22 Frosted White 6500K  
**65144** Key-G80-9.5-E27-2700K - 9.5W G80 Spherical E27 Frosted Warm White 2700K  
**65146** Key-G80-9.5-E27 6500K - 9.5W G80 Spherical E27 Frosted White 6500K



Not suitable for outdoor use.

## “Domus Key Series Globes – Quality is key”

### Key-G95 Spherical

13W G95 sphere globe, 95mm Spherical shape. Available in ES (E27) and BC (B22) base options. 2700K Warm white and 6500K White LED options. Frosted diffuser. Non-dimmable.


NEW

#### Specification:

Watt	Voltage	Watt Equiv.	Colour Temp.	Cap	CRI	Lumens	Beam Angle	Lifetime	Dimmable
13W	240V	75W	2700K/6500K	E27/B22	≥80	1055lm	150	15,000h	No

#### Order Code:

- 65150** Key-G95-13-B22-2700K - 13W G95 Spherical B22 Frosted Warm White 2700K  
**65152** Key-G95-13-B22-6500K - 13W G95 Spherical B22 Frosted White 6500K  
**65154** Key-G95-13-E27-2700K - 13W G95 Spherical E27 Frosted Warm White 2700K  
**65156** Key-G95-13-E27 6500K - 13W G95 Spherical E27 Frosted White 6500K



Not suitable for outdoor use.



## “Domus Key Series Globes – Quality is key”

### Key-G120 Spherical

17W G120 sphere globe, 120mm Spherical shape. Available in ES (E27) and BC (B22) base options. 2700K Warm white and 6500K White LED options. Frosted diffuser. Non-dimmable.

NEW

#### Specification:

Watt	Voltage	Watt Equiv.	Colour Temp.	Cap	CRI	Lumens	Beam Angle	Lifetime	Dimmable
17W	240V	100W	2700K/6500K	E27/B22	≥80	1521lm	240	15,000h	No


#### Order Code:

**65160** Key-G120-17-B22-2700K - 17W G120 Spherical B22 Frosted Warm White 2700K

**65162** Key-G120-17-B22-6500K - 17W G120 Spherical B22 Frosted White 6500K

**65164** Key-G120-17-E27-2700K - 17W G120 Spherical E27 Frosted Warm White 2700K

**65166** Key-G120-17-E27-6500K - 17W G120 Spherical E27 Frosted White 6500K



Not suitable for outdoor use.

## “Domus Key Series Globes – Quality is key”

### Key-PAR-38

16W exterior floodlight globe, PAR38 shape, and medium beam for better light projection. IP65. Available in ES (E27) base options. 2700K Warm White and 6500K White LED options. Frosted lens diffuser. \*Fully dimmable with Domus Dimmer series.

NEW


#### Specification:

Watt	Voltage	Watt Equiv.	Colour Temp.	Cap	CRI	Lumens	Beam Angle	Lifetime	Dimmable
16W	240V	100W	2700K/6500K	E27	≥80	1400lm	36	15,000h	Yes*

#### Order Code:

**65194** Key-PAR38-16-E27-SPT-2700K - 16W PAR38 Dimmable IP65 36D Spot Warm White 2700K

**65196** Key-PAR38-16-E27-SPT-6500K - 16W PAR38 Dimmable IP65 36D Spot White 6500K



### Astra White

3.6W round LED recessed / surface mounted cabinet light with frosted diffuser. Removable ring allows fitting to be recessed. 12V DC low voltage allows for multiple units to be connected in parallel to the 12V DC Constant Voltage LED Driver (not included). Non-dimmable.

**Specification:**

**Diameter:** 65mm

**Surface Mount Height:** 21mm

**Recessed Height:** 11mm

**Cut-out:** (Ø) 57mm

**Order Code:**

**21282** Satin White Trim - Warm White LED 3000K

**21283** Satin White Trim - White LED 5000K

Requires 12V DC Constant Voltage LED Driver – Wire in Parallel



### Astra Silver

3.6W round LED recessed / surface mounted cabinet light with frosted diffuser. Removable ring allows fitting to be recessed. 12V DC low voltage allows for multiple units to be connected in parallel to the 12V DC Constant Voltage LED Driver (not included). Non-dimmable.

**Specification:**

**Diameter:** 65mm

**Surface Mount Height:** 21mm

**Recessed Height:** 11mm

**Cut-out:** (Ø) 57mm

**Order Code:**

**21280** Silver Trim - Warm White LED 3000K

**21281** Silver Trim - White LED 5000K

Requires 12V DC Constant Voltage LED Driver – Wire in Parallel



## Strip-60

Introducing STRIP-60 LED strip lighting system. STRIP-60 offers new possibilities in the way we illuminate areas and surfaces. The secret lies in its thin and flexible PCB, which allows for long and linear lengths to be performed with ease. With added advantages of low wattage and uniform lighting the STRIP-60 opens the area for many design concepts to become reality.

## Specification:



Colours:	7 colour options available
Light Source:	3528 SMD LED
LED Type:	Epistar (Taiwan)
Colour Temperature:	3200K, 4000K, 6500K
Colours:	(wave length) (B) 465nm, (G) 525nm, (R) 625nm, (O) 600nm
Number of LED Per Metre:	60
Wattage Per Metre:	4.8W
Input Voltage:	12VDC
Beam angle:	120°
Wiring:	Parallel
IP Rating:	IP20
Cutting Increments/Sections:	50mm (groups of 3 LED)
Requires:	12VDC constant voltage driver
Dimmable:	Yes* DALI, 0-10V, DMX-512
IES files:	Yes**

\* For dimming options please refer to the controller section for further details.

\*\* Available upon request.

## Order Code:

**20010** STRIP-60-W, 442 lm/m, 6500K  
**20009** STRIP-60-NW, 436 lm/m, 4000K  
**20011** STRIP-60-WW, 420 lm/m, 3200K  
**20012** STRIP-60-B, 90 lm/m, 465nm  
**20013** STRIP-60-G, 234 lm/m, 525nm  
**20014** STRIP-60-R, 126 lm/m, 625nm  
**20015** STRIP-60-O, 48 lm/m, 600nm



## Strip-90

Introducing STRIP-90 LED strip lighting system. STRIP-90 offers new possibilities in the way we illuminate areas and surfaces. The secret lies in its thin and flexible PCB which allows for long and linear lengths to be performed with ease. With added advantages of low wattage and uniform lighting the STRIP-90 opens the area for many design concepts to become reality.

## Specification:



Colours:	3 colour options available
Light Source:	3528 SMD LED
LED Type:	Epistar (Taiwan)
Colour Temperature:	3200K, 4000K, 6500K
Colours:	(wave length) (B) 465nm, (G) 525nm, (R) 625nm, (O) 600nm
Number of LED Per Metre:	90
Wattage Per Metre:	7.2W
Input Voltage:	12VDC
Beam angle:	120°
Wiring:	Parallel
IP Rating:	IP20
Cutting Increments/Sections:	33mm (groups of 3 LED)
Requires:	12VDC constant voltage driver
Dimmable:	Yes* DALI, 0-10V, DMX-512
IES files:	Yes**

\* For dimming options please refer to the controller section for further details.

\*\* Available upon request.

## Order Code:

**20016** STRIP-90-W, 655 lm/m, 6500K  
**20007** STRIP-90-NW, 642 lm/m, 4000K  
**20017** STRIP-90-WW, 603 lm/m, 3200K



## Strip-120

Introducing STRIP-120 LED strip lighting system. STRIP-120 is the first in the line-up of high performance LED strip lighting in the Domus offering. New possibilities can be realised in the way we illuminate areas and surfaces. The secret lies in its thin and flexible PCB which allows for long and linear lengths to be performed with ease. With added advantages such as a higher number of SMD LEDs over a smaller area STRIP-120 gives that almost seamless continuous line of light with no visible spotting.

## Specification:

Colours:	3 colour options available
Light Source:	3020 SMD LED
LED Type:	Epistar (Taiwan)
Colour Temperature:	3200K, 4000K, 6500K
Number of LED Per Metre:	120
Wattage Per Metre:	19.2W
Input Voltage:	12VDC
Beam angle:	120°
Wiring:	Parallel
IP Rating:	IP20
Cutting Increments/Sections:	25mm (group of 3 LED)
Requires:	12VDC constant voltage driver
Dimmable:	Yes* DALI, 0-10V, DMX-512
IES files:	Yes**
Mounting:	Aluminium mounting profile***

\* For dimming options please refer to the controller section for further details.

\*\* Available upon request.


\*\*\* Due to the nature of this LED strip light, the use of an aluminium mounting profile is mandatory for heat dissipation.

## Order Code:

**20019** STRIP-120-W, 1497 lm/m, 6500K

**20008** STRIP-120-NW, 1476 lm/m, 4000K

**20020** STRIP-120-WW, 1322 lm/m, 3200K



20019  
White



20008  
Neutral  
White



20020  
Warm White

## Strip-204

Introducing STRIP-204 LED strip lighting system. STRIP-204 offers unsurpassed performance not seen by others. Many new possibilities can be realised in the way we illuminate areas and surfaces with a virtual direct replacement to traditional fluorescent lamps. The secret lies in its thin and flexible PCB which allows for long and linear lengths to be performed with ease. With added advantages such as a higher number of SMD LEDs over a smaller area the STRIP-204 gives that seamless continuous line of light with no visible spotting or shadows.

## Specification:

Colours:	3 colour options available
Light Source:	3014 SMD LED
LED Type:	Epistar (Taiwan)
Colour Temperature:	3200K, 4000K, 6500K
Number of LED Per Metre:	204
Wattage Per Metre:	24.5W
Input Voltage:	12VDC
Beam angle:	120°
Wiring:	Parallel
IP Rating:	IP20
Cutting Increments/Sections:	15mm (group of 3 LED)
Requires:	12VDC constant voltage driver
Dimmable:	Yes* DALI, 0-10V, DMX-512
IES files:	Yes**
Mounting:	Aluminium mounting profile***

\* For dimming options please refer to the controller section for further details.

\*\* Available upon request.



\*\*\* Due to the nature of this LED strip light, the use of an aluminium mounting profile is mandatory for heat dissipation.

## Order Code:

**20024** STRIP-204-W, 2199 lm/m, 6500K

**20025** STRIP-204-NW, 2077 lm/m, 4000K

**20026** STRIP-204-WW, 1694 lm/m, 3200K



20024  
White



20025  
Neutral  
White



20026  
Warm White



## Strip-240

Introducing STRIP-240 LED strip lighting system. STRIP-240 offers unsurpassed performance not seen by others. Many possibilities can now be realised in the way we illuminate areas and surfaces with a direct replacement to traditional fluorescent lamps. The secret lies in its thin and flexible PCB which allows for long and linear lengths to be performed with ease. The STRIP-240 is specifically designed for use in LED mounting profiles. With added advantages such as a higher number of SMD LEDs over a smaller area and double width PCB, the STRIP-240 offers greater lumen output in a package far smaller than standard T5 fixtures.

### Specification:

Colours:	3 colour options available
Light Source:	3020 SMD LED
LED Type:	Epistar (Taiwan)
Colour Temperature:	3200K, 4000K, 6500K
Number of LED Per Metre:	240
Wattage Per Metre:	38W
Input Voltage:	24VDC
Beam angle:	120°
Wiring:	Parallel
IP Rating:	IP20
Cutting Increments/Sections:	50mm (group of 12 LED)
Requires:	24VDC constant voltage driver
Dimmable:	Yes* DALI, 0-10V, DMX-512
IES files:	Yes**
Mounting:	Aluminium mounting profile***

\* For dimming options please refer to the controller section for further details.

\*\* Available upon request.


\*\*\* Due to the nature of this LED strip light, the use of an aluminium mounting profile is mandatory for heat dissipation.

### Order Code:

**20021** STRIP-240-W, 3047 lm/m, 6500K

**20022** STRIP-240-NW, 2853 lm/m, 4000K

**20023** STRIP-240-WW, 2800 lm/m, 3200K



20021  
White



20022  
Neutral  
White



20023  
Warm White

## Strip-Gamma

Introducing STRIP-GAMMA LED strip lighting system. STRIP-GAMMA strip offers new possibilities in the way we illuminate areas and surfaces. The secret lies in its thin and flexible PCB which allows for long and linear lengths to be performed with ease. With added advantages of low wattage and high illumination coupled with uniform lighting, STRIP-GAMMA strip enables many design concepts to become a reality.

### Specification:

Colours:	3 colour options available
Light Source:	5050 SMD LED
LED Type:	Epistar (Taiwan)
Colour Temperature:	3200K, 4000K, 6500K
Number of LED Per Metre:	60
Wattage Per Metre:	14.4W
Input Voltage:	12VDC
Beam angle:	120°
Wiring:	Parallel
IP Rating:	IP20
Cutting Increments/Sections:	50mm (group of 3 LED)
Requires:	12VDC constant voltage driver
Dimmable:	Yes* DALI, 0-10V, DMX-512
IES files:	Yes**

\* For dimming options please refer to the controller section for further details.


\*\* Available upon request.

### Order Code:

**20100** STRIP-GAMMA-W, 1382 lm/m, 6500K

**20102** STRIP-GAMMA-NW, 1331 lm/m, 4000K

**20101** STRIP-GAMMA-WW, 931 lm/m, 3200K



20100  
White



20102  
Neutral  
White



20101  
Warm White

### Strip-48-Bend

Introducing a revolutionary LED strip lighting system. The STRIP-48-BEND is a patented design exclusive to the Domus range offering mind bending possibilities. Gone are the days of needing to cut and join around corners, bent or curved surfaces. STRIP-48-BEND accommodates any design idea or installation process. The ability comes from a uniquely designed PCB which not only can bend up or down but like standard LED strip lighting, amazing curves and 90° bends can be created without the need of cutting and soldering joining wires. Now it's up to you. How will you incorporate this into your new design?

#### Specification:


Colours:	3 colour options available
Light Source:	5050 SMD LED
LED Type:	DKI (Korea)
Colour Temperature:	3200K, 4000K, 6500K
Number of LED Per Metre:	48
Wattage Per Metre:	11.5W
Input Voltage:	12VDC
Beam angle:	120°
Wiring:	Parallel
IP Rating:	IP20
Cutting Increments/Sections:	60mm (group of 3 LED)
Requires:	12VDC constant voltage driver
Dimmable:	Yes* DALI, 0-10V, DMX-512

\* For dimming options please refer to the controller section for further details.

**Note:** Special colours available upon request. Extended lead times will apply.

#### Order Code:

**20093** STRIP-48-BEND-W, 1171 lm/m, 6500K  
**20095** STRIP-48-BEND-NW, 1216 lm/m, 4000K  
**20094** STRIP-48-BEND-WW, 819 lm/m, 3200K



20093  
White

20095  
Neutral  
White

20094  
Warm White

### Strip-30 RGB

Introducing STRIP-30 RGB LED strip lighting system. STRIP-30 RGB offers new possibilities in the way we illuminate areas and surfaces with a fantastic array of colour. STRIP-30 RGB gives the user the ability to create a dynamic array of colour to any room. Applications for colour changing include games rooms, cinema rooms, lounge room and any other area that requires the ability for visual interest.

#### Specification:

Colours:	RGB colour changing
Light Source:	5060 SMD LED
LED Type:	Epistar (Taiwan)
Colour Temperature:	Up to 16 million colours*
Number of LED Per Metre:	30
Wattage Per Metre:	7.2W
Input Voltage:	12VDC
Beam angle:	120°
Wiring:	Parallel
IP Rating:	IP20
Cutting Increments/Sections:	100mm (group of 3 LED)
Requires:	RGB colour controller** + 12VDC constant voltage driver
Expansion:	Signal data repeaters***
IES files:	Yes****

\* Controller dependent.



\*\* For RGB controller options please refer to the controller section for further details.

\*\*\* Required for systems over 5 metres (20114) located in controller section.

\*\*\*\* Available upon request.

#### Order Code:

**20030** STRIP-30-RGB, 510 lm/m, RGB



Red, green and blue chips  
combine to desired colour.

### Strip-60-RGB

Introducing STRIP-60-RGB LED strip lighting system. STRIP-60-RGB offers new possibilities in the way we illuminate areas and surfaces with a fantastic array of colour. STRIP-60-RGB gives the user the ability to create a dynamic array of colour to any room. Applications for colour changing include games rooms, cinema rooms, lounge room and any other area that requires the ability for visual interest.

#### Specification:

Colours:	RGB colour changing
Light Source:	5060 SMD LED
LED Type:	Epistar (Taiwan)
Colour Temperature:	Up to 16 million colours*
Number of LED Per Metre:	60
Wattage Per Metre:	14.4W
Input Voltage:	12VDC
Beam angle:	120°
Wiring:	Parallel
IP Rating:	IP20
Cutting Increments/Sections:	50mm (group of 3 LED)
Requires:	RGB colour controller** + 12VDC constant voltage driver
Expansion:	Signal data repeaters***
IES files:	Yes****

\* Controller dependent.



\*\* For RGB controller options please refer to the controller section for further details.

\*\*\* Required for systems over 5 metres (20114) located in controller section.

\*\*\*\* Available upon request.

#### Order Code:

**20031** STRIP-60-RGB, 307 lm/m, RGB



Red, green and blue chips combine to desired colour.

### Strip-60-RGB-WW

Introducing STRIP-60-RGB + WW LED strip lighting system. The STRIP-60-RGB + WW offers new possibilities in the way we illuminate areas and surfaces with a fantastic array of colour. STRIP-60-RGB + WW gives the user the ability to create a dynamic array of saturated colour to any room. This is due to the combination of not just RGB tri-colour SMD but also the inclusion of a separate warm white SMD LED. So going from saturated colour to normal colour changing then to warm white is no longer a problem. Applications for colour changing include games rooms, cinema rooms, lounge room and any other area that require the ability for visual interest.

#### Specification:

Colours:	RGB + WW colour changing
Light Source:	RGBWW 5050 QUAD COLOUR SMD LED
LED Type:	Epistar (Taiwan)
Colour Temperature:	Up to 16 million colours*
Number of LED Per Metre:	60
Wattage Per Metre:	19.2W
Input Voltage:	24VDC
Beam angle:	120°
Wiring:	Parallel
IP Rating:	IP20
Cutting Increments/Sections:	100mm (group of 6 LED)
Requires:	RGB + WW colour controller** + 12VDC constant voltage driver
Expansion:	Signal data repeaters***
IES files:	Yes****

\* Controller dependent.



\*\* For RGB controller options please refer to the controller section for further details.

\*\*\* Required for systems over 5 metres (20114) located in controller section.

\*\*\*\* Available upon request.

#### Order Code:

**20033** STRIP-60-RGB-WW, 610 lm/m, RGB



Red, green and blue chips combine to desired colour. Additional warm white chip to produce warm colours.

## Strip-60-WP

Introducing STRIP-60-WP LED strip lighting system. STRIP-60-WP offers new possibilities in the way we illuminate areas and surfaces. Ideal for areas of dampness or high humidity. The secret lies in its thin and flexible PCB which is encapsulated in special silicon U-Channel with silicon overlay. With added advantages of low wattage and uniform lighting the STRIP-60-WP enables many design concepts to become reality. Design usages include under kitchen cupboards, laundries, bathroom and exterior applications.

## Specification:

Colours:	5 colour options available
Light Source:	3528 SMD LED
LED Type:	Chimei (Taiwan)
Colour Temperature:	3200K, 6500K
Colours (wave length):	(B) 465nm, (G) 525nm, (R) 625nm
Number of LED Per Metre:	60
Wattage Per Metre:	4.8W
Input Voltage:	12VDC
Beam angle:	120°
Wiring:	Parallel
IP Rating:	IP66*
Cutting Increments/Sections:	50mm (group of 3 LED)
Requires:	12VDC constant voltage driver
Dimmable:	Yes** DALI, 0-10V, DMX-512
IES files:	Yes***
Mounting:	Optional aluminium mounting profile****

\* Not suitable for underwater applications

\*\* For dimming options please refer to the controller section for further details.

\*\*\* Available upon request.

\*\*\*\* Refer to data sheet.

## Order Code:


**20050** STRIP-60-WP-W, 480 lm/m, 6500K

**20051** STRIP-60-WP-WW, 420 lm/m, 3200K

**20052** STRIP-60-WP-BLUE, 90 lm/m, 465nm

**20053** STRIP-60-WP-GREEN, 348 lm/m, 625nm

**20054** STRIP-60-WP-RED, 126 lm/m, 525nm



20050 White 20051 Warm White 20052 Blue



20053 Green 20054 Red

## Strip-120-WP

Introducing STRIP-120-WP LED strip lighting system. STRIP-120-WP has the highest lumen output in our weatherproof line-up and offers new possibilities in the way that we illuminate areas and surfaces. Ideal for areas of dampness or high humidity. The secret lies in its thin and flexible PCB which is encapsulated in a special silicon U-channel with a silicon overlay. With added advantages of nearly double the amount of LED over a given area and coupled with low power consumption the STRIP-120-WP enables many design concepts to become reality. Design usages include under kitchen cupboards, laundries, bathroom and exterior applications.

## Specification:

Colours:	2 colour options available
Light Source:	3528 SMD LED
LED Type:	Chimei (Taiwan)
Colour Temperature:	3200K, 6500K
Number of LED Per Metre:	120
Wattage Per Metre:	10W
Input Voltage:	12VDC
Beam angle:	120°
Wiring:	Parallel
IP Rating:	IP66*
Cutting Increments/Sections:	25mm (group of 3 LED)
Requires:	12VDC constant voltage driver
Dimmable:	Yes** DALI, 0-10V, DMX-512
IES files:	Yes***

\* Not suitable for underwater applications



\*\* For dimming options please refer to the controller section for further details.

\*\*\* Available upon request.

## Order Code:

**20056** STRIP-120-WP-W, 900 lm/m, 6500K

**20057** STRIP-120-WP-WW, 840 lm/m, 3200K



20056 White 20057 Warm White



### Strip-30-RGB WP

Introducing STRIP-RGB-WP LED strip lighting system. STRIP-RGB-30-WP offers new possibilities for colour changing in damp or wet locations. The secret lies in its thin and flexible PCB which is encapsulated in a special silicon U-channel with a silicon overlay. Applications such as outdoor areas, hand rails, pool areas are accentuated by the colourful effects achieved by this LED strip. The use for this is only limited by your imagination.

#### Specification:

Colours:	RGB colour changing
Light Source:	5050 SMD LED
LED Type:	Chimei (Taiwan)
Colour:	Up to 16 million colours*
Number of LED Per Metre:	30
Wattage Per Metre:	7.2W
Input Voltage:	12VDC
Beam angle:	120°
Wiring:	Parallel
IP Rating:	IP66*
Cutting Increments/Sections:	100mm (group of 3 LED)
Requires:	RGB colour controller*** + 12VDC constant voltage driver
Expansion:	Signal data repeaters****
IES files:	Yes*****

\* Controller dependent

\*\* Not suitable for underwater applications



\*\*\* For RGB controller options please refer to the controller section for further details.

\*\*\*\* Required for systems over 5metres (20114) located in controller

\*\*\*\*\* Available upon request.

#### Order Code:

**20060** STRIP-30-RGB-WP, 220 lm/m, RGB



Red, green and blue chips combine to desired colour.

### Strip-60-RGB WP

Introducing STRIP-RGB-WP LED strip lighting system. STRIP-RGB 60-WP offers new possibilities for colour changing in damp or wet locations. The secret lies in double the amount of LEDs over one metre. Couple this with its thin and flexible PCB, encapsulated in a special silicon U-channel with silicon overlay. Applications such as outdoor areas, hand rails, pool areas are accentuated by the colourful effects achieved by this LED strip. The use for this is only limited by your imagination for a fully visual feast.

#### Specification:

Colours:	RGB colour changing
Light Source:	5050 SMD LED
LED Type:	Chimei (Taiwan)
Colour:	Up to 16 million colours*
Number of LED Per Metre:	60
Wattage Per Metre:	14.4W
Input Voltage:	12VDC
Beam angle:	120°
Wiring:	Parallel
IP Rating:	IP66*
Cutting Increments/Sections:	50mm (group of 3 LED)
Requires:	RGB colour controller*** + 12VDC constant voltage driver
Expansion:	Signal data repeaters****
IES files:	Yes*****

\* Controller dependent

\*\* Not suitable for underwater applications


\*\*\* For RGB controller options please refer to the controller section for further details.

\*\*\*\* Required for systems over 5metres (20114) located in controller

\*\*\*\*\* Available upon request.

#### Order Code:

**20061** STRIP-60-RGB-WP, 440 lm/m, RGB



Red, green and blue chips combine to desired colour.

## Bobby-Bloc

Introducing the BOBBY-BLOC LED mounting profile system. The BOBBY-BLOC is specifically designed for the Domus range of LED strip lighting. This aluminium mounting profile system incorporated extruded profile complete with a square opal colour PMMA diffuser. The key features of the BOBBY-BLOC is the ability to not only conceal the LED strip lighting but also keep the strip lighting linear. Also, the BOBBY-BLOC keeps LEDs free from foreign objects and vapours which may damage the LEDs. Another key point is the invisible screw mounting which is hidden with-in the profile. The finishing of this product is a perfect complement to any area where discrete lighting is required. Applications include lounge rooms, dining areas, bathrooms, storage areas, shelving or any other architectural application.


### Specification:

<b>Installation:</b>	Surface, wall or suspended mounted
<b>Material:</b>	Extruded aluminium 6063
<b>Finish:</b>	Natural clear anodised
<b>Diffuser:</b>	Square (PMMA) Opal colour
<b>Length:</b>	2500mm continuous*
<b>Size:</b>	(W) 19.8mm, (H) 19.6mm
<b>Accessories:</b>	End caps (silver) and wire suspensions**
<b>Special:</b>	Custom powder coated colour upon request***
<b>Driver installation:</b>	Remote driver required

\* Profile sold per metre. Can be cut to suit any length.

\*\* Accessories to be ordered separately.

\*\*\* Special powder coat finishes upon request. Surcharges apply.



### Order Code:

**22010** BOBBY-BLOC, Sold Per 1 Metre

**22011** BOBBY-BLOC-CAP, Silver Finish, Sold Individually

**21999** BOBBY-MOUNT, Stainless Steel, Sold Individually

**22041** EXT-SUSPENSION, 2 Metres Standard Height, Sold Individually



22010



22011




21999




22041



### Compatible LED Strip Lighting:



### LED Output Variance:



60

90

120

204

## Bobby-Curve

Introducing the BOBBY-CURVE LED mounting profile system. The BOBBY-CURVE is specifically designed for the Domus range of LED strip lighting. This aluminium mounting profile system incorporated extruded profile complete with a curved opal colour PMMA diffuser. The key features of the BOBBY-CURVE is the ability to not only conceal the LED strip lighting but also keep the strip lighting linear. Also, the BOBBY-CURVE keeps LEDs free from foreign objects and vapours which may damage the LEDs. Another key point is the invisible screw mounting which is hidden with-in the profile. The finishing of this product is a perfect complement to any area where discrete lighting is required. Applications include lounge rooms, dining areas, bathrooms, storage areas, shelving or any other architectural application.


### Specification:

<b>Installation:</b>	Surface, wall or suspended mounted
<b>Material:</b>	Extruded aluminium 6063
<b>Finish:</b>	Natural clear anodised
<b>Diffuser:</b>	Curved (PMMA) Opal colour
<b>Length:</b>	2500mm continuous*
<b>Size:</b>	(W) 19.7mm (H) 19.6mm
<b>Accessories:</b>	End caps (silver) and wire suspensions**
<b>Special:</b>	Custom powder coated colour upon request***
<b>Driver installation:</b>	Remote driver required

\* Profile sold per metre. Can be cut to suit any length.

\*\* Accessories to be ordered separately.

\*\*\* Special powder coat finishes upon request. Surcharges apply.



### Order Code:

**22008** BOBBY-CURVE, Sold Per 1 Metre

**22009** BOBBY-CURVE-CAP, Silver Finish, Sold Individually

**21999** BOBBY-MOUNT, Stainless Steel, Sold Individually

**22041** EXT-SUSPENSION, 2 Metres Standard Height, Sold Individually



22008



22009




21999




22041



### Compatible LED Strip Lighting:



### LED Output Variance:



60

90

120


204

## Bobby-T

Introducing the BOBBY-T LED mounting profile system. The BOBBY-T is specifically designed for the Domus range of LED strip lighting. This aluminium mounting profile system incorporated extruded profile complete with a unique T shaped opal colour PMMA diffuser. The key features of the BOBBY-T is the ability to not only conceal the LED strip lighting but also keep the strip lighting linear. Also, the BOBBY-T keeps LEDs free from foreign objects and vapours which may damage the LEDs. Another key point is the invisible screw mounting which is hidden with-in the profile for surface mounting applications but the BOBBY-T comes into its own when used as a wire suspended pendant. The finishing of this product is a perfect complement to any area. Applications include lounge rooms, dining areas, bathrooms or any other architectural application.

## Specification:

<b>Installation:</b>	Surface mounted or suspended
<b>Material:</b>	Extruded aluminium 6063
<b>Finish:</b>	T-Shape (PMMA) Opal colour
<b>Diffuser:</b>	Square (PMMA) Opal colour
<b>Length:</b>	2500mm continuous*
<b>Size:</b>	Profile (W) 19.7mm, (H) 33mm including diffuser
<b>Accessories:</b>	End caps (silver) and wire suspensions**
<b>Special:</b>	Custom powder coated colour upon request***
<b>Driver installation:</b>	Remote driver required



\* Profile sold per metre. Can be cut to suit any length.

\*\* Accessories to be ordered separately.

\*\*\* Special powder coat finishes upon request. Surcharges apply.

## Order Code:

**22012** BOBBY-T, Sold Per 1 Metre

**22013** BOBBY-T-CAP, Silver Finish, Sold Individually

**21999** BOBBY-MOUNT, Stainless Steel, Sold Individually

**22041** EXT-SUSPENSION, 2 Metres Standard Height, Sold Individually



22012



22013




21999



22041



## Compatible LED Strip Lighting:



## LED Output Variance:



60

90

120


204

## Bobby-Optic

Introducing the BOBBY-OPTIC LED mounting profile system. The BOBBY-OPTIC is specifically designed for the Domus range of LED strip lighting. This aluminium mounting profile system incorporated extruded profile complete with a unique optical clear colour polycarbonate diffuser. The key features of the BOBBY-OPTIC is the ability to not only conceal the LED strip lighting but also keep the strip lighting linear. Also, the BOBBY-OPTIC keeps LEDs free from foreign objects and vapours which may damage the LEDs. Another key point is the invisible screw mounting which is hidden with-in the profile for surface mounting applications but the BOBBY-OPTIC comes into its own when light needs to be concentrated within a specific area. The finishing of this product is a perfect complement to any area. Applications include under shelf lighting, office areas, kitchens and even wall washing.

## Specification:

<b>Installation:</b>	Surface mounted or suspended
<b>Material:</b>	Extruded aluminium 6063
<b>Finish:</b>	Natural clear anodised
<b>Diffuser:</b>	30° optical (PC) clear colour
<b>Length:</b>	2500mm continuous*
<b>Size:</b>	Profile (W) 19.7mm, (H) 17.4mm including diffuser
<b>Accessories:</b>	End caps (silver) and wire suspensions**
<b>Special:</b>	Custom powder coated colour upon request***
<b>Driver installation:</b>	Remote driver required



\* Profile sold per metre. Can be cut to suit any length.

\*\* Accessories to be ordered separately.

\*\*\* Special powder coat finishes upon request. Surcharges apply.

## Order Code:

**22014** BOBBY-OPTIC, Sold Per 1 Metre

**22015** BOBBY-OPTIC-CAP, Silver Finish, Sold Individually

**21999** BOBBY-MOUNT, Stainless Steel, Sold Individually

**22041** EXT-SUSPENSION, 2 Metres Standard Height, Sold Individually



22014



22015




21999




22041



## Compatible LED Strip Lighting:



## LED Output Variance:



60

90

120

204

## Nova-Line-SM

Introducing the NOVA-LINE-SM surface mounting profile system. The NOVA-LINE-SM is specifically designed for the Domus range of LED strip lighting. This aluminium mounting profile system incorporated extruded profile complete with a flat opal PMMA diffuser. The key features of the NOVA-LINE-SM is the ability to not only conceal the LED strip lighting but also keep the strip lighting linear. Also, the NOVA-LINE-SM keeps LEDs free from foreign objects and vapours which may damage the LEDs. A simple and shallow yet very contemporary LED surface mounted profile ideally suited to under bench mounting, pelmets, wardrobes or laundry applications.


## Specification:

<b>Installation:</b>	Wall or surface mounted
<b>Material:</b>	Extruded aluminium 6063
<b>Finish:</b>	Natural clear anodised
<b>Diffuser:</b>	Flat (PMMA) High Output Opal/Frost
<b>Length:</b>	2500mm continuous*
<b>Size:</b>	Profile (W) 17mm, (H) 8mm
<b>Accessories:</b>	End caps (silver) and mounting clips**
<b>Special:</b>	Custom powder coated colour upon request***
<b>Driver installation:</b>	Requires Remote Driver (not included)

\* Profile sold per metre. Can be cut to suit any length.

\*\* Accessories to be ordered separately.

\*\*\* Special powder coat finishes upon request. Surcharges apply.



## Order Code:


**22045** NOVA-SM, Sold Per 1 Metre

**22046** NOVA-SM-CAP, Silver Finish, Sold Individually

**22047** NOVA-MOUNT, Clear, Sold Individually



## Compatible LED Strip Lighting:



## LED Output Variance:



## Nova-Line-Recessed

Introducing the NOVA-LINE-recessed mounting profile system. The NOVA-LINE-recessed is specifically designed for the Domus range of LED strip lighting. This aluminium mounting profile system incorporated extruded profile complete with a flat opal PMMA diffuser. The key features of the NOVA-LINE-recessed is the ability to not only conceal the LED strip lighting but also keep the strip lighting linear. Also, the NOVA-LINE-recessed keeps LEDs free from foreign objects and vapours which may damage the LEDs. A simple and shallow yet very contemporary LED recessed mounted profile ideally suited to under bench mounting, wardrobes or laundry applications where minimal mounting requirements are needed.


## Specification:

<b>Installation:</b>	Recessed mounted
<b>Material:</b>	Extruded aluminium 6063
<b>Finish:</b>	Natural clear anodised
<b>Diffuser:</b>	Flat (PMMA) High Output Opal/Frost
<b>Length:</b>	2500mm continuous*
<b>Size:</b>	Profile (W) 23mm, (H) 8mm
<b>Accessories:</b>	End caps (silver)**
<b>Special:</b>	Custom powder coated colour upon request***
<b>Driver installation:</b>	Requires Remote Driver (not included)

\* Profile sold per metre. Can be cut to suit any length.

\*\* Accessories to be ordered separately.

\*\*\* Special powder coat finishes upon request. Surcharges apply.




## Order Code:

**22048** NOVA-RECESSED, Sold Per 1 Metre


**22049** NOVA-RECESSED-CAP, Silver Finish, Sold Individually



## Compatible LED Strip Lighting:



## LED Output Variance:




## Opti-Line-SM

Introducing the OPTI-LINE-SM surface mounting profile system. The OPTI-LINE-SM is specifically designed for the Domus range of LED strip lighting. This aluminium mounting profile system incorporated extruded profile complete with a flat opal or clear colour polycarbonate diffuser. The key features of the OPTI-LINE-SM is the ability to not only conceal the LED strip lighting but also keep the strip lighting linear. Also, the OPTI-LINE-SM keeps LEDs free from foreign objects and vapours which may damage the LEDs. A simple yet very contemporary LED surface mounted profile ideally suited to under bench mounting, pelmets, wardrobes or laundry applications.

### Specification:

<b>Installation:</b>	Wall or surface mounted
<b>Material:</b>	Extruded aluminium 6063
<b>Finish:</b>	Natural clear anodised
<b>Diffuser:</b>	Curved (PC) Opal or clear colour
<b>Length:</b>	3000mm continuous*
<b>Size:</b>	Profile (W) 20.6mm, (H) 13.8mm
<b>Accessories:</b>	End caps (silver) and mounting clips**
<b>Special:</b>	Custom powder coated colour upon request***
<b>Driver installation:</b>	Requires Remote Driver (not included)



- \* Profile sold per metre. Can be cut to suit any length.  
 \*\* Accessories to be ordered separately.  
 \*\*\* Special powder coat finishes upon request. Surcharges apply.

### Order Code:

- 22000** OPTI-LINE-SM-CLEAR, Sold Per 1 Metre  
**22001** OPTI-LINE-SM-OPAL, Sold Per 1 Metre  
**22002** OPTI-LINE-SM-CAP, Silver Finish, Sold Individually  
**22003** OPTI-LINE-SM-MOUNTING, Silver Finish, Sold Individually




22000

22001


22002

22003

### Compatible LED Strip Lighting:



### LED Output Variance:



60

90

120


204

## Opti-Line-Recessed

Introducing the OPTI-LINE-RECESSED surface mounting profile system. The OPTI-LINE-RECESSED is specifically designed for the Domus range of LED strip lighting. This aluminium mounting profile system incorporated extruded profile complete with a flat opal or clear colour polycarbonate diffuser. The key features of the OPTI-LINE-RECESSED is the ability to not only on conceal the LED strip lighting but also keep the strip lighting linear. Also, the OPTI-LINE-RECESSED keeps LEDs free from foreign objects and vapours which may damage the LEDs. A simple yet very contemporary LED recessed mounted profile ideally suited to under bench mounting, wardrobes or laundry applications.

### Specification:

<b>Installation:</b>	Recessed mounted
<b>Material:</b>	Extruded aluminium 6063
<b>Finish:</b>	Natural clear anodised
<b>Diffuser:</b>	Curved (PC) Opal or clear colour
<b>Length:</b>	3000mm continuous*
<b>Size:</b>	Profile (W) 26.7mm, (H) 16.39mm
<b>Accessories:</b>	End caps (silver) and spring clips**
<b>Special:</b>	Custom powder coated colour upon request***
<b>Driver installation:</b>	Requires Remote Driver (not included)



- \* Profile sold per metre. Can be cut to suit any length.  
 \*\* Accessories to be ordered separately.  
 \*\*\* Special powder coat finishes upon request. Surcharges apply.

### Order Code:

- 22004** OPTI-LINE-RECESSED-CLR, Sold Per 1 Metre  
**22005** OPTI-LINE-RECESSED-OPAL, Sold Per 1 Metre  
**22006** OPTI-LINE-RECESSED-CAP, Silver Finish, Sold Individually  
**22007** OPTI-LINE-RECESSED-SPRING-CLIP, Sold Individually



22004

22005


22006

22007

### Compatible LED Strip Lighting:



### LED Output Variance:



60

90

120

204




## Omega-35-SM

Introducing the OMEGA-35-SM surface mounted profile system. The OMEGA-35-SM was specifically designed for the Domus range of LED strip lighting. This aluminium mounting profile system incorporates an extruded profile complete with a flat opal colour PMMA diffuser. The key features of the OMEGA-35-SM is the ability to not only conceal the LED strip lighting but also keep the strip lighting linear. Also, the OMEGA-35-SM keeps LEDs free from foreign objects and vapours which may damage the LEDs. Another key point is in the mounting of this profile. Specifically designed as a surface mounted profile or wired suspended pendant to create linear visual impact in area interior application.

### Specification:

<b>Installation:</b>	Wall, surface or suspended mounted
<b>Material:</b>	Extruded aluminium 6063
<b>Finish:</b>	Natural clear anodised
<b>Diffuser:</b>	Flat (PMMA) high output frost diffuser
<b>Length:</b>	2500mm continuous*
<b>Size:</b>	Profile (W) 34.8mm, (H) 37.5mm
<b>Accessories:</b>	End caps (Anodised) and suspension wires**
<b>Special:</b>	Custom powder coated colour upon request***
<b>Driver installation:</b>	Requires Remote Driver (not included)




- \* Profile sold per metre. Can be cut to suit any length.  
 \*\* Accessories to be ordered separately.  
 \*\*\* Special powder coat finishes upon request. Surcharges apply.

### Order Code:


- 22050** OMEGA-35-SM, Sold Per 1 Metre  
**22051** OMEGA-35-SM-CAP, Silver Finish, Sold Individually  
**22041** EXT-SUSPENSION, 2 Metres Standard Height, Sold Individually



### Compatible LED Strip Lighting:



### LED Output Variance:




## Omega-35 Recessed

Introducing the OMEGA-35 recessed mounting profile system. The OMEGA-35 is specifically designed for the Domus range of LED strip lighting. This aluminium mounting profile system incorporates extruded profile complete with a flat opal colour PMMA diffuser. The key features of the OMEGA-35 is the ability to not only conceal the LED strip lighting but also keep the strip lighting linear. Also, the OMEGA-35 keeps LEDs free from foreign objects and vapours which may damage the LEDs. Another key point is in the mounting of this profile. Specifically designed as a recessed ceiling mounted profile the OMEGA-35 will create a visual impact with its seamless and clean lines.

### Specification:

<b>Installation:</b>	Recessed ceiling or wall
<b>Material:</b>	Extruded aluminium 6063
<b>Finish:</b>	Natural clear anodised
<b>Diffuser:</b>	Flat (PMMA) high output frost
<b>Length:</b>	2500mm continuous*
<b>Size:</b>	Profile (W) 43.8mm, (H) 34.8mm
<b>Accessories:</b>	End caps (silver) and mounting saddles**
<b>Special:</b>	Custom powder coated colour upon request***




- \* Profile sold per metre. Can be cut to suit any length.  
 \*\* Accessories to be ordered separately.  
 \*\*\* Special powder coat finishes upon request. Surcharges apply.

### Order Code:

- 22034** OMEGA-35-REC, Sold Per 1 Metre  
**22035** OMEGA-35-REC-CAP, Silver Finish, Sold Individually  
**22036** OMEGA-35-REC-MOUNT, Anodised, Sold Individually



### Compatible LED Strip Lighting:



### LED Output Variance:




## Bobby-Bloc Maxi

Introducing the BOBBY-BLOC MAXI LED mounting profile system. The BOBBY-BLOC MAXI is specifically designed for the Domus range of LED strip lighting. This aluminium mounting profile system incorporated extruded profile complete with opal colour PMMA diffuser. The key features of the BOBBYBLOC MAXI is the ability to not only conceal the LED strip lighting but also keep the strip lighting linear. Also, the LUMA-LINE keeps LEDs free from foreign objects and vapours which may damage the LEDs. Other key points is the invisible screw mounting which is hidden with-in the profile for surface mounting applications. A substantial wrap around diffuser offers superior light output offering greater amounts of light. Many applications can be realised with this aluminium mounting profile.

## Specification:

<b>Installation:</b>	Wall, surface or suspended mounted
<b>Material:</b>	Extruded aluminium 6063
<b>Finish:</b>	Natural clear anodised
<b>Diffuser:</b>	Wrap around (PMMA) Frost colour
<b>Length:</b>	2500mm continuous*
<b>Size:</b>	Profile (W) 42.5mm, (H) 56mm
<b>Accessories:</b>	End caps (silver) and wire suspensions**
<b>Special:</b>	Custom powder coated colour upon request***
<b>Driver installation:</b>	Remote or integral driver required**** (not Included)



\* Profile sold per metre. Can be cut to suit any length.

\*\* Accessories to be ordered separately.

\*\*\* Special powder coat finishes upon request. Surcharges apply.

\*\*\*\* For integral drivers use: SLIM-30, SLIM-60, SLIM-80 (12 OR 24V DC options)

## Order Code:

**22020** BOBBY-BLOC-MAXI, Sold Per 1 Metre

**22021** BOBBY-BLOC-MAXI-CAP, Silver Finish, Sold Individually

**22041** EXT-SUSPENSION, 2 Metres Standard Height, Sold Individually



22020




22021



22041



## Compatible LED Strip Lighting:



## LED Output Variance:



60

90

120

204


240

## Indigo-SM

Introducing the INDIGO-SM LED mounting profile system. The INDIGO-SM was specifically designed for the Domus range of LED strip lighting or the NEW Power-Line LED lighting system. This aluminium mounting profile system incorporates a heavy gauge extruded profile complete with a flat opal colour PMMA diffuser. The key features of the INDIGO-SM is its unique architectural look and its ability to not only conceal the LED strip lighting but also keep the strip lighting linear. Also, the INDIGO-SM keeps LEDs free from foreign objects and vapours which may damage the LEDs. Other key points is the invisible screw mounting which is hidden with-in the profile and fully CNC machined solid aluminium end caps which add that touch of class. The ability to integrate an LED driver inside the profile where the use of remote drivers does not suit the application. The finishing of this product is a perfect complement to any area where an architectural or contemporary look is required. Applications include commercial office spaces, lobby areas, hotel applications and residential areas.

## Specification:

<b>Installation:</b>	Surface mounted or suspended
<b>Material:</b>	Extruded aluminium 6063
<b>Finish:</b>	Natural clear anodised
<b>Diffuser:</b>	Flat (PMMA) Opal
<b>Length:</b>	5000mm continuous*
<b>Size:</b>	Profile (W) 50mm, (H) 71mm
<b>Accessories:</b>	Aluminium end caps (anodised) and wire suspensions**
<b>Special:</b>	Custom powder coated colour upon request***



\* Profile sold per metre. Can be cut to suit any length.

\*\* Accessories to be ordered separately.

\*\*\* Special powder coat finishes upon request. Surcharges apply.

## Order Code:

**22052** INDIGO, Sold Per 1 Metre

**22053** INDIGO-CAP, Natural Anodised, Sold Individually

**22041** EXT-SUSPENSION, 2 Metres Standard Height, Sold Individually



22052




22053




22041



## Compatible LED Strip Lighting:



## LED Output Variance:



30

60

90

120

204

## Line-46

Introducing the LINE-46 LED mounting profile. The LINE-46 Surface/ wire suspended LED mounting profile is one of the latest additions into the Domus range of LED linear aluminium profiles. Specifically designed to suit the entire range of the Domus led strip light range from static colour to RGB and RGB-WW led strip lights. The LINE-46 features thick 2mm side walls and end caps. Finished in a clear anodised finish for that architectural look or can be custom colour powder coated to suit special applications. The LINE-46 features a high transmission diffuser with the ability to have flush to the trim or set back depending on the application or look. With a removal back plate, the LINE-46 allows for internal LED driver and dimming controllers to be integrated if needed for a fully contained unit. Best suited for commercial and residential application from surface mounting or wire suspended.

## Specification:

<b>Installation:</b>	Surface, wall or suspended mounted
<b>Material:</b>	Extruded aluminium 6063
<b>Finish:</b>	Natural clear anodised
<b>Diffuser:</b>	Flat high output opal-frost
<b>Length:</b>	5000mm continuous*
<b>Size:</b>	Profile (W) 46mm, (H) 68.5mm
<b>Accessories:</b>	Aluminium end caps (Clear anodised)** Wire suspensions (2mtr)**
<b>Special:</b>	Custom powder coated colour upon request***
<b>Driver installation:</b>	Remote or integral driver required**** (not included)



\* Profile sold per metre. Can be cut to suit any length.

\*\* Accessories to be ordered separately.

\*\*\* Special powder coat finishes upon request. Surcharges apply.


\*\*\*\* For integral drivers use: SLIM-30, SLIM-60, SLIM-80 (12 OR 24V DC options)

## Order Code:

**22039** LINE-46, Sold Per 1 Metre

**22040** LINE-46-CAP, Silver Finish, Sold Individually

**22041** EXT-SUSPENSION, 2 Metres Standard Height, Sold Individually




22039




22040



22041



## Compatible LED Strip Lighting:



## LED Output Variance:




60

90

120

204

240




## Q-Line

Introducing the Q-LINE mounting profile system. The Q-LINE is specifically designed for the Domus range of LED strip lighting. This aluminium mounting profile system incorporated extruded profile complete with a curved opal colour PMMA diffuser. The key features of the Q-LINE is the ability to not only conceal the LED strip lighting but also keep the strip lighting linear. Also, the Q-LINE keeps LEDs free from foreign objects and vapours which may damage the LEDs. Another key point is in the mounting of this profile. Specifically designed to be mounted against hard surfaces, under shelving or steps with the ability to focus the light on a 45° angle. Perfect for under kitchen cupboards, built-in wardrobes and stairs where angled on the working surface is needed.

### Specification:

<b>Installation:</b>	Surface mounted
<b>Material:</b>	Extruded aluminium 6063
<b>Finish:</b>	Natural clear anodised
<b>Diffuser:</b>	Curved (PMMA) opal/frost colour
<b>Length:</b>	2500mm continuous*
<b>Size:</b>	Profile (W) 16mm, (H) 16mm
<b>Accessories:</b>	End caps (silver) and mounting clips**
<b>Special:</b>	Custom powder coated colour upon request***
<b>Driver installation:</b>	Remote driver required (not included)



- \* Profile sold per metre. Can be cut to suit any length.  
 \*\* Accessories to be ordered separately.  
 \*\*\* Special powder coat finishes upon request. Surcharges apply.

### Order Code:

- 22026** Q-LINE, Sold Per 1 Metre  
**22027** Q-LINE-CAP, Silver Finish, Sold Individually  
**22030** Q/QUAD-LINE Mounting Clip, Clear, Sold Individually



22026




22027



22030



### Compatible LED Strip Lighting:



### LED Output Variance:



60



90




120

## Quad-Line

Introducing the QUAD-LINE mounting profile system. The QUAD-LINE is specifically designed for the Domus range of LED strip lighting. This aluminium mounting profile system incorporated extruded profile complete with a square opal colour PMMA diffuser. The key features of the QUAD-LINE is the ability to not only conceal the LED strip lighting but also keep the strip lighting linear. Also, the QUAD-LINE keeps LEDs free from foreign objects and vapours which may damage the LEDs. Another key point is in the mounting of this profile. Specifically designed to be mounted against hard surfaces, under shelving or steps with the ability to focus the light on a 45° angle. Perfect for under kitchen cupboards, built-in wardrobes and stairs where angled on the working surface is needed.

### Specification:

<b>Installation:</b>	Surface mounted
<b>Material:</b>	Extruded aluminium 6063
<b>Finish:</b>	Natural clear anodised
<b>Diffuser:</b>	Square (PMMA) Opal colour
<b>Length:</b>	2500mm continuous*
<b>Size:</b>	Profile (W) 16mm, (H) 16mm
<b>Accessories:</b>	End caps (silver) and mounting clips**
<b>Special:</b>	Custom powder coated colour upon request***
<b>Driver installation:</b>	Remote driver required (not included)



- \* Profile sold per metre. Can be cut to suit any length.  
 \*\* Accessories to be ordered separately.  
 \*\*\* Special powder coat finishes upon request. Surcharges apply.

### Order Code:

- 22028** QUAD-LINE, Sold Per 1 Metre  
**22029** QUAD-LINE-END-CAP, Silver Finish, Sold Individually  
**22030** Q/QUAD-LINE Mounting Clip, Clear, Sold Individually



22028




22029



22030



### Compatible LED Strip Lighting:



### LED Output Variance:



60



90




120

## Luma-Line

Introducing the LUMA-LINE LED mounting profile system. The LUMA-LINE is specifically designed for the Domus range of LED strip lighting. This aluminium mounting profile system incorporated extruded profile complete with opal colour PMMA diffuser. The key features of the LUMA-LINE is the ability to not only conceal the LED strip lighting but also keep the strip lighting linear. Also, the LUMA-LINE keeps LEDs free from foreign objects and vapours which may damage the LEDs. Another key point is the invisible screw mounting which is hidden with-in the profile for surface mounting applications but the LUMA-LINE comes into its own as a continuous wall up light or down light. The LUMA-LINE can be used in sections to create a sleek look to any interior space or continuous as a pelmet light. Application in lounge rooms, lobbies, board rooms etc.

## Specification:

<b>Installation:</b>	Surface mounted
<b>Material:</b>	Extruded aluminium 6063
<b>Finish:</b>	Natural clear anodised
<b>Diffuser:</b>	Curved (PMMA) opal/frost colour
<b>Length:</b>	2500mm continuous*
<b>Size:</b>	Profile (W) 16mm, (H) 16mm
<b>Accessories:</b>	End caps (silver) and mounting clips**
<b>Special:</b>	Custom powder coated colour upon request***
<b>Driver installation:</b>	Remote driver required (not included)



\* Profile sold per metre. Can be cut to suit any length.

\*\* Accessories to be ordered separately.


\*\*\* Special powder coat finishes upon request. Surcharges apply.

## Order Code:

**22018** LUMA-LINE, Sold Per 1 Metre

**22019** LUMA-LINE-CAP, Silver Finish, Sold Individually


**22033** LUMA-LINE-MOUNT, Anodised, Sold Individually



## Compatible LED Strip Lighting:



## LED Output Variance:




## Luma-Line-2

Introducing the LUMA-LINE-2 LED mounting profile system. The LUMA-LINE-2 is specifically designed for the Domus range of LED strip lighting. This aluminium mounting profile system incorporated extruded profile complete with opal colour PMMA diffuser. The key features of the LUMA-LINE-2 is the ability to not only conceal the LED strip lighting but also keep the strip lighting linear. Also, the LUMA-LINE-2 keeps LEDs free from foreign objects and vapours which may damage the LEDs. Another key point is the invisible screw mounting which is hidden with-in the profile for surface mounting applications but the LUMA-LINE-2 comes into its own as a continuous continues wall up light and down light. The LUMA-LINE-2 can be used in sections to create a sleek look to any interior space or continues as a pelmet light. With the ability to also wire suspend makes this profile very adaptable. Applications include lounge rooms, lobbies, board rooms etc.

## Specification:

<b>Installation:</b>	Wall mounted or suspended
<b>Material:</b>	Extruded aluminium 6063
<b>Finish:</b>	Natural clear anodised
<b>Diffuser:</b>	Flat (PMMA) Opal colour x 2
<b>Length:</b>	2500mm continuous*
<b>Size:</b>	Profile (W) 32.7mm, (H) 85mm
<b>Accessories:</b>	End caps (silver) and wire suspensions**
<b>Special:</b>	Custom powder coated colour upon request***
<b>Driver Installation:</b>	Remote or integral driver required**** (not included)



\* Profile sold per metre. Can be cut to suit any length.

\*\* Accessories to be ordered separately.

\*\*\* Special powder coat finishes upon request. Surcharges apply.




\*\*\*\* For integral drivers use: SLIM-30, SLIM-60, SLIM-80 (12 OR 24V DC options)

## Order Code:


**22022** LUMA-LINE-2, Sold Per 1 Metre

**22023** LUMA-LINE-2-CAP, Silver Finish, Sold Individually


**22041** EXT-SUSPENSION, 2 Metres Standard Height, Sold Individually



## Compatible LED Strip Lighting:



## LED Output Variance:






## Pipeline-40

NEW

The PIPELINE-40 is the latest in the tubular range of profiles. Incorporating a full wrap around diffuser in an opal-frost colour and a ridged aluminium mounting ridge in a quality anodised finish. The PIPELINE-40 offers a classic look in a modern housing which can be used in many applications ranging from commercial projects through to retail area spacing a residential living areas. Application may include general lighting or even as feature lighting in varying lengths and suspension heights to for clusters.

## Specification:

<b>Installation:</b>	Suspended
<b>Material:</b>	Extruded aluminium 6063
<b>Finish:</b>	Natural clear anodised
<b>Diffuser:</b>	Curved (PMMA) Opal colour
<b>Length:</b>	2500mm continuous*
<b>Size:</b>	Profile Ø40mm
<b>Accessories:</b>	End caps (silver) and wire suspension**
<b>Special:</b>	Custom powder coated colour upon request***
<b>Driver installation:</b>	Remote driver required (not included)



\* Profile sold per metre. Can be cut to suit any length.

\*\* Accessories to be ordered separately.

\*\*\* Special powder coat finishes upon request. Surcharges apply.

## Order Code:

**22055** PIPELINE-40, Sold Per 1 Metre

**22056** PIPELINE-40-END-CAP, Silver Finish, Sold Individually

**22041** EXT-SUSPENSION, 2 Metres Standard Height, Sold Individually



22055




22056



22041



## Compatible LED Strip Lighting:



## LED Output Variance:



30

60

90

120

204


## Pipeline-60

NEW

The PIPELINE-60 is the latest in the tubular range of profiles. Incorporating a full wrap around diffuser in an opal-frost colour and a ridged aluminium mounting ridge in a quality anodised finish. The PIPELINE-60 offers a classic look in a modern housing which can be used in many applications ranging from commercial projects through to retail area spacing a residential living areas. Application may include general lighting or even as feature lighting in varying lengths and suspension heights to for clusters.

## Specification:

<b>Installation:</b>	Suspended
<b>Material:</b>	Extruded aluminium 6063
<b>Finish:</b>	Natural clear anodised
<b>Diffuser:</b>	Curved (PMMA) Opal colour
<b>Length:</b>	2500mm continuous*
<b>Size:</b>	Profile Ø60mm
<b>Accessories:</b>	End caps (silver) and wire suspension**
<b>Special:</b>	Custom powder coated colour upon request***
<b>Driver installation:</b>	Remote driver required (not included)



\* Profile sold per metre. Can be cut to suit any length.

\*\* Accessories to be ordered separately.

\*\*\* Special powder coat finishes upon request. Surcharges apply.

## Order Code:

**22057** PIPELINE-60, Sold Per 1 Metre

**22058** PIPELINE-60-END-CAP, Silver Finish, Sold Individually

**22041** EXT-SUSPENSION, 2 Metres Standard Height, Sold Individually



22057



22058



22041



## Compatible LED Strip Lighting:



## LED Output Variance:



30

60

90

120

204


## Pipeline-120

NEW

The PIPE-LINE-120 is the largest in the tubular range of profiles. Incorporating a full wrap around diffuser in an opal-frost colour and a ridged aluminium mounting ridge in a quality anodised finish. The PIPE-LINE-120 offers a classic look in a modern housing which can be used in many applications ranging from commercial projects through to retail area spacing a residential living areas. Application may include general lighting or even as feature lighting in varying lengths and suspension heights to for clusters.

## Specification:

<b>Installation:</b>	Suspended
<b>Material:</b>	Extruded aluminium 6063
<b>Finish:</b>	Natural clear anodised
<b>Diffuser:</b>	Curved (PMMA) Opal colour
<b>Length:</b>	2500mm continuous*
<b>Size:</b>	Profile Ø120mm
<b>Accessories:</b>	End caps (silver) and wire suspension**
<b>Special:</b>	Custom powder coated colour upon request***
<b>Driver installation:</b>	Remote driver required (not included)



\* Profile sold per metre. Can be cut to suit any length.

\*\* Accessories to be ordered separately.

\*\*\* Special powder coat finishes upon request. Surcharges apply.

## Order Code:

**22059** PIPELINE-120, Sold Per 1 Metre

**22060** PIPELINE-120-END-CAP, Silver Finish, Sold Individually

**22041** EXT-SUSPENSION, 2 Metres Standard Height, Sold Individually



22059




22060




22041



## Compatible LED Strip Lighting:



## LED Output Variance:



30

60

90

120

204

www.domuslighting.com.au

## Shadow-Line

Introducing the SHADOW-LINE LED mounting profile. The SHADOW-LINE is a unique mounting profile unlike others offered on the market. Gone are the days of the traditional wall mounted vanity light, wall light or even picture light where you were limited by traditional light sources. The SHADOW-LINE offers a slick new modern look with all the features offered by traditional light sources. Continuous lengths of up to 2.5 metres are able to be realised.

## Specification:


<b>Installation:</b>	Wall mounted
<b>Material:</b>	Extruded aluminium 6063
<b>Finish:</b>	Natural clear anodised
<b>Diffuser:</b>	Square (PMMA) Opal colour
<b>Length:</b>	2500mm continuous*
<b>Size:</b>	Profile (W) 80mm, (H) including diffuser 36mm
<b>Accessories:</b>	End caps anodised finish**
<b>Special:</b>	Custom powder coated colour upon request***
<b>Driver Installation:</b>	Remote driver or integral driver**** (not included)

\* Profile sold per metre. Can be cut to suit any length.

\*\* Accessories to be ordered separately.

\*\*\* Special powder coat finishes upon request. Surcharges apply.

\*\*\*\* For integral drivers use: SLIM-30, SLIM-60, SLIM-80 (12 OR 24V DC options, min back plate size 250mm, 30W, 350mm, 60W & 80W)



## Order Code:

**22016** SHADOW-LINE, Sold Per 1 Metre

**22011** BOBBY-BLOC-CAP, Silver Finish, Sold Individually

**22017** SHADOW-LINE-CAP-LARGE, Natural Anodised, Sold Individually



22016




22011




22017



## Compatible LED Strip Lighting:



## LED Output Variance:



60

90

120

204


www.domuslighting.com.au

## V-Line

Introducing the V-LINE LED mounting profile system. The V-LINE is specifically designed for the Domus range of LED strip lighting. This aluminium mounting profile system incorporated extruded profile complete with opal colour PMMA diffuser. The key features of the V-LINE is the ability to not only conceal the LED strip lighting but also keep the strip lighting linear. Also, the V-LINE keeps LEDs free from foreign objects and vapours which may damage the LEDs. Another key point is the invisible screw mounting which is hidden with-in the profile for surface mounting applications but the V-LINE comes into its own as a smart and sleek continuous surface mounted profile. With its curved lines and contemporary look the V-LINE makes a statement in any new installation.

## Specification:

<b>Installation:</b>	Wall, surface or suspended mounted
<b>Material:</b>	Extruded aluminium 6063
<b>Finish:</b>	Natural clear anodised
<b>Diffuser:</b>	Flat (PMMA) Opal colour
<b>Length:</b>	2500mm continuous*
<b>Size:</b>	Profile Base: (W) 100mm, Diffuser (W) 22mm, (H) 41.5mm
<b>Accessories:</b>	End caps (silver) and wire suspension**
<b>Special:</b>	Custom powder coated colour upon request***
<b>Driver installation:</b>	Remote driver required (not included)



\* Profile sold per metre. Can be cut to suit any length.

\*\* Accessories to be ordered separately.

\*\*\* Special powder coat finishes upon request. Surcharges apply.

## Order Code:

**22024** V-LINE, Sold Per 1 Metre

**22025** V-LINE-END-CAP, Silver Finish, Sold Individually

**22041** EXT-SUSPENSION, 2 Metres Standard Height, Sold Individually



22024



22025



22041



## Compatible LED Strip Lighting:



## LED Output Variance:



60

90

120

204

## Infinity

Introducing the INFINITY mounting profile system. The INFINITY is specifically designed for the Domus range of LED strip lighting. This aluminium mounting profile system incorporated extruded profile complete with a square opal colour polycarbonate diffuser. The key features of the INFINITY is the ability to not only conceal the LED strip lighting but also keep the strip lighting linear. Also, the INFINITY keeps LEDs free from foreign objects and vapours which may damage the LEDs. Another key point is in the mounting of this profile. Specifically designed as a recessed low level path light for a contemporary or architectural look. This profile can also be cut down to create smaller lengths to suit any size and application.


## Specification:

<b>Installation:</b>	Recessed wall mounted
<b>Material:</b>	Extruded aluminium 6063
<b>Finish:</b>	Natural clear anodised
<b>Diffuser:</b>	Flat (PC) Opal colour
<b>Length:</b>	2500mm continuous*
<b>Size:</b>	Profile (W) 26mm, (H) 80mm
<b>Accessories:</b>	End caps (silver)**
<b>Special:</b>	Custom powder coated colour upon request***
<b>Driver installation:</b>	Requires remote driver (not included)

\* Profile sold per metre. Can be cut to suit any length.

\*\* Accessories to be ordered separately.

\*\*\* Special powder coat finishes upon request. Surcharges apply.



## Order Code:

**22031** INFINITY, Sold Per 1 Metre

**22032** INFINITY-CAP, Silver Finish, Sold Individually




22031




22032



## Compatible LED Strip Lighting:



## LED Output Variance:



60

90

120

204

### CHAM-01 Multi-function RGB LED controller

The CHAMELEON-01 is a basic stand-alone colour controller for use with RGB colour changing luminaires. Some uses will include flexible LED strip lighting such as the Domus STRIP-60-RGB or RGB linear wall washers. Functions include pre-set colour functions such as smooth colour transitions, solid colour flashing or static colour. Other useful functions include the ability to perform functions by pressing the buttons located on the front housing. An auxiliary switch plate can be used to mimic the CHAMELEON-01 functions if needed. This controller is simple but very useful and will make colour changing applications simple to create.

#### Specification:

<b>Type of controller:</b>	RGB 3ch controller
<b>Method of control:</b>	Press buttons
<b>Method of dimming:</b>	PWM (Pulse width modulation)
<b>Housing colour:</b>	Black plastic colour housing
<b>Housing size (mm):</b>	(L) 155 x (W) 74mm x (H) 29mm
<b>Input voltage (VDC):</b>	12-24VDC
<b>Output voltage (VDC):</b>	12-24VDC
<b>Output current (A):</b>	3 x 5A
<b>Output wattage (W):</b>	12VDC - 60W per channel (x3). 24VDC - 120W per channel (x3).
<b>Pre-set colour functions:</b>	Yes
<b>Pause function:</b>	Yes
<b>Dimming function:</b>	Yes
<b>Speed function:</b>	Yes
<b>Remote switching function:</b>	Yes*
<b>Expandable signal:</b>	Yes**
<b>Requires:</b>	Constant voltage 12-24VDC LED driver ***

\* Remote switch plate ability (not included) accessories from any electrical wholesaler.

\*\* Data repeater recommended for run lengths over 5mtrs CHAM-05 (20114) not included.

\*\*\* Constant voltage LED driver required (not included) product dependent.

#### Order Code:

**20110** RGB colour controller



### CHAM-03 RF RGBW colour controller

The CHAMELEON-03 is a standalone colour controller for use with 4 colour flexible LED strip lights or luminaires. Featuring a slim line hand held RF remote control with amazing, yet simple to use functions. The centre of the remote features a colour wheel in which a simple "Touch" with your finger allows you to adjust colours to suit your application. Functions like, CCT and RGB colour adjustments, fine tuning of colour, brightness and speed adjustments are all at your fingertips. 10 built-in colour modes are also included. For applications in which you may need multiple zones with individual control, the CHAMELEON-03 has a learn function which pairs the specific RF remote to the receiver avoiding cross communication between zones. A small yet powerful package. Let your imagination run wild.

#### Specification:

<b>Type of controller:</b>	RGBW 4ch controller.(selectable 3 or 4ch)
<b>Method of control:</b>	RF hand held remote
<b>Method of dimming:</b>	PWM (Pulse width modulation)
<b>Housing colour (receiver):</b>	Black plastic colour housing
<b>Housing colour (RF remote):</b>	White plastic colour housing
<b>Housing size (mm):</b>	(L) 145 mm x (W) 47mm x (H) 16mm (L) 120 x (W) 47mm x (H) 18mm
<b>Input voltage (VDC):</b>	12-24VDC
<b>Output voltage (VDC):</b>	12-24VDC
<b>Output current (A):</b>	4 x 5A
<b>Output wattage (W):</b>	12VDC - 60W per channel (x3). 24VDC - 120W per channel (x3).
<b>Pre-set colour functions:</b>	Yes (x10)*
<b>Pause function:</b>	Yes
<b>Dimming function:</b>	Yes
<b>Speed function:</b>	Yes
<b>Learn Function:</b>	Yes**
<b>Expandable signal:</b>	Yes***
<b>Requires:</b>	Constant voltage 12-24VDC LED driver **** AAA-1.5V battery for RF remote

\* Pre-defined colour modes.

\*\* Learn function pairs the hand held remote to the receiver. Avoiding cross communication between multiple receivers.

\*\*\* Data repeater recommended for run lengths over 5mtrs CHAM-05 (20114) not included.

\*\*\*\* Constant voltage LED driver required (Not included) product dependent. Battery for RF remote required. (Not included).

#### Order Code:

**20112** RF RGBW colour controller



### CHAM-04 RGBW 0-10V Dimmable Interface Controller

The CHAMELEON-04 is an interface designed for 0-10V signals. Designed for use with constant voltage 12-24VDC lighting products the CHAMELEON-04 offers seamless integration between automation systems and luminaires. Accepts standard 0-10V signal generated from any automation system. Featuring 4CH of dimming allowing control over RGB, RGBW or single colour LED lighting products. For manual dimming control for situations where an automation system is not used a resistive pot can be used. These low voltage 0-10V dimmers are designed to fit into standard HPM or Clipsal switch plates.

#### Specification:

<b>Type of controller:</b>	RGBW 4ch controller
<b>Method of control:</b>	0-10V*
<b>Method of dimming:</b>	PWM (Pulse width modulation)
<b>Housing colour:</b>	Black plastic colour housing
<b>Housing size (mm):</b>	(L) 169 x (W) 58 x (H) 28mm
<b>Input voltage (VDC):</b>	12-24VDC
<b>Output current (A):</b>	4x8A
<b>Output wattage (W):</b>	12VDC - 96W per channel (x4). 24VDC - 192W per channel (x4).
<b>Expandable signal:</b>	Yes**
<b>Requires:</b>	Constant voltage 12-24VDC LED driver***

\* Accepts signal generated from automation systems. For applications where 4CH manual adjustments are needed the use of a resistive pot such as the (20303) allows the user to manually adjust the colour. The number of pots required will depend on how many channels are required to dim.

\*\* 4CH data repeater recommended for run lengths over 5mtrs CHAM-05 (20114) not included. 1CH data repeater recommended for single colour applications CHAM-25 (20134) not included.

\*\*\* Constant voltage LED driver required (not included) product dependent.

#### Order Code:

**20113** 4CH 0-10V interface

**20302** 0-10V Dimming pod to suit HPM switch plate (Not for 240VAC usage)

**20303** 0-10V Dimming pod to suit Clipsal switch plate (Not for 240VAC usage)



Optional 1-10V Dimming Pod (not included)



### CHAM-05 RGBW Data Repeater

The CHAMELEON-05 is a 4 channel signal strength data repeater. The CHAMELEON-05 offers the ability to expand the signal strength generated by the master controller. In situation where the load limit is exceeded or more than the limit set by the Master controller the CHAMELEON-05 is able to duplicate the signal without signal loss. This means whether using RGB, RGBW or single colour when colour changing or dimming the selected user colour will always remain the same. Particularly useful where a single master controller is used to control large areas or multiple zones.

#### Specification:

<b>Type of controller:</b>	4CH Data repeater
<b>Method of control:</b>	PWM*
<b>Method of dimming:</b>	PWM (Pulse width modulation)
<b>Housing colour:</b>	Black plastic colour housing
<b>Housing size (mm):</b>	(L) 168 x (W) 58 x (H) 28mm
<b>Input voltage (VDC):</b>	12-24VDC
<b>Output voltage (VDC):</b>	12-24VDC
<b>Output current (A):</b>	4x8A
<b>Output wattage (W):</b>	12VDC - 96W per channel (x4). 24VDC - 192W per channel (x4).
<b>Expandable signal:</b>	Yes**
<b>Requires:</b>	Constant voltage 12-24VDC LED driver***

\* Accepts signal generated from a Master controller. The signal output from the Master controller must be a PWM type output

\*\* Multiple 4CH data repeaters can be used in a single circuit.

\*\*\* Constant voltage LED driver required (not included) product dependent.

#### Order Code:

**20114** 4CH data repeater





### CHAM-06 Single Channel 0-10V LED Interface

The CHAMELEON-06 is an interface designed for 0-10V signals. Designed for use with constant voltage 12-24VDC lighting products the CHAMELEON-06 offers seamless integration between automation systems and luminaires. Accepts standard 0-10V signal generated from any automation system. Featuring 1CH of dimming allowing control over single colour LED lighting products. For manual dimming control for situations where an automation system is not used a resistive pot can be used. These low voltage 0-10V dimmers are designed to fit into standard HPM or Clipsal switch plates.

#### Specification:

<b>Type of controller:</b>	RGBW 4ch controller
<b>Method of control:</b>	0-10V*
<b>Method of dimming:</b>	PWM (Pulse width modulation)
<b>Housing colour:</b>	Black plastic colour housing
<b>Housing size (mm):</b>	(L) 169 x (W) 58 x (H) 28mm
<b>Input voltage (VDC):</b>	12-24VDC
<b>Output current (A):</b>	4x8A
<b>Output wattage (W):</b>	12VDC - 96W per channel (x4). 24VDC - 192W per channel (x4).
<b>Expandable signal:</b>	Yes**
<b>Requires:</b>	Constant voltage 12-24VDC LED driver***

\* Accepts signal generated from automation systems. For applications where 1CH manual adjustments are needed the use of a resistive pot such as the (20303) allows the user to manually adjust the colour.

\*\* 1CH data repeater recommended for single colour applications CHAM-25 (20134) not included.

\*\*\* Constant voltage LED driver required (not included) product dependent.

#### Order Code:

**20115** 1CH 0-10V interface

**20302** 0-10V Dimming pod to suit HPM switch plate (Not for 240VAC usage)

**20303** 0-10V Dimming pod to suit Clipsal switch plate (Not for 240VAC usage)



Optional 1-10V Dimming Pod (not included)



### CHAM-07 RF Dimmer Controller

The CHAMELEON-07 is a creative yet simple to use RF dimmer. Designed for use with single colour LED lighting systems such as LED flexible strips and/or luminaires with low voltage dimming capabilities. Dimming is achieved via a simple to use RF remote control. Dimming can be realized by using either the touch sensitive dimming wheel or via the use of the dimming buttons. The CHAMELEON-07 has many useful functions which include the ability to control up to 4 individual zones off a single RF hand held remote and also to save up to 2 user defined pre-sets. Just imagine being able to dim your LED lighting via the comfort of your lounge room chair.

#### Specification:

<b>Type of controller:</b>	Single, 1ch dimmer controller.
<b>Method of control:</b>	RF hand held remote
<b>Method of dimming:</b>	PWM (Pulse width modulation)
<b>Housing colour (receiver):</b>	Black plastic colour housing
<b>Housing colour (RF remote):</b>	White plastic colour housing
<b>Housing size (mm):</b>	(L) 145 mm x (W) 47mm x (H) 16mm
<b>RF remote size (mm):</b>	(L) 120 x (W) 47mm x (H) 18mm
<b>Input voltage (VDC):</b>	12-24VDC
<b>Output voltage (VDC):</b>	12-24VDC
<b>Output current (A):</b>	1 x 8A
<b>Output wattage (W):</b>	12VDC - 96W per channel (x1). 24VDC - 192W per channel (x1).
<b>User set memory function:</b>	Yes*
<b>Multi zone control:</b>	Yes**
<b>Dimming function:</b>	Yes
<b>Learn function:</b>	Yes***
<b>Expandable signal:</b>	Yes****
<b>Requires:</b>	Constant voltage 12-24VDC LED driver ***** AAA-1.5V battery for RF remote

\* The user has the option to set 2 dimming levels/scenes. This applies per zone.

\*\* Each RF hand held remote is able to control 4 zones. Please note that receivers cannot be ordered as a separate item.

\*\*\* Learn function pairs the hand held remote to the receiver. Avoiding cross communication between multiple receivers.

\*\*\*\* 1CH data repeater recommended for single colour applications CHAM-25 (20134) not included.

\*\*\*\*\* Constant voltage LED driver required (not included) product dependent. Battery for RF remote Required (Not included).

#### Order Code:

**20116** RF single colour dimmer



### CHAM-11 Wall mounted dimmer

The CHAMELEON-11 is a simple yet very functional dimmer for use with LED strip lighting. A simple wall mounted dimmer switch gives you all the dimming power needed for most applications. Dimming can be performed via the easy turn dial located on the front fascia or by the provided IR remote control. The IR remote features many functions including 0-100% dimming, 4 factory dim pre-sets and 4 user defined pre-sets plus many more functions. A great addition to any LED lighting system to create your desired effect.

#### Specification:

<b>Type of controller:</b>	1ch dimmer
<b>Method of control:</b>	Wall control + IR hand held remote
<b>Method of dimming:</b>	PWM (Pulse width modulation)
<b>Housing colour:</b>	White plastic fascia plate
<b>Housing size (mm):</b>	(L) 87 x (W) 87mm x (H) 22mm
<b>RF remote size (mm):</b>	(L) 87 x (W) 33mm x (H) 5mm
<b>Input voltage (VDC):</b>	12-24VDC
<b>Output voltage (VDC):</b>	12-24VDC
<b>Output current (A):</b>	1 x 6A
<b>Output wattage (W):</b>	12VDC - 72W 24VDC - 144W
<b>User set memory function:</b>	Yes*
<b>Pre-set memory functions:</b>	Yes**
<b>Away function:</b>	Yes***
<b>Expandable signal:</b>	Yes**
<b>Requires:</b>	Constant voltage 12-24VDC LED driver***

\* The IR remote has 4 user allocated pre-set functions.

\*\* The IR remote has 4 factory pre-set dimming levels (25-50-75-100%).

\*\*\* Once the power button is pressed on the remote, the occupant has 30 seconds to leave the room with the light ramping down to the off position after this time.

\*\*\*\* 1CH data repeater recommended for single colour applications CHAM-25 (20134) not included.

\*\*\*\*\* Constant voltage LED driver required (not included) product dependent.

#### Order Code:

**20120** Wall control + IR colour dimmer



### CHAM-15 350mA data repeater

The CHAMELEON-15 is a 3 channel signal strength data repeater for constant current fixtures. The CHAMELEON-15 offers the ability to expand the signal strength generated by the master controller. The CHAM-15 is able to accept a constant voltage PWM signal and output a 350mA constant current. This is particularly useful when using the LASER, SHINE, TWILITE and FLUID RGB colour changing luminaires offered in the Domus range.

#### Specification:

<b>Type of controller:</b>	3CH Data repeater
<b>Method of control:</b>	PWM *
<b>Method of dimming:</b>	PWM (Pulse width modulation)
<b>Housing colour (receiver):</b>	Black plastic colour housing
<b>Housing size (mm):</b>	(L) 169 x (W) 58mm x (H) 28mm
<b>Input voltage (VDC):</b>	12-24VDC
<b>Output voltage (VDC):</b>	12-24VDC
<b>Output current (A):</b>	3 x 350mA**
<b>Output wattage (W):</b>	12VDC - 4.2W per channel 24VDC - 8.4W per channel
<b>Expandable signal:</b>	Yes***
<b>Requires:</b>	Constant voltage 12-24VDC LED driver ****

\* Accepts signal generated from a Master controller. The signal output from the Master controller must be a PWM type output 12-24VDC.

\*\* Output current is 350mA. Fittings must be series wired.

\*\*\* Multiple CHAMELEON-15 constant current data repeaters can be used in a single circuit.

\*\*\*\* Constant voltage LED driver required (not included) load dependent.

#### Order Code:

**20124** 3CH Constant voltage – 350mA Constant current data repeater



### CHAM-20 RGBW DMX-512 interface

The CHAMELEON-20 is an interface designed to de code DMX-512 signals. Designed for use with constant voltage 12-24VDC lighting products the CHAMELEON-20 offers seamless integration between automation systems and/or lighting desk consoles and luminaires. Accepts standard DMX-512 signal generated from any automation system or lighting control console. Featuring up to 4CH of dimming, allowing control over RGB, RGBW or single colour LED lighting products.

#### Specification:

Type of controller:	1ch dimmer
Method of control:	Wall control + IR hand held remote
Method of dimming:	PWM (Pulse width modulation)
Housing colour:	White plastic fascia plate
Housing size (mm):	(L) 87 x (W) 87mm x (H) 22mm
RF remote size (mm):	(L) 87 x (W) 33mm x (H) 5mm
Input voltage (VDC):	12-24VDC
Output voltage (VDC):	12-24VDC
Output current (A):	1 x 6A
Output wattage (W):	12VDC - 72W 24VDC - 144W
User set memory function:	Yes*
Pre-set memory functions:	Yes**
Away function:	Yes***
Expandable signal:	Yes**
Requires:	Constant voltage 12-24VDC LED driver***



### CHAM-21 RGB Standalone colour controller

The CHAMELEON-21 is a standalone colour controller for use with 3 colour flexible LED strip lights or luminaires. The CHAMELEON-21 has 3 possible ways for colour control. The first method of control is to use the push buttons located on the front panel of the receiver. The second method for control is to use the slim line hand held RF remote control with amazing, yet simple to use functions. The third option is to use the unique RF controlled wall plate. The wall plate is a fantastic addition to any installation. All controls are easy to use and with 21 built-in programs, you're sure to find a scene to suit. A small yet powerful package. Let your imagination run wild.

#### Specification:

Type of controller:	RGB 3ch controller
Method of control:	Receiver controls, RF hand held remote or RF Wall controller
Method of dimming:	PWM (Pulse width modulation)
Housing colour:	Grey colour
Housing size (mm):	(L) 169 x (W) 58mm x (H) 28mm
Receiver size (mm):	(L) 129 x (W) 40mm x (H) 30mm
RF wall plate size (mm):	(L) 119 x (W) 75mm x (H) 30mm
Input voltage (VDC):	12VDC
Output voltage (VDC):	12VDC
Output current (A):	3 x 3A
Output wattage (W):	12VDC - 36W per channel (x3).
Pre-set colour functions:	Yes*
Pause function:	Yes
Dimming function:	Yes
Speed functions:	Yes
Expandable signal:	Yes**
Requires:	Constant voltage 12-24VDC LED driver *** LR-23A 12V battery x 2 to suit wall controller + RF remote (Not Included)

\* 21 pre-defined colour modes including static colour, smooth transitions plus many more.

\*\* Data repeater recommended for run lengths over 5mtrs CHAM-05 (20114) not included.

\*\*\* Constant voltage LED driver required (not included) product dependent.

#### Order Code:

20130 RGB Colour controller Push, RF wall plate + RF remote



### CHAM-23 Single channel DALI Interface

The CHAMELEON-23 is an interface designed to suit DALI dim applications. Intended for use with constant voltage 12-24VDC lighting products the CHAMELEON-23 offers seamless integration between automation systems. Accepts standard DALI signal generated from any automation system or simple dimming using the "Push Dim" function. Featuring 1CH of dimming, allowing control over single colour LED lighting products. The CHAMELEON-23 make integration a breeze with options for Auto addressing or manual addressing function.

#### Specification:

<b>Type of controller:</b>	1ch dimmer
<b>Method of control:</b>	DALI or "Push Dim"
<b>Method of dimming:</b>	PWM (Pulse width modulation)
<b>Housing colour:</b>	Black plastic colour housing
<b>Housing size (mm):</b>	(L) 169 x (W) 58mm x (H) 28mm
<b>Digital display:</b>	Yes
<b>Input voltage (VDC):</b>	12-24VDC
<b>Output voltage (VDC):</b>	12-24VDC
<b>Output current (A):</b>	1 x 8 A
<b>Output wattage (W):</b>	12 VDC - 96W (x1). 24VDC - 192W (x1).
<b>Expandable signal:</b>	Yes**
<b>Requires:</b>	Constant voltage 12-24VDC LED driver ***

\* Accepts signal generated from automation systems via a DALI gateway or via momentary Switch when "Push dim" mode is selected (Type 6 device).

\*\*\* 1CH data repeater recommended for loads that exceed the CHAMELEON-23 limits. CHAM-25 (20134) not included.

\*\*\*\*Constant voltage LED driver required (not included) product dependent.

#### Order Code:

**20132** 1CH DALI interface



### CHAM-24 Touch dimmer

The CHAMELEON-24 is a unique product in which a "Touch dimmer" is installed into a LED linear profile. The "Touch dimmer" has been specifically designed to suit the Domus range of mounting profiles. Once integrated into the LED Aluminium profile the only way you know something is installed is by the "Blue" glow emitted by the integral LED. The purpose of the "Blue" indicator light is to guide the owner to the point in which to turn the light on is by a simple soft touch to the diffuser. Once the owner has touched the diffuser the LED strip lighting will slowly ramp up to 100% unless a dimming level has been pre-set. In this case the LED will return to its last dimming level. A simple extended touch on the diffuser at the "Blue" light point will start to ramp up or down until the finger has been removed from the diffuser. The "Touch dimmer" make a very useful addition for Kitchen under cardboard lighting, furniture and even office lighting.

#### Specification:

<b>Type of controller:</b>	1ch dim controller
<b>Method of control:</b>	Touch dimmer*
<b>Method of dimming:</b>	PWM (Pulse width modulation)
<b>Housing colour:</b>	Not applicable
<b>Housing size (mm):</b>	Not applicable
<b>Input voltage (VDC):</b>	12-24VDC
<b>Output voltage (VDC):</b>	12-24VDC
<b>Output current (A):</b>	1 x 6 A
<b>Output wattage (W):</b>	12VDC - 72W (x1). 24VDC - 144W (x1).
<b>Expandable signal:</b>	Not applicable
<b>Requires:</b>	Constant voltage 12-24VDC LED driver **
<b>Compatible mounting profiles:</b>	OPTI-LINE-SM, BOBBY-BLOC and BOBBY-CURVE***


\* Touch dimmer is only suited for particular Domus LED mounting profiles. The touch dimmer must be assembled in the Domus factory in the selected profile at the point of ordering.

\*\* Constant voltage LED driver required (not included) product dependent.

\*\*\* LED mounting profile needed (not included) compatible LED mounting profiles include the OPTI-LINE-SM, BOBBY-BLOC and BOBBY-CURVE.

#### Order Code:

**20133** 1CH Touch dimmer



### CHAM-25 1 Channel Power Data Repeater

The CHAMELEON-25 is a 1 channel high power data repeater. The CHAMELEON-25 offers the ability to expand the signal strength generated by the master controller for dimming circuits. In situation where the load limit is exceeded or more that the limit set by the Master controller the CHAMELEON-25 is able to duplicate the signal without signal loss. This means whether dimming via RF, 0-10V, DALI or DMX you can be assured that the dimming signal will always be stable thus avoiding the appearance of dim light over larger areas. Particularly useful where a single master controller is used to control large areas or multiple zones.

#### Specification:

Type of controller:	1CH High Power data repeater
Method of control:	PWM*
Method of dimming:	PWM (Pulse width modulation)
Housing colour:	Black plastic colour housing
Housing size (mm):	(L) 150 x (W) 54mm x (H) 31mm
Input voltage (VDC):	12-24VDC
Output voltage (VDC):	12-24VDC
Output current (A):	1x24A
Output wattage (W):	12VDC - 288W (x1). 24VDC - 576W (x1).
Expandable signal:	Yes**
Protection:	Yes, replaceable external 25A blade fuse***
Requires:	Constant voltage 12-24VDC LED driver ***

- \* Accepts signal generated from a Master controller. The signal output from the Master controller must be a PWM type output
- \*\* Multiple 1CH data repeaters can be used in a single circuit.
- \*\*\* Standard replacement blade type fuse. Available from any electronics supplier.
- \*\*\*\* Constant voltage LED driver required (not included) product dependent.

#### Order Code:

**20134** 1CH power data repeater



### CHAM-29 1 Channel Slim DALI Interface

The CHAMELEON-29 is a super slim interface designed to suit DALI dim applications. Intended for use with constant voltage 12-24VDC lighting products the CHAMELEON-29 offers seamless integration between automation systems. Accepts standard DALI signal generated from any automation system. Featuring 1CH of dimming, allowing control over single colour LED lighting products. The CHAMELEON-29 make integration a breeze with auto addressing function. Applications for the CHAMELEON-29 due to its super slim size is integration into the larger LED mounting profiles with-in the Domus range.

#### Specification:

Type of controller:	1ch dim controller
Method of control:	DALI *
Method of dimming:	PWM (Pulse width modulation)
Housing colour:	Translucent blue colour housing
Housing size (mm):	(L) 159 x (W) 27mm x (H) 19mm
Input voltage (VDC):	12-24VDC
Output voltage (VDC):	12-24VDC
Output current (A):	1 x 3A
Output wattage (W):	12VDC - 36W (x1). 24VDC - 72W (x1).
Expandable signal:	Yes**
Requires:	Constant voltage 12-24VDC LED driver ***
Applications:	As part of integration into the larger Domus LED mounting profiles.

- \* Accepts signal generated from automation systems via a DALI (type 6 devise) gateway or via other DALI systems. (Not recommended for "Push Dim" applications).
- \*\* 1CH data repeater recommended for loads that exceed the CHAMELEON-29 limits. CHAM-30 (20139) not included.
- \*\*\* Constant voltage LED driver required (not included) product dependent.

#### Order Code:

**20138** 1CH SLIM-DALI interface





### CHAM-30 1 Channel Data Repeater

The CHAMELEON-30 is a 1 channel data repeater. The CHAMELEON-30 offers the ability to expand the signal strength generated by the master controller for dimming circuits. In situation where the load limit is exceeded or more that the limit set by the Master controller the CHAMELEON-30 is able to duplicate the signal without signal loss. The slim data repeater was specifically designed to work in conjunction with the SLIM-DALI interface devise. Particularly useful for use in some of the larger aluminium LED mounting profiles offered in the Domus range.

#### Specification:

<b>Type of controller:</b>	1ch dim controller
<b>Method of control:</b>	PWM*
<b>Method of dimming:</b>	PWM (Pulse width modulation)
<b>Housing colour:</b>	Translucent blue colour housing
<b>Housing size (mm):</b>	(L) 159 x (W) 27mm x (H) 19mm
<b>Input voltage (VDC):</b>	12-24VDC
<b>Output voltage (VDC):</b>	12-24VDC
<b>Output current (A):</b>	1 x 8A
<b>Output wattage (W):</b>	12VDC - 96W (x1). 24VDC - 192W (x1).
<b>Expandable signal:</b>	Yes**
<b>Requires:</b>	Constant voltage 12-24VDC LED driver ***

\* Accepts signal generated from a Master controller. The signal output from the Master controller must be a PWM type output (Best suited for use with the CHAM-29 SLIM-DALI interface).

\*\* Multiple, 1CH data repeaters can be used in a single circuit.

\*\*\* Constant voltage LED driver required (not included) product dependent.

#### Order Code:

**20139** 1CH SLIM data repeater



### CHAM-40 RGBW DALI interface

The CHAMELEON-40 is an interface designed to suit DALI dim applications. Intended for use with constant voltage 12-24VDC lighting products the CHAMELEON-40 offers seamless integration between automation systems. Accepts standard DALI signal generated from any automation system. Featuring 1-4CH of dimming, allowing control over single colour, RGB or RGBW LED lighting products. The CHAMELEON-40 make integration a breeze with options for Auto addressing or manual addressing function.

#### Specification:

<b>Type of controller:</b>	1-4ch dim controller (selectable)
<b>Method of control:</b>	DALI signal*
<b>Method of dimming:</b>	PWM (Pulse width modulation)
<b>Housing colour:</b>	Black plastic colour housing
<b>Housing size (mm):</b>	(L) 169 x (W) 58mm x (H) 28mm
<b>Digital display:</b>	Yes
<b>Input voltage (VDC):</b>	12-24VDC
<b>Output voltage (VDC):</b>	12-24VDC
<b>Output current (A):</b>	4x8A
<b>Output wattage (W):</b>	12VDC - 96W per channel (x4). 24VDC - 192W per channel (x4).
<b>Expandable signal:</b>	Yes**
<b>Requires:</b>	Constant voltage 12-24VDC LED driver ***

\* Accepts signal generated from automation systems via a DALI gateway (Type 6 devise).

\*\* 4CH data repeater recommended for loads that exceed the CHAMELEON-40 limits. CHAM-05 (20114) not included.

\*\*\* Constant voltage LED driver required (not included) product dependent.

#### Order Code:

**20149** 4CH DALI interface



## Solar Round

A modern and stylish round slimline ceiling light suitable for almost all areas of the home. Featuring a low profile and high light output, while offering low power consumption. Complete Polycarbonate housing, opal polycarbonate diffuser. Ideal for coastal areas. Satin White finish. Available in three sizes, 200mm, 300mm, and 400mm. 240V wiring, built in 370mA Driver. Fully dimmable with Domus Dimmer series.

### Solar-20 Round

**Specification:**

**Overall Diameter:** 200mm

**Backplate Diameter:** 171mm

**Height:** 48mm

**Order Code:**

**20900** Satin White Trim - Warm White LED 3000K

**20901** Satin White Trim - White LED 5000K

**20902** Silver Trim - Warm White LED 3000K

**20903** Silver Trim - White LED 5000K



NEW



### Solar-30 Round

**Specification:**

**Overall Diameter:** 300mm

**Backplate Diameter:** 271mm

**Height:** 40mm

**Order Code:**

**20904** Satin White Trim - Warm White LED 3000K

**20905** Satin White Trim - White LED 5000K

**20906** Silver Trim - Warm White LED 3000K

**20907** Silver Trim - White LED 5000K



NEW



### Solar-40 Round

**Specification:**

**Overall Diameter:** 400mm

**Backplate Diameter:** 371mm

**Height:** 40mm

**Order Code:**

**20908** Satin White Trim - Warm White LED 3000K

**20909** Satin White Trim - White LED 5000K

**20910** Silver Trim - Warm White LED 3000K

**20911** Silver Trim - White LED 5000K



NEW



## Solar Square

A modern and stylish square slimline ceiling light suitable for almost all areas of the home. Featuring a low profile and high light output, while offering low power consumption. Complete Polycarbonate housing, opal polycarbonate diffuser. Ideal for coastal areas. Satin White finish. Available in two sizes, 300mm and 400mm. 240V wiring, built in 370mA Driver. Fully dimmable with Domus Dimmer series.

### Solar-30 Square

**Specification:**

**Dimensions:** (L) 300mm x (W) 300mm

**Height:** 40mm

**Order Code:**

**20930** Satin White Trim - Warm White LED 3000K

**20931** Satin White Trim - White LED 5000K

**20932** Silver Trim - Warm White LED 3000K

**20933** Silver Trim - White LED 5000K



NEW



### Solar-40 Square

**Specification:**

**Dimensions:** (L) 400mm x (W) 400mm

**Height:** 51mm


**Order Code:**

**20934** Satin White Trim - Warm White LED 3000K

**20935** Satin White Trim - White LED 5000K

**20936** Silver Trim - Warm White LED 3000K

**20937** Silver Trim - White LED 5000K



NEW



## Disc

A modern and stylish round slimline ceiling light suitable for almost all areas of the home. Featuring a low profile and high light output, while offering low power consumption. Die cast aluminium trim, polycarbonate housing, opal polycarbonate diffuser. Satin White or Silver finish. Available in three sizes, 175mm, 240mm and 300mm. 240V wiring, built in 700mA Driver. Fully dimmable with Domus Dimmer series.

## Disc-175

## Specification:

**Diameter:** (Ø) 175mm

**Height:** 45mm

## Order Code:

**19530** DISC 175mm Satin White - Warm White 3000K

**19531** DISC 175mm Satin White - White 5000K

**19532** DISC 175mm Silver - Warm White 3000K

**19533** DISC 175mm Silver - White 5000K



## Disc-240

## Specification:

**Diameter:** (Ø) 240mm

**Height:** 45mm

## Order Code:

**19534** DISC 240mm Satin White - Warm White 3000K

**19535** DISC 240mm Satin White - White 5000K

**19536** DISC 240mm Silver - Warm White 3000K

**19537** DISC 240mm Silver - White 5000K



## Disc-300

## Specification:

**Diameter:** (Ø) 300mm

**Height:** 45mm

## Order Code:

**19538** DISC 300mm Satin White - Warm White 3000K

**19539** DISC 300mm Satin White - White 5000K

**19540** DISC 300mm Silver - Warm White 3000K

**19541** DISC 300mm Silver - White 5000K



## Tab

A modern and stylish square slimline ceiling light suitable for almost all areas of the home. Featuring a low profile and high light output, while offering low power consumption. Die cast aluminium trim, polycarbonate housing, opal polycarbonate diffuser. Satin White or Silver finish. Available in three sizes, 175mm, 240mm and 300mm. 240V wiring, built in 700mA Driver. Fully dimmable with Domus Dimmer series.

## Tab-175

## Specification:

**Dimensions:** (L) 175mm x (W) 175mm

**Height:** 45mm

## Order Code:

**19550** TAB 175mm Satin White - Warm White 3000K

**19551** TAB 175mm Satin White - White 5000K

**19552** TAB 175mm Silver - Warm White 3000K

**19553** TAB 175mm Silver - White 5000K



## Tab-240

## Specification:

**Dimensions:** (L) 240mm x (W) 240mm

**Height:** 45mm

## Order Code:

**19554** TAB 240mm Satin White - Warm White 3000K

**19555** TAB 240mm Satin White - White 5000K

**19556** TAB 240mm Silver - Warm White 3000K

**19557** TAB 240mm Silver - White 5000K



## Tab-300

## Specification:

**Dimensions:** (L) 300mm x (W) 300mm

**Height:** 45mm

## Order Code:

**19558** TAB 300mm Satin White - Warm White 3000K

**19559** TAB 300mm Satin White - White 5000K

**19560** TAB 300mm Silver - Warm White 3000K

**19561** TAB 300mm Silver - White 5000K



### Vortex-275

15W LED ceiling light suitable for almost all areas of the home. Die cast aluminium base, opal polycarbonate diffuser. 240V wiring, built in 350mA Driver. Fully dimmable with Domus Dimmer series.

**Specification:**

**Diameter:** (Ø) 275mm

**Height:** 100mm

**Order Code:**

**20585** VORTEX 275mm Opal - Warm White 3000K

**20586** VORTEX 275mm Opal - White 5000K



### Vortex-350

25W LED ceiling light suitable for almost all areas of the home. Die cast aluminium base, opal polycarbonate diffuser. 240V wiring, built in 380mA Driver. Fully dimmable with Domus Dimmer series.

**Specification:**

**Diameter:** (Ø) 350mm

**Height:** 110mm

**Order Code:**

**20587** VORTEX 350mm Opal - Warm White 3000K

**20588** VORTEX 350mm Opal - White 5000K



### Ora-300

15W LED ceiling light with White or Satin Chrome decorative trim. Suitable for almost all areas of the home. Die cast aluminium base, opal polycarbonate diffuser. 240V wiring, built in 380mA Driver. Fully dimmable with Domus Dimmer series.

**Specification:**

**Diameter:** (Ø) 300mm

**Height:** 86mm


**Order Code:**

**20590** ORA 300mm White Trim - Warm White 3000K

**20591** ORA 300mm White Trim - White 5000K

**20592** ORA 300mm Satin Chrome Trim - Warm White 3000K

**20593** ORA 300mm Satin Chrome Trim - White 5000K



### Ora-350

25W LED ceiling light with White or Satin Chrome decorative trim. Suitable for almost all areas of the home. Die cast aluminium base, opal polycarbonate diffuser. 240V wiring, built in 380mA Driver. Fully dimmable with Domus Dimmer series.

**Specification:**

**Diameter:** (Ø) 350mm

**Height:** 96mm


**Order Code:**

**20594** ORA 350mm White Trim - Warm White 3000K

**20595** ORA 350mm White Trim - White 5000K

**20596** ORA 350mm Satin Chrome Trim - Warm White 3000K

**20597** ORA 350mm Satin Chrome Trim - White 5000K



### Panel 101

3W recessed LED Panel Light. Silver powder coated aluminium frame, opal diffuser. These are ideal as low level internal step lights, or wall lights. Direct 240V wiring into remote LED Driver. Fully dimmable with Domus Dimmer series.

**Specification:**

**Dimensions:** (L) 100mm x (W) 100mm

**Height:** 12mm

**Cut-out:** (L) 90mm x (W) 85mm

**Order Code:**

**19297** Warm White LED 3000K

**19298** Neutral White LED 4000K

**19299** White LED 6000K



### Panel 101 12V DC Converter

12V DC converter to allow 1-10V dimming or connecting multiple panels to a single 12V DC driver (not included). Please see wiring diagram at the back of the catalogue for further details.

**Order Code:**

**19296** Panel 101 12V DC Converter



### Panel 202

9W Recessed LED Panel light. Silver powder coated aluminium frame, opal diffuser. These are ideal as ceiling lights for small rooms, en-suites, or as wall lights. Non-dimmable.

**Specification:**

**Dimensions:** (L) 200mm x (W) 200mm

**Height:** 12mm


**Cut-out:** (L) 190mm x (W) 190mm

**Order Code:**

**19300** Warm White LED 3200K

**19301** Neutral White LED 4000K

**19302** White LED 6500K



### Panel 303

18W LED Panel light. Natural anodised aluminium frame, opal diffuser. These are ideal as ceiling light for T-Bar ceilings, or by using a plaster recessed frame, ideal as a kitchen light, laundry light, etc. Fully dimmable with Domus Dimmer series.

**Specification:**

**Dimensions:** (L) 295mm x (W) 295mm

**Height:** 10mm

**Order Code:**

**19305** Warm White LED 3000K

**19304** Neutral White LED 4000K

**19303** White LED 6000K



### Panel 306

36W LED Panel light. Natural anodised aluminium frame, opal diffuser. These are ideal as ceiling light for T-Bar ceilings, or by using a plaster recessed frame, ideal as a kitchen light, laundry light, etc. Fully dimmable with Domus Dimmer series.

**Specification:**

**Dimensions:** (L) 595mm x (W) 295mm

**Height:** 10mm

**Order Code:**

**19308** Warm White LED 3000K

**19307** Neutral White LED 4000K

**19306** White LED 6000K





### Panel 312

45W LED Panel light. Natural anodised aluminium frame, opal diffuser. These are ideal as ceiling light for T-Bar ceilings, or by using a plaster recessed frame, ideal for commercial applications such as office spaces. Fully dimmable with Domus Dimmer series.

**Specification:**

**Dimensions:** (L) 1195mm x (W) 295mm

**Height:** 10mm

**Order Code:**

**19311** Warm White LED 3000K

**19310** Neutral White LED 4000K

**19309** White LED 6000K



### Panel 606

45W LED Panel light. Natural anodised aluminium frame, opal diffuser. These are ideal as ceiling light for T-Bar ceilings, or by using a plaster recessed frame, ideal for commercial applications such as office spaces. Fully dimmable with Domus Dimmer series.

**Specification:**

**Dimensions:** (L) 595mm x (W) 595mm

**Height:** 10mm

**Order Code:**

**19314** Warm White LED 3000K

**19313** Neutral White LED 4000K

**19312** White LED 6000K



### LED Panel Recessed Plaster Frames

LED recessed plaster frames in Satin White designed specifically to allow LED Panel Light to be installed into plaster ceilings.

#### LED Panel Trim 303

**Specification:**

**Frame:** (L) 330mm x (W) 330mm x (H) 41mm

**Cut-out:** (L) 310mm x (W) 310mm

**Order Code:**

**19324** TRIM303 White



#### LED Panel Trim 306

**Specification:**

**Frame:** (L) 630mm x (W) 330mm x (H) 41mm

**Cut-out:** (L) 610mm x (W) 310mm

**Order Code:**

**19325** TRIM306 White



#### LED Panel Trim 312

**Specification:**

**Frame:** (L) 1230mm x (W) 330mm x (H) 41mm

**Cut-out:** (L) 1210mm x (W) 310mm

**Order Code:**

**19326** TRIM312 White



#### LED Panel Trim 606

**Specification:**

**Frame:** (L) 630mm x (W) 630mm x (H) 41mm

**Cut-out:** (L) 610mm x (W) 610mm

**Order Code:**

**19327** TRIM606 White



### LED Panel Surface Mount Frames

LED surface mount frames in Satin White and Anodised Aluminium designed specifically to allow LED Panel Lights to be installed onto concrete ceilings, or where surface mounting is required.



#### LED Surface Mount Panel Frame 303

**Specification:**

**Frame:** (L) 312mm x (W) 312mm x (H) 60mm

**Inside opening:** (L) 268mm x (W) 268mm

**Order Code:**

**19328** SM-KIT 303 Aluminium

**19332** SM-KIT 303 White



#### LED Surface Mount Panel Frame 306

**Specification:**

**Frame:** (L) 612mm x (W) 312mm x (H) 60mm

**Inside opening:** (L) 568mm x (W) 268mm

**Order Code:**

**19329** SM-KIT 306 Aluminium

**19333** SM-KIT 306 White



#### LED Surface Mount Panel Frame 312

**Specification:**

**Frame:** (L) 1212mm x (W) 312mm x (H) 60mm

**Inside opening:** (L) 1168mm x (W) 268mm

**Order Code:**

**19330** SM-KIT 312 Aluminium

**19334** SM-KIT 312 White



#### LED Surface Mount Panel Frame 606

**Specification:**

**Frame:** (L) 612mm x (W) 612mm x (H) 60mm

**Inside opening:** (L) 568mm x (W) 568mm

**Order Code:**

**19331** SM-KIT 606 Aluminium

**19335** SM-KIT 606 White



Assembled Surface mount frame pictured with LED Panel (LED Panel not included).

### LED Panel Surface Mount Frames Installation Guide



### LED Panel Wire Suspension Kit

2 metres of Wire suspension complete with fixings to allow LED Panel Lights to be suspended. Can be mounted on clips supplied with LED Panel or mounted onto surface mount frames.

**Specification:**

**Dimensions:** (L) 2 Metres of Wire suspension

**Order Code:**

**22041** EXT-SUSP 2M Wire Suspension Kit Each



### Pandora

7x1W LED Pendant, aluminium shade, with polished chrome highlights, clear wire suspension, surface mounted canopy with integral power supply. Non dimmable. This fitting is ideal as a Breakfast bar light.

#### Specification:

**Shade:** (Ø) 115mm x (H) 105mm

**Canopy:** (Ø) 115mm x (H) 30mm

**Height:** 1500mm

#### Order Code:

**19599** Natural Anodised - Warm White LED 3000K

**19598** Natural Anodised - White LED 4500K

**19603** White - Warm White LED 3000K

**19602** White - White LED 4500K

**19605** Black - Warm White LED 3000K

**19604** Black - White LED 4500K



### Carbon

6W LED Pendant, crystal cubic glass shade, with polished chrome highlights, clear wire suspension, surface mounted canopy with integral power supply. Non dimmable. This fitting is ideal as a Breakfast bar light.

#### Specification:

**Shade:** (D) 60mm x 60mm (H) 75mm

**Canopy:** (Ø) 115mm x (H) 30mm

**Height:** 1500mm

#### Order Code:

**19619** Crystal Glass - Warm White LED 3000K

**19618** Crystal Glass - White LED 4500K



### Scroll

12W LED Pendant, gloss black white swirl shade, with polished chrome highlights, clear wire suspension, surface mounted canopy with integral power supply. Non dimmable. This fitting is ideal as a Breakfast bar light.

#### Specification:

**Shade:** (Ø) 90mm x (H) 120mm

**Canopy:** (Ø) 115mm x (H) 30mm

**Height:** 1500mm

#### Order Code:

**19609** Gloss Black / White Swirl - Warm White LED 3000K

**19608** Gloss Black / White Swirl - White LED 4500K



**Jupiter 30-1**

Jupiter pendant complete with polished chrome backplate and utilising K9 crystal. 4 x 3W G9 LED Lamps (complimentary).

**Specification:**

**Dimensions:** (Ø) 300mm x (H) 400mm

**Order Code:**

**35000** Crystal - White LED 5000K

Replacement Lamp 3W G9 3000K (20486)

Replacement Lamp 3W G9 5000K (20487)

**Jupiter 46-1**

Jupiter pendant complete with polished chrome backplate and utilising K9 crystal. 5 x 6W GU10 LED Lamps (complimentary).

**Specification:**

**Dimensions:** (Ø) 460mm x (H) 600mm

**Order Code:**

**35001** Crystal - White LED 5000K

Replacement Lamp 6W GU10 3000K (20481)

Replacement Lamp 6W GU10 5000K (20482)

**Jupiter 46-2**

Jupiter pendant complete with polished chrome backplate and utilising K9 crystal. 5 x 6W GU10 LED Lamps (complimentary).

**Specification:**


**Dimensions:** (Ø) 460mm x (H) 1500mm

**Order Code:**

**35002** Crystal - White LED 5000K

Replacement Lamp 6W GU10 3000K (20481)

Replacement Lamp 6W GU10 5000K (20482)



### Everest 40

Everest pendant complete with polished chrome backplate and utilising K9 crystal. 5 x 6W GU10 LED Lamps (complimentary).

**Specification:**

**Dimensions:** (L) 400mm x (W) 400mm x (H) 1000mm

**Order Code:**

**35005** Crystal - White LED 5000K

Replacement Lamp 6W GU10 3000K (20481)

Replacement Lamp 6W GU10 5000K (20482)



### Everest 60

Everest pendant complete with polished chrome backplate and utilising K9 crystal. 9 x 6W GU10 LED Lamps (complimentary).

**Specification:**


**Dimensions:** (L) 600mm x (W) 600mm x (H) 1000mm

**Order Code:**

**35006** Crystal - White LED 5000K

Replacement Lamp 6W GU10 3000K (20481)

Replacement Lamp 6W GU10 5000K (20482)



### Raindrop 66

Raindrop pendant complete with polished chrome backplate and utilising K9 crystal. 9 x 6W GU10 LED Lamps (complimentary).

**Specification:**

**Dimensions:** (Ø) 660mm x (H) 2000mm

**Order Code:**

**35009** Crystal - White LED 5000K

Replacement Lamp 6W GU10 3000K (20481)

Replacement Lamp 6W GU10 5000K (20482)



### Raindrop 86

Raindrop pendant complete with polished chrome backplate and utilising K9 crystal. 12 x 6W GU10 LED Lamps (complimentary).

**Specification:**


**Dimensions:** (Ø) 860mm x (H) 2500mm

**Order Code:**

**35010** Crystal - White LED 5000K

Replacement Lamp 6W GU10 3000K (20481)

Replacement Lamp 6W GU10 5000K (20482)





### Snowdrop 66

Snowdrop pendant complete with polished chrome backplate and utilising K9 crystal. 9 x 6W GU10 LED Lamps (complimentary).

**Specification:**


**Dimensions:** (Ø) 660mm x (H) 2000mm

**Order Code:**

**35017** Crystal - White LED 5000K

Replacement Lamp 6W GU10 3000K (20481)

Replacement Lamp 6W GU10 5000K (20482)



### Snowdrop 86

Snowdrop pendant complete with polished chrome backplate and utilising K9 crystal. 12 x 6W GU10 LED Lamps (complimentary).

**Specification:**

**Dimensions:** (Ø) 860mm x (H) 2500mm

**Order Code:**

**35018** Crystal - White LED 5000K

Replacement Lamp 6W GU10 3000K (20481)

Replacement Lamp 6W GU10 5000K (20482)



### Boomerang 40

Boomerang pendant complete with polished chrome backplate and utilising K9 crystal. 4 x 6W GU10 LED Lamps (complimentary).

**Specification:**


**Dimensions:** (Ø) 400mm x (H) 600mm

**Order Code:**

**35020** Crystal - White LED 5000K

Replacement Lamp 6W GU10 3000K (20481)

Replacement Lamp 6W GU10 5000K (20482)



### Boomerang 50

Boomerang pendant complete with polished chrome backplate and utilising K9 crystal. 6 x 6W GU10 LED Lamps (complimentary).

**Specification:**

**Dimensions:** (Ø) 500mm x (H) 1000mm

**Order Code:**

**35021** Crystal - White LED 5000K

Replacement Lamp 6W GU10 3000K (20481)

Replacement Lamp 6W GU10 5000K (20482)





35022 Boomerang 66

### Boomerang 66

Boomerang pendant complete with polished chrome backplate and utilising K9 crystal. 8 x 6W GU10 LED Lamps (complimentary).

**Specification:**


**Dimensions:** (Ø) 660mm x (H) 1800mm

**Order Code:**

**35022** Crystal - White LED 5000K

Replacement Lamp 6W GU10 3000K (20481)

Replacement Lamp 6W GU10 5000K (20482)



**Starlight C20**

Starlight pendant complete with polished chrome backplate and utilising K9 crystal. 3 x 3W G9 LED Lamps (complimentary).

**Specification:**


**Dimensions:** (Ø) 200mm x (H) 300mm

**Order Code:**

**35030** Crystal - White LED 5000K

Replacement Lamp 3W G9 3000K (20486)

Replacement Lamp 3W G9 5000K (20487)

**Starlight C30**

Starlight pendant complete with polished chrome backplate and utilising K9 crystal. 4 x 3W G9 LED Lamps (complimentary).

**Specification:**

**Dimensions:** Dimensions: (L) 300mm x (W) 300mm x (H) 300mm

**Order Code:**

**35031** Crystal - White LED 5000K

Replacement Lamp 3W G9 3000K (20486)

Replacement Lamp 3W G9 5000K (20487)

**Starlight C60**

Starlight pendant complete with polished chrome backplate and utilising K9 crystal. 4 x 3W G9 LED Lamps (complimentary).

**Specification:**


**Dimensions:** (L) 600mm x (W) 150mm x (H) 300mm

**Order Code:**

**35032** Crystal - White LED 5000K

Replacement Lamp 3W G9 3000K (20486)

Replacement Lamp 3W G9 5000K (20487)

**Starlight C80**

Starlight pendant complete with polished chrome backplate and utilising K9 crystal. 8 x 3W G9 LED Lamps (complimentary).

**Specification:**

**Dimensions:** (L) 800mm x (W) 250mm x (H) 300mm

**Order Code:**

**35033** Crystal - White LED 5000K

Replacement Lamp 3W G9 3000K (20486)

Replacement Lamp 3W G9 5000K (20487)





35033 Starlight C80

**Starlight P60**

Starlight pendant complete with polished chrome backplate and utilising K9 crystal.  
4 x 3W G9 LED Lamps (complimentary).

**Specification:**

**Dimensions:** (L) 600mm x (W) 150mm x (H) 1000mm

**Order Code:**

**35034** Crystal - White LED 5000K

Replacement Lamp 3W G9 3000K (20486)

Replacement Lamp 3W G9 5000K (20487)

**Starlight P80**

Starlight pendant complete with polished chrome backplate and utilising K9 crystal.  
8 x 3W G9 LED Lamps (complimentary).

**Specification:**


**Dimensions:** (L) 800mm x (W) 250mm x (H) 1000mm

**Order Code:**

**35035** Crystal - White LED 5000K

Replacement Lamp 3W G9 3000K (20486)

Replacement Lamp 3W G9 5000K (20487)





### Rainbow 60

Rainbow pendant complete with polished chrome backplate and utilising K9 crystal. 6 x 3W G9 LED lamps (complimentary).

**Specification:**

**Dimensions:** (L) 600mm x (W) 160mm x (H) 1000mm

**Order Code:**

**35048** Crystal - White LED 5000K

Replacement Lamp 3W G9 3000K (20486)

Replacement Lamp 3W G9 5000K (20487)



### Rainbow 90

Rainbow pendant complete with polished chrome backplate and utilising K9 crystal. 9 x 3W G9 LED lamps (complimentary).

**Specification:**


**Dimensions:** (L) 900mm x (W) 160mm x (H) 1000mm

**Order Code:**

**35049** Crystal - White LED 5000K

Replacement Lamp 3W G9 3000K (20486)

Replacement Lamp 3W G9 5000K (20487)



### Venus 40

Venus pendant complete with polished chrome backplate and utilising K9 crystal. 5 x 3W G9 LED Lamps (complimentary).

**Specification:**

**Dimensions:** (Ø) 400mm x (H) 1200mm

**Order Code:**

**35040** Crystal - White LED 5000K

Replacement Lamp 3W G9 3000K (20486)

Replacement Lamp 3W G9 5000K (20487)



### Venus 60

Venus pendant complete with polished chrome backplate and utilising K9 crystal. 8 x 3W G9 LED Lamps (complimentary).

**Specification:**

**Dimensions:** (Ø) 600mm x (H) 1400mm

**Order Code:**

**35041** Crystal - White LED 5000K

Replacement Lamp 3W G9 3000K (20486)

Replacement Lamp 3W G9 5000K (20487)







35042 Venus 80

### Venus 80

Venus pendant complete with polished chrome backplate and utilising K9 crystal. 14 x 3W G9 LED Lamps (complimentary).

**Specification:**

**Dimensions:** (Ø) 800mm x (H) 1600mm

**Order Code:**

**35042** Crystal - White LED 5000K

Replacement Lamp 3W G9 3000K (20486)

Replacement Lamp 3W G9 5000K (20487)



### Venus 100

Venus pendant complete with polished chrome backplate and utilising K9 crystal. 20 x 3W G9 LED Lamps (complimentary).

**Specification:**


**Dimensions:** (Ø) 1000mm x (H) 2000mm

**Order Code:**

**35043** Crystal - White LED 5000K

Replacement Lamp 3W G9 3000K (20486)

Replacement Lamp 3W G9 5000K (20487)



### Jet 1 Light Single Spotlight

10W LED single spotlight, surface mounted or semi-recessed using springs provided. Suitable for highlighting or spotlighting. Die-cast aluminium head and base, powder coated finish. 240V wiring, built in 220mA Driver. Fully dimmable with Domus Dimmer series.

#### Specification:

**Dimensions:** (L) 110mm x (W) 110mm x (H) 156mm

**Cut-out:** (L) 85mm x (W) 85mm

#### Order Code:

**20646** JET1 - 1 Light Spotlight White - Warm White LED 3000K

**20647** JET1 - 1 Light Spotlight White - White LED 5000K

**20648** JET1 - 1 Light Spotlight Silver - Warm White LED 3000K

**20649** JET1 - 1 Light Spotlight Silver - White LED 5000K



### Jet 2 Light Bar Spotlight

2x10W LED two light bar spotlight, surface mounted or semi-recessed using springs provided. Suitable for small rooms. Die-cast aluminium head and base, powder coated finish. 240V wiring, built in 450mA Driver. Fully dimmable with Domus Dimmer series.

#### Specification:

**Dimensions:** (L) 395mm x (W) 110mm x (H) 156mm

**Cut-out:** (L) 370mm x (W) 85mm

#### Order Code:

**20650** JET2B - 2 Light Bar Spotlight White - Warm White LED 3000K

**20651** JET2B - 2 Light Bar Spotlight White - White LED 5000K

**20652** JET2B - 2 Light Bar Spotlight Silver - Warm White LED 3000K

**20653** JET2B - 2 Light Bar Spotlight Silver - White LED 5000K



### Jet 3 Light Bar Spotlight

3x10W LED three light bar spotlight, surface mounted or semi-recessed using springs provided. Suitable for almost all areas. Die-cast aluminium head and base, powder coated finish. 240V wiring, built in 700mA Driver. Fully dimmable with Domus Dimmer series.

#### Specification:

**Dimensions:** (L) 625mm x (W) 110mm x (H) 156mm

**Cut-out:** (L) 600mm x (W) 85mm

#### Order Code:

**20654** JET3B - 3 Light Bar Spotlight White - Warm White LED 3000K

**20655** JET3B - 3 Light Bar Spotlight White - White LED 5000K

**20656** JET3B - 3 Light Bar Spotlight Silver - Warm White LED 3000K

**20657** JET3B - 3 Light Bar Spotlight Silver - White LED 5000K



### Jet 4 Light Bar Spotlight

4x10W LED four light bar spotlight, surface mounted or semi-recessed using springs provided. Suitable for almost all areas. Die-cast aluminium head and base, powder coated finish. 240V wiring, built in 2x450mA Drivers. Fully dimmable with Domus Dimmer series.

#### Specification:

**Dimensions:** (L) 855mm x (W) 110mm x (H) 156mm

**Cut-out:** (L) 830mm x (W) 85mm

#### Order Code:

**20658** JET4B - 4 Light Bar Spotlight White - Warm White LED 3000K

**20659** JET4B - 4 Light Bar Spotlight White - White LED 5000K

**20660** JET4B - 4 Light Bar Spotlight Silver - Warm White LED 3000K

**20661** JET4B - 4 Light Bar Spotlight Silver - White LED 5000K



### Jet 4 Light Square Spotlight

4x10W LED four light square spotlight, surface mounted or semi-recessed using springs provided. Suitable for almost all areas. Die-cast aluminium head and base, powder coated finish. 240V wiring, built in 2x450mA Drivers. Fully dimmable with Domus Dimmer series.

#### Specification:

**Dimensions:** (L) 290mm x (W) 290mm x (H) 156mm

**Cut-out:** (L) 270mm x (W) 270mm

#### Order Code:

**20662** JET4SQ - 4 Light Sqr Spotlight White - Warm White LED 3000K

**20663** JET4SQ - 4 Light Sqr Spotlight White - White LED 5000K

**20664** JET4SQ - 4 Light Sqr Spotlight Silver - Warm White LED 3000K

**20665** JET4SQ - 4 Light Sqr Spotlight Silver - White LED 5000K



### Tennison 1

2 x 3W LED Wall light, brushed aluminium finish with polished chrome highlights. Adjustable spot head and separate down night light. 2 x 30° beam angle. Lights can be separately switched. 240V wiring, built in 700mA LED Driver. Non-dimmable. Ideal for bed head / wall lighting.

**Specification:**

**Backplate:** (L) 133mm x (W) 60mm x (D) 35mm

**Head:** (Ø) 27mm x (L) 60mm

**Order Code:**

**19351** Warm White 2700K

**19350** White 6400K



### Tennison 2

2 x 3W LED Wall light, brushed aluminium finish with polished chrome highlights. Adjustable goose-neck spot head and separate down night light. 2 x 30° beam angle. Lights can be separately switched. 240V wiring, built in 700mA LED Driver. Non-dimmable. Ideal for bed head / wall lighting.

**Specification:**

**Backplate:** (L) 133mm x (W) 60mm x (D) 35mm

**Head:** (Ø) 27mm x (L) 60mm

**Order Code:**

**19361** Warm White 2700K

**19360** White 6400K



### Miranda 1

3 x 3W LED Wall light, brushed aluminium and steel finish. Adjustable multi-directional head. 120° beam angle. Integrated switching. 240V wiring, built in 700mA LED Driver. Non-dimmable. Ideal for bed head, reading or wall lighting.

**Specification:**

**Backplate:** (Ø) 100mm x (D) 40mm

**Head:** (Ø) 105mm x (D) 40mm

**Order Code:**

**19353** Warm White 2700K

**19352** White 6400K



### Miranda 2

Twin head 3 x 3W LED Wall light, brushed aluminium and steel finish. Adjustable multi-directional head. 2 x 120° beam angle. Integrated switching. 240V wiring, built in 700mA LED Driver. Non-dimmable. Ideal for bed head, reading or wall lighting.

**Specification:**

**Backplate:** (L) 310mm x (W) 35mm x (D) 35mm

**Head:** 2 x (Ø) 105mm x (D) 40mm

**Order Code:**

**19355** Warm White 2700K

**19354** White 6400K



## Slim 1

4W LED wall light, extruded aluminium, silver finish with built in power supply. Non-dimmable. This is ideal as a picture light. Multi adjustable.

## Specification:

**Head:** (Ø) 25mm x (L) 310mm


**Base:** (L) 174mm x (H) 50mm x (D) 28mm

**Projection:** 218mm

## Order Code:

**19363** Warm White LED 3500K

**19362** White LED 6400K



## Slim 2

8W LED wall light, extruded aluminium, silver finish with built in power supply. Non-dimmable. This is ideal as a picture light. Multi adjustable.

## Specification:

**Head:** (Ø) 25mm x (L) 580mm

**Base:** (L) 174mm x (H) 50mm x (D) 28mm

**Projection:** 218mm

## Order Code:

**19365** Warm White LED 3500K

**19364** White LED 6400K



## Slide 1

1W LED recessed step light, extruded aluminium, silver finish with built in power supply. Non-dimmable. This is ideal as a low level floor / path light.

## Specification:

**Dimensions:** (L) 65mm x (H) 82mm x (D) 40mm  
(excluding driver)

**Cut-out:** (L) 47mm x (H) 67mm

## Order Code:

**19961** Warm White LED 2700K

**19960** White LED 6400K



## Slide 2

2W LED recessed step light, extruded aluminium, silver finish with built in power supply. Non-dimmable. This is ideal as a low level floor / path light.

## Specification:

**Dimensions:** (L) 135mm x (H) 82mm x (D) 40mm  
(excluding driver)

**Cut-out:** (L) 117mm x (H) 67mm

## Order Code:

**19963** Warm White LED 2700K

**19962** White LED 6400K



## Slide 3

3W LED recessed step light, extruded aluminium, silver finish with built in power supply. Non-dimmable. This is ideal as a low level floor / path light.

## Specification:

**Dimensions:** (L) 235mm x (H) 82mm x (D) 40mm  
(excluding driver)

**Cut-out:** (L) 220mm x (H) 67mm

## Order Code:

**19965** Warm White LED 2700K

**19964** White LED 6400K



### Chill Round

3W LED semi-recessed step light, matt opal acrylic, with built in power supply. Non-dimmable. This is ideal as a low level wall / step light.

#### Specification:

**Acrylic:** (Ø) 65mm x (D) 14mm

**Recessed Heat Sink:** (Ø) 30mm x (D) 35mm

**Cut-out:** (Ø) 35mm

#### Order Code:

**19967** Warm White LED 3500K

**19966** White LED 6400K



### Chill Square

3W LED semi-recessed step light, matt opal acrylic, with built in power supply. Non-dimmable. This is ideal as a low level wall / step light.

#### Specification:

**Acrylic:** (L) 65mm x (W) 65mm x (D) 14mm

**Recessed Heat Sink:** (Ø) 30mm x (D) 35mm

**Cut-out:** (Ø) 35mm

#### Order Code:

**19969** Warm White LED 3500K

**19968** White LED 6400K



### You

3W LED recessed step light, die-cast aluminium, tempered glass, powder coated finishes. Available in round or square. 240V wiring, built in 700mA LED Driver. Non-dimmable.

### You Round

#### Specification:

**Dimensions:** (Ø) 80mm

**Depth without recessed box:** (D) 46mm

**Cut-out without recessed box:** (Ø) 70mm

#### Order Code:

**19985** Satin White Trim - Warm White LED 3000K

**19986** Satin White Trim - White LED 5000K



NEW

### You Square

#### Specification:

**Dimensions:** (L) 80mm x (W) 80mm

**Depth without recessed box:** (D) 46mm

**Cut-out without recessed box:** (Ø) 70mm

#### Order Code:

**19987** Satin White Trim - Warm White LED 3000K

**19988** Satin White Trim - White LED 5000K



NEW

### Recessed Box (Included)

#### Dimensions:

**Depth with recessed box:** (H) 50mm

**Cut-out with recessed box:** (L) 75mm x (W) 75mm





### Allure Round

1W LED semi-recessed step light, machined pure aluminium, silver finish, with built in power supply. Non-dimmable. Pin spot light through the centre and wall washing downwards lighting. This is ideal as a low level wall / step light.

#### Specification:

**Fascia:** (Ø) 65mm x (D) 20mm

**Recessed Heat Sink:** (Ø) 30mm x (D) 35mm

**Cut-out:** (Ø) 35mm

#### Order Code:

**19971** Warm White LED 3000K

**19970** White LED 6400K



### Allure Square

1W LED semi-recessed step light, machined pure aluminium, silver finish, with built in power supply. Non-dimmable. Pin spot light through the centre and wall washing downwards lighting. This is ideal as a low level wall / step light.

#### Specification:

**Fascia:** (L) 60mm x (W) 60mm x (D) 18mm

**Recessed Heat Sink:** (Ø) 30mm x (D) 35mm

**Cut-out:** (Ø) 35mm

#### Order Code:

**19973** Warm White LED 3000K

**19972** White LED 6400K



### ME Round

3W LED recessed step light, extruded aluminium, silver finish. This fitting creates a unique beam of light towards the floor. This is ideal as a low level wall / step light.

#### Specification:

**Fascia:** (Ø) 65mm

**Recessed Heat Sink:** (Ø) 50mm x (D) 40mm

**Plaster Cut-out:** (Ø) 53mm

**Concrete Using Housing:** (Ø) 60mm

#### Order Code:

**19975** Warm White LED 3000K

**19974** White LED 5000K

Requires 700mA Constant Current LED Driver – Wire in Series



### ME Square

3W LED recessed step light, extruded aluminium, silver finish. This fitting creates a unique beam of light towards the floor. This is ideal as a low level wall / step light.

#### Specification:

**Fascia:** (L) 65mm x (W) 65mm

**Recessed Heat Sink:** (Ø) 50mm x (D) 40mm

**Plaster Cut-out:** (Ø) 53mm

**Concrete Using Housing:** (Ø) 60mm

#### Order Code:

**19977** Warm White LED 3000K

**19976** White LED 5000K

Requires 700mA Constant Current LED Driver – Wire in Series



**BF-2012**

Raw ceramic modern uplight wall light. Ceramic areas can be painted with any water based paint.

**Specification:**  
**Width:** 180mm  
**Height:** 165mm  
**Projection:** 90mm  
**Requires:** Lamp

**Order Code:**  
**11034** Raw - 1 x G9

**BF-2014**

Raw ceramic modern uplight wall light. Ceramic areas can be painted with any water based paint.

**Specification:**  
**Width:** 350mm  
**Height:** 165mm  
**Projection:** 90mm  
**Requires:** Lamps

**Order Code:**  
**11035** Raw - 2 x G9

**BF-2013**

Raw ceramic modern uplight wall light. Ceramic areas can be painted with any water based paint.

**Specification:**  
**Width:** 175mm  
**Height:** 160mm  
**Projection:** 90mm  
**Requires:** Lamp


**Order Code:**  
**11074** Raw - 1 x G9

**NEW****BF-2601A**

Raw ceramic modern uplight wall light. Ceramic areas can be painted with any water based paint.

**Specification:**  
**Width:** 150mm  
**Height:** 150mm  
**Projection:** 125mm  
**Requires:** Lamp

**Order Code:**  
**11082** Raw - 1 x G9

**NEW****BF-2601B**

Raw ceramic modern uplight wall light. Ceramic areas can be painted with any water based paint.

**Specification:**  
**Width:** 120mm  
**Height:** 150mm  
**Projection:** 120mm  
**Requires:** Lamp

**Order Code:**  
**11083** Raw - 1 x G9

**NEW****BF-8418**

Raw ceramic wall light. Light emits both ways. Ceramic areas can be painted with any water based paint.

**Specification:**  
**Width:** 70mm  
**Height:** 165mm  
**Projection:** 90mm  
**Requires:** Lamp

**Order Code:**  
**11037** Raw - 2 x G9



Emits light up &amp; down



**BF-2607A**

Raw ceramic uplight wall light. Light emits Upwards only. Ceramic areas can be painted with any water based paint.

**Specification:**

**Width:** 365mm

**Height:** 50mm

**Projection:** 100mm

**Requires:** Lamp

**Order Code:**

**11084** Raw - 1 x G9



Emits light upwards

**BF-2607B**

Raw ceramic wall light. Light emits upwards and downwards through an opening in the bottom of the fitting. Ceramic areas can be painted with any water based paint.

**Specification:**

**Width:** 365mm

**Height:** 50mm

**Projection:** 100mm

**Requires:** Lamps

**Order Code:**

**11085** Raw - 1 x G9



Emits light up & down

**NEW****BF-2608A**

Raw ceramic uplight wall light. Light emits Upwards only. Ceramic areas can be painted with any water based paint.

**Specification:**

**Width:** 360mm

**Height:** 100mm

**Projection:** 80mm

**Requires:** Lamp

**Order Code:**

**11090** Raw - 2 x G9

**NEW****BF-2608B**

Raw ceramic wall light. Light emits upwards and downwards through an opening in the bottom of the fitting. Ceramic areas can be painted with any water based paint.

**Specification:**

**Width:** 360mm

**Height:** 100mm

**Projection:** 80mm

**Requires:** Lamp

**Order Code:**

**11091** Raw - 2 x G9



Emits light up & down

**NEW**

**BF-7310**

Raw ceramic wall light. Ceramic areas can be painted with any water based paint.

**Specification:**

**Width:** 230mm

**Height:** 90mm

**Projection:** 130mm

**Requires:** Lamp

**Order Code:**

**11040** Raw - 1 x E27

**BF-7577**

Raw ceramic wall light. Ceramic areas can be painted with any water based paint.

**Specification:**

**Width:** 450mm

**Height:** 80mm

**Projection:** 150mm

**Requires:** Lamp

**Order Code:**

**11042** Raw - 1 x E27

**BF-7578**

Raw ceramic wall light. Ceramic areas can be painted with any water based paint.

**Specification:**

**Width:** 600mm

**Height:** 80mm

**Projection:** 200mm

**Requires:** Lamp

**Order Code:**

**11044** Raw - 1 x E27

**BF-8202**

Raw ceramic wall light complete with frosted glass. Ceramic areas can be painted with any water based paint.

**Specification:**

**Width:** 180mm

**Height:** 510mm

**Requires:** Lamp

**Order Code:**

**11110** Raw - 1 x E27

**11140** BFG-8202 - Spare Glass

**BF-8042**

Raw ceramic wall light complete with frosted glass. Ceramic areas can be painted with any water based paint.

**Specification:**

**Width:** 420mm

**Height:** 60mm

**Projection:** 150mm

**Requires:** Lamp

**Order Code:**

**11102** Raw - 1 x E27

**11136** BFG-8042 - Spare Glass

**BF-8839**

Raw ceramic wall light complete with frosted glass. Ceramic areas can be painted with any water based paint.

**Specification:**

**Width:** 320mm

**Projection:** 100mm

**Requires:** Lamps

**Order Code:**

**11133** Raw - 2 x E27

**11147** BFG-8839 - Spare Glass



**BF-8232**

Raw ceramic wall light complete with frosted glass.  
Ceramic areas can be painted with any water based paint.

**Specification:**

**Width:** 300mm

**Height:** 80mm


**Projection:** 180mm

**Requires:** Lamp

**Order Code:**

**11113** Raw - 1 x E27

**11141** BFG-8232 - Spare Glass

**BF-8186**

Raw ceramic modern uplight wall light. Ceramic areas  
can be painted with any water based paint.

**Specification:**

**Width:** 600mm

**Height:** 80mm

**Projection:** 180mm

**Requires:** Lamps

**Order Code:**

**11105** Raw - 2 x E27

**11137** BFG-8186 - Spare Glass

**BF-2018**

Raw ceramic modern uplight wall light. Ceramic areas  
can be painted with any water based paint.

**Specification:**

**Width:** 200mm

**Height:** 70mm

**Projection:** 70mm

**Requires:** Lamp

**Order Code:**

**11075** Raw - 1 x G9



NEW

**BF-2019**

Raw ceramic modern uplight wall light. Ceramic areas  
can be painted with any water based paint.

**Specification:**

**Width:** 350mm

**Height:** 70mm

**Projection:** 70mm

**Requires:** Lamps

**Order Code:**

**11076** Raw - 2 x G9



NEW

**BF-2020**

Raw ceramic modern uplight wall light. Ceramic areas  
can be painted with any water based paint.

**Specification:**

**Width:** 500mm

**Height:** 70mm

**Projection:** 70mm

**Requires:** Lamps

**Order Code:**

**11077** Raw - 2 x G9



NEW



**BF-7949**

Raw ceramic wall light complete with frosted glass.  
Ceramic areas can be painted with any water based paint. Suitable for 90° corners only.

**Specification:**

**Width:** 300mm

**Height:** 100mm

**Projection:** 210mm

**Requires:** Lamp

**Order Code:**

**11101** Raw - 1 x E27

**BF-8235**

Raw ceramic wall light complete with open slot.  
Ceramic areas can be painted with any water based paint.

**Specification:**

**Width:** 310mm

**Height:** 90mm

**Projection:** 120mm

**Requires:** Lamp

**Order Code:**

**11115** Raw - 1 x E27



Emits light up & down

**BF-8276**

Raw ceramic wall light. Ceramic areas can be painted with any water based paint.

**Specification:**

**Width:** 300mm

**Height:** 45mm

**Projection:** 150mm

**Requires:** Lamp

**Order Code:**

**11120** Raw - 2 x G9

**BF-8284**

Raw ceramic wall light complete with frosted glass.  
Ceramic areas can be painted with any water based paint.

**Specification:**

**Width:** 300mm

**Height:** 45mm

**Projection:** 150mm

**Requires:** Lamps

**Order Code:**

**11121** Raw - 2 x G9

**11148** BFG-8284 - Spare Glass



**BF-2185**

Raw ceramic wall light. Ceramic areas can be painted with any water based paint.

**Specification:**

**Width:** 250mm

**Height:** 300mm

**Projection:** 120mm

**Requires:** Lamp

**Order Code:**

**11036** Raw - 1 x G9



Emits light upwards



**BF-8259**

Raw ceramic wall light complete with frosted glass.  
Ceramic areas can be painted with any water based paint.

**Specification:**

**Width:** 360mm  
**Height:** 100mm  
**Projection:** 150mm  
**Requires:** Lamp

**Order Code:**

**11118** Raw - 1 x E27  
**11143** BFG-8259 - Spare Glass

**BF-8258**

Raw ceramic wall light complete with frosted glass.  
Ceramic areas can be painted with any water based paint.

**Specification:**

**Width:** 360mm  
**Height:** 100mm  
**Projection:** 150mm  
**Requires:** Lamp

**Order Code:**

**11116** Raw - 1 x E27  
**11142** BFG-8258 - Spare Glass

**BF-7603**

Raw ceramic wall light complete with frosted glass.  
Ceramic areas can be painted with any water based paint.

**Specification:**

**Width:** 420mm  
**Height:** 90mm  
**Projection:** 180mm  
**Requires:** Lamp

**Order Code:**

**11049** Raw - 1 x E27  
**11093** BFG-7603 - Spare Glass

**BF-7908**

Raw ceramic wall light complete with frosted glass.  
Ceramic areas can be painted with any water based paint.

**Specification:**

**Width:** 280mm  
**Height:** 130mm  
**Projection:** 130mm  
**Requires:** Lamp

**Order Code:**

**11051** Raw - 1 x E27  
**11094** BFG-7908 - Spare Glass



Emits light up & down



**BF-8411**

Raw ceramic wall light complete with frosted glass.  
Ceramic areas can be painted with any water based paint.

**Specification:**

**Width:** 460mm

**Height:** 100mm

**Projection:** 160mm

**Requires:** Lamp

**Order Code:**

**11131** Raw - 1 x E27

**BF-8286**

Raw ceramic wall light complete with frosted glass.  
Ceramic areas can be painted with any water based paint.

**Specification:**

**Width:** 320mm

**Height:** 100mm

**Projection:** 130mm

**Requires:** Lamp

**Order Code:**

**11122** Raw - 1 x E27

**11144** BFG-8286 - Spare Glass

**BF-2350**

Raw modern round indirect wall light. Creates a soft and subtle feature for feature wall lighting. Ceramic areas can be painted with any water based paint.

**Specification:**

**Width:** 140mm

**Height:** 130mm

**Requires:** Lamp

**Order Code:**

**11080** Raw - 1 x G9



Emits light up & down

**BF-2440**

Raw ceramic modern uplight wall light. Ceramic areas can be painted with any water based paint.

**Specification:**

**Width:** 300mm

**Height:** 280mm

**Projection:** 125mm

**Requires:** Lamp

**Order Code:**

**11081** Raw - 1 x E27



Emits light up & down



NEW

NEW

# Ceiling Fans



## What is a DC Ceiling Fan and what is an AC Ceiling Fan?

The current we receive from our mains supply into our homes is Alternating Current (AC). Electric motors for ceiling fans traditionally are driven by AC current through a magnetic force to rotate the motor. AC Ceiling fans are still commonly in use and are still a very reliable and well-priced solution when choosing a ceiling fan. There are far more designs and options with AC Ceiling fans, as they have been available for quite a while.

DC motors used in ceiling fans utilise brushless technology. This electric motor converts the AC current input to a Direct Current (DC) output through the use of a transformer and energises an internal array of magnets of opposing polarity. The resulting magnetic force creates the torque required to rotate the motor. This process requires less energy than conventional AC motors to operate offering considerable energy savings and running costs of up to 70%.

## Why choose a DC Ceiling Fan?

- **Energy Saving** - Consumes up to 70% less energy.
- **Whisper Quiet Operation** - Runs much quieter than standard AC Ceiling fans.
- **Greater Control** - DC motors are typically smaller allowing for greater flexibility in product design.
- **Cooler Operation** - The DC fan operates cooler internally during maximum workloads, reducing less stress on internal components, ensuring a longer operating lifetime.
- **Greater Speed Flexibility** - More speed options allow for greater control, thus saving power.
- **Higher Torque** - They stop, start and accelerate more quickly.
- **Light weight** - Utilising different components and new designs being offered in lightweight ABS, the DC Ceiling fans are much lighter than conventional AC models.
- DC Ceiling fans are much lighter than conventional DC models.

## Why choose an AC Ceiling Fan?

- **Affordable** - Currently a more affordable option as DC Ceiling fans are more expensive due to the componentry and automated processes.
- **More Design Options** - AC Ceiling fans have been around for a long time, so far more designs and styles available to suit your fan requirements.
- **Wall Controllable** - DC Ceiling fans are generally only operational with a Remote Control, whereas AC Ceiling fans can be controlled by a hard wired Wall Switch Control.

**Domus** also incorporates energy efficient LED Lighting for a truly green range of Ceiling fans. Backed by a Three Year IN-HOME Warranty, you will have peace of mind that your **Domus** Ceiling fan will be a reliable solution to cooling comforts at home.



### Avatar White No Light

New DC Technology Ceiling Fan, a uniquely designed curved blade, designed to maximise air flow and striking with state of the art efficiency. The Avatar will appeal to almost any room of the home with its very modern and uniquely shaped design. Satin White finish, 56" ABS polymer blades and complete with remote control. 6 Speed fan control. Fully reversible.

**Specification:**  
**Width:** 1400mm  
**Height:** 300mm

**Order Code:**  
**50000** Avatar White No Light

900mm optional extension rod available (50351)



### Avatar White with LED Light

New DC Technology Ceiling Fan, a uniquely designed curved blade, designed to maximise air flow and striking with state of the art efficiency. The Avatar will appeal to almost any room of the home with its very modern and uniquely shaped design. Satin White finish, 56" ABS polymer blades and complete with remote control. 17.5W LED Light (non-dimmable). 6 Speed fan control. Fully reversible.

**Specification:**  
**Width:** 1400mm  
**Height:** 325mm

**Order Code:**  
**50011** Avatar White with LED Light - Warm White LED 3000K  
**50012** Avatar White with LED Light - White LED 5000K

900mm optional extension rod available (50351)

Spare Glass (50440)



### Avatar Silver No Light

New DC Technology Ceiling Fan, a uniquely designed curved blade, designed to maximise air flow and striking with state of the art efficiency. The Avatar will appeal to almost any room of the home with its very modern and uniquely shaped design. Silver finish, 56" ABS polymer blades and complete with remote control. 6 Speed fan control. Fully reversible.

**Specification:**  
**Width:** 1400mm  
**Height:** 300mm

**Order Code:**  
**50001** Avatar Silver No Light

900mm optional extension rod available (50352)



### Avatar Silver with LED Light

New DC Technology Ceiling Fan, a uniquely designed curved blade, designed to maximise air flow and striking with state of the art efficiency. The Avatar will appeal to almost any room of the home with its very modern and uniquely shaped design. Silver finish, 56" ABS polymer blades and complete with remote control. 17.5W LED Light (non-dimmable). 6 Speed fan control. Fully reversible.

**Specification:**  
**Width:** 1400mm  
**Height:** 325mm

**Order Code:**  
**50014** Avatar Silver with LED Light - Warm White LED 3000K  
**50015** Avatar Silver with LED Light - White LED 5000K

900mm optional extension rod available (50352)

Spare Glass (50440)



### Brisk 52" White No Light

A modern and stylish design fan suitable for almost all areas of the home. Featuring superior air circulation and whisper quiet operation. Die cast aluminium housing, Satin White motor finish. 52" plywood blades and remote control adaptable. Fully reversible.

**Specification:**

**Width:** 1320mm

**Height:** 315mm

**Order Code:**

**50020** Satin White

900mm optional extension rod available (50361)

Optional Remote Control (50200)



### Brisk 52" Brushed Aluminium No Light

A modern and stylish design fan suitable for almost all areas of the home. Featuring superior air circulation and whisper quiet operation. Die cast aluminium housing, Brushed Aluminium motor finish. 52" plywood blades and remote control adaptable. Fully reversible.

**Specification:**

**Width:** 1320mm

**Height:** 315mm

**Order Code:**

**50021** Brushed Aluminium

900mm optional extension rod available (50362)

Optional Remote Control (50200)



### Brisk 52" White with Light (2xE27)

A modern and stylish design fan suitable for almost all areas of the home. Featuring superior air circulation and whisper quiet operation. Die cast aluminium housing, Satin White motor finish. 52" plywood blades and remote control adaptable. Fully reversible. Light kit with 2 x ES (E27) lamp-holders, designed to allow the flexibility of replacing lamps to suit required light levels. Lamps not included.

**Specification:**

**Width:** 1320mm

**Height:** 365mm

**Order Code:**

**50022** Satin White

900mm optional extension rod available (50361)

Spare Glass (50441)

Optional Remote Control (50200)



### Brisk 52" Brushed Aluminium with Light (2xE27)

A modern and stylish design fan suitable for almost all areas of the home. Featuring superior air circulation and whisper quiet operation. Die cast aluminium housing, Brushed Aluminium motor finish. 52" plywood blades and remote control adaptable. Fully reversible. Light kit with 2 x ES (E27) lamp-holders, designed to allow the flexibility of replacing lamps to suit required light levels. Lamps not included.

**Specification:**

**Width:** 1320mm

**Height:** 365mm

**Order Code:**

**50023** Brushed Aluminium

900mm optional extension rod available (50362)

Spare Glass (50441)

Optional Remote Control (50200)



**Brisk 52" White with LED Light****NEW**

A modern and stylish design fan suitable for almost all areas of the home. Featuring superior air circulation and whisper quiet operation. Die cast aluminium housing, Satin White motor finish. 52" plywood blades and remote control adaptable. Fully reversible. Light kit with 25W LED module (can be dimmed with LCD remote), designed to produce optimum light levels utilising the latest in LED technology.

**Specification:****Width:** 1320mm**Height:** 365mm**Order Code:****50024** Satin White - Warm White LED 3000K**50025** Satin White - White LED 5000K

900mm optional extension rod available (50361)

Spare Glass (50441)

Optional Remote Control non-dimmable (50200)

Optional LCD Remote Control dimmable (50201)

**Brisk 52" Brushed Aluminium with LED Light****NEW**

A modern and stylish design fan suitable for almost all areas of the home. Featuring superior air circulation and whisper quiet operation. Die cast aluminium housing, Brushed Aluminium motor finish. 52" plywood blades and remote control adaptable. Fully reversible. Light kit with 25W LED module (can be dimmed with LCD remote), designed to produce optimum light levels utilising the latest in LED technology.

**Specification:****Width:** 1320mm**Height:** 345mm**Order Code:****50027** Brushed Aluminium - Warm White LED 3000K**50028** Brushed Aluminium - White LED 5000K

900mm optional extension rod available (50362)

Spare Glass (50441)

Optional Remote Control non-dimmable (50200)

Optional LCD Remote Control dimmable (50201)

**Brisk Mini 42" White No Light**

A modern and stylish design fan with compact blade lengths to suit smaller areas. Featuring comfortable air circulation and whisper quiet operation. Die cast aluminium housing, Satin White motor finish. 42" plywood blades and remote control adaptable. Fully reversible.

**Specification:****Width:** 1067mm**Height:** 315mm**Order Code:****50050** Satin White

900mm optional extension rod available (50361)

Optional Remote Control (50200)

**Brisk Mini 42" Brushed Aluminium No Light**

A modern and stylish design fan with compact blade lengths to suit smaller areas. Featuring comfortable air circulation and whisper quiet operation. Die cast aluminium housing, Brushed Aluminium motor finish. 42" plywood blades and remote control adaptable. Fully reversible.

**Specification:****Width:** 1067mm**Height:** 315mm**Order Code:****50051** Brushed Aluminium

900mm optional extension rod available (50362)

Optional Remote Control (50200)



### Brisk Mini 42" White with Light (2xE27)

A modern and stylish design fan with compact blade lengths to suit smaller areas. Featuring comfortable air circulation and whisper quiet operation. Die cast aluminium housing, Satin White motor finish. 42" plywood blades and remote control adaptable. Fully reversible. Light kit with 2 x ES (E27) lamp-holders, designed to allow the flexibility of replacing lamps to suit required light levels. Lamps not included.

**Specification:**  
**Width:** 1067mm  
**Height:** 365mm

**Order Code:**  
**50052** Satin White

900mm optional extension rod available (50361)  
 Spare Glass (50441)  
 Optional Remote Control (50200)



### Brisk Mini 42" White with LED Light

NEW

A modern and stylish design fan with compact blade lengths to suit smaller areas. Featuring comfortable air circulation and whisper quiet operation. Die cast aluminium housing, Brushed Aluminium motor finish. 42" plywood blades and remote control adaptable. Fully reversible. Light kit with 25W LED module (can be dimmed with LCD remote), designed to produce optimum light levels utilising the latest in LED technology.

**Specification:**  
**Width:** 1067mm  
**Height:** 345mm

**Order Code:**  
**50054** Satin White - Warm White LED 3000K  
**50055** Satin White - White LED 5000K

900mm optional extension rod available (50361)  
 Spare Glass (50441)  
 Optional Remote Control non-dimmable (50200)  
 Optional LCD Remote Control dimmable (50201)



### Brisk Mini 42" Brushed Aluminium with Light (2xE27)

A modern and stylish design fan with compact blade lengths to suit smaller areas. Featuring comfortable air circulation and whisper quiet operation. Die cast aluminium housing, Brushed Aluminium motor finish. 42" plywood blades and remote control adaptable. Fully reversible. Light kit with 2 x ES (E27) lamp-holders, designed to allow the flexibility of replacing lamps to suit required light levels. Lamps not included.

**Specification:**  
**Width:** 1067mm  
**Height:** 365mm

**Order Code:**  
**50053** Brushed Aluminium

900mm optional extension rod available (50362)  
 Spare Glass (50441)  
 Optional Remote Control (50200)



### Brisk Mini 42" Brushed Aluminium with LED Light

NEW

A modern and stylish design fan with compact blade lengths to suit smaller areas. Featuring comfortable air circulation and whisper quiet operation. Die cast aluminium housing, Brushed Aluminium motor finish. 42" plywood blades and remote control adaptable. Fully reversible. Light kit with 25W LED module (can be dimmed with LCD remote), designed to produce optimum light levels utilising the latest in LED technology.

**Specification:**  
**Width:** 1067mm  
**Height:** 345mm

**Order Code:**  
**50057** Brushed Aluminium - Warm White LED 3000K  
**50058** Brushed Aluminium - White LED 5000K

900mm optional extension rod available (50362)  
 Spare Glass (50441)  
 Optional Remote Control non-dimmable (50200)  
 Optional LCD Remote Control dimmable (50201)



### Windy 48" White No Light

A fresh looking fan at an affordable price. Suitable for almost all areas of the home. Featuring superior air circulation and whisper quiet operation. Satin White motor finish. 48" plywood blades and remote control adaptable. Fully reversible.

**Specification:**
**Width:** 1200mm

**Height:** 335mm

**Order Code:**
**50070** Satin White

900mm optional extension rod available (50371)

Optional Remote Control (50200)



### Windy 48" Brushed Nickel No Light

A fresh looking fan at an affordable price. Suitable for almost all areas of the home. Featuring superior air circulation and whisper quiet operation. Brushed Nickel motor finish. 48" plywood blades and remote control adaptable. Fully reversible.

**Specification:**
**Width:** 1200mm

**Height:** 420mm

**Order Code:**
**50071** Brushed Nickel

900mm optional extension rod available (50372)

Optional Remote Control (50200)



### Windy 48" White with Light (1xE27)

A fresh looking fan at an affordable price. Suitable for almost all areas of the home. Featuring superior air circulation and whisper quiet operation. Satin White motor finish. 48" plywood blades and remote control adaptable. Fully reversible. Light kit with 1 x ES (E27) lampholder, designed to allow the flexibility of replacing lamps to suit required light levels. Lamp not included.

**Specification:**
**Width:** 1200mm

**Height:** 420mm

**Order Code:**
**50072** Satin White

900mm optional extension rod available (50371)

Spare Glass (50442)

Optional Remote Control (50200)



### Windy 48" Brushed Nickel with Light (1xE27)

A fresh looking fan at an affordable price. Suitable for almost all areas of the home. Featuring superior air circulation and whisper quiet operation. Brushed Nickel motor finish. 48" plywood blades and remote control adaptable. Fully reversible. Light kit with 1 x ES (E27) lampholder, designed to allow the flexibility of replacing lamps to suit required light levels. Lamp not included.

**Specification:**
**Width:** 1200mm

**Height:** 420mm

**Order Code:**
**50073** Brushed Nickel

900mm optional extension rod available (50372)

Spare Glass (50442)

Optional Remote Control (50200)





### Viento 48" White No Light

A high performing fan with clean line design suitable for almost all areas of the home. Featuring the option to create a three blade fan or four blade fan depending on the desired appeal. Superior air circulation and whisper quiet operation. Satin White motor finish. 48" blades and remote control adaptable. Fully reversible.

**Specification:**

**Width:** 1200mm

**Height:** 315mm

**Order Code:**

**50080** Satin White

900mm optional extension rod available (50371)

Optional Remote Control (50200)



Same fan, same motor, 3 or 4 blades. You decide.

Make it a 3 blade fan, by using 3 out of the 4 blades supplied:



3 Blade

Make it a 4 blade fan, by using all 4 blades supplied:



4 Blade

### Viento 48" White with Light (1xE27)

A high performing fan with clean line design suitable for almost all areas of the home. Featuring the option to create a three blade fan or four blade fan depending on the desired appeal. Superior air circulation and whisper quiet operation. Satin White motor finish. 48" blades and remote control adaptable. Fully reversible. Light kit with 1 x ES (E27) lampholder, designed to allow the flexibility of replacing lamps to suit required light levels. Lamp not included.

**Specification:**

**Width:** 1200mm

**Height:** 365mm

**Order Code:**

**50082** Satin White

900mm optional extension rod available (50371)

Spare Glass (50442)

Optional Remote Control (50200)



Same fan, same motor, 3 or 4 blades. You decide.

Make it a 3 blade fan, by using 3 out of the 4 blades supplied:



3 Blade

Make it a 4 blade fan, by using all 4 blades supplied:



4 Blade

### Viento 48" Brushed Nickel No Light

A high performing fan with clean line design suitable for almost all areas of the home. Featuring the option to create a three blade fan or four blade fan depending on the desired appeal. Superior air circulation and whisper quiet operation. Brushed Nickel motor finish. 48" stainless steel (304) blades and remote control adaptable. Fully reversible.

**Specification:**

**Width:** 1200mm

**Height:** 315mm

**Order Code:**

**50081** Brushed Nickel


900mm optional extension rod available (50372)

Optional Remote Control (50200)



Same fan, same motor, 3 or 4 blades. You decide.

Make it 3 blade fan, by using 3 out of the 4 blades supplied:



3 Blade

Make it 4 blade fan, by using all 4 blades supplied:



4 Blade

### Viento 48" Brushed Nickel with Light (1xE27)

A high performing fan with clean line design suitable for almost all areas of the home. Featuring the option to create a three blade fan or four blade fan depending on the desired appeal. Superior air circulation and whisper quiet operation. Brushed Nickel motor finish. 48" stainless steel (304) blades and remote control adaptable. Fully reversible. Light kit with 1 x ES (E27) lampholder, designed to allow the flexibility of replacing lamps to suit required light levels. Lamp not included.

**Specification:**

**Width:** 1200mm

**Height:** 365mm

**Order Code:**

**50083** Brushed Nickel

900mm optional extension rod available (50372)

Spare Glass (50442)

Optional Remote Control (50200)



Same fan, same motor, 3 or 4 blades. You decide.

Make it 3 blade fan, by using 3 out of the 4 blades supplied:



3 Blade

Make it 4 blade fan, by using all 4 blades supplied:



4 Blade

## Light Kits

Light Kits only to suit suitable Ceiling Fan only models.

### Avatar Light Kits

#### Order Code:

- 50401** Light Kit White - Warm White LED 3000K
- 50402** Light Kit White - White LED 5000K
- 50403** Light Kit Brushed Nickel - Warm White LED 3000K
- 50404** Light Kit Brushed Nickel - White LED 5000K

**50440** Spare Glass



### Brisk Light Kits

#### Order Code:

- 50420** Light Kit White - 2xE27
- 50421** Light Kit White - Warm White LED 3000K
- 50422** Light Kit White - White LED 5000K
- 50425** Light Kit Brushed Aluminium - 2xE27
- 50426** Light Kit Brushed Aluminium - Warm White LED 3000K
- 50427** Light Kit Brushed Aluminium - White LED 5000K

**50441** Spare Glass



### Windy/Viento Light Kits

#### Order Code:

- 50430** Light Kit White - 1xE27
- 50431** Light Kit Brushed Nickel - 1xE27

**50442** Spare Glass



## Extension Rod + Wiring Loom

Many extension rods designed to suit the range of ceiling fans, in different colours. Complete with wiring loom.

#### Order Code:

- 50351** Avatar 900mm Extension Rod + Loom Satin White
- 50352** Avatar 900mm Extension Rod + Loom Silver
- 50361** Brisk 900mm Extension Rod + Loom Satin White
- 50362** Brisk 900mm Extension Rod + Loom Brushed Aluminium
- 50371** Windy/Viento 900mm Extension Rod + Loom Satin White
- 50372** Windy/Viento 900mm Extension Rod + Loom Brushed Nickel



## Remote Control

Featuring a 10 metre RF range, the Domus Remote Series allows for three speed fan control. Ideal for where wall switch plate controls are difficult to install. Includes wall mount bracket.

#### Order Code:

- 50200** REM-200 - RF Remote
- 50201** REM-205 - LCD Remote



# Exterior



## Cubic 1

1W 350mA LED square body exterior mini wall light facing down. 6063 Natural Anodised Aluminium. Ideal for coastal areas. Great effect when lighting low level pathways. Non-dimmable.

### Specification:

**Dimensions:** Body (L) 33mm x (W) 33mm x (D) 33mm

**Cut-out:** (Ø) 20mm

### Order Code:

**21497** Cubic 1 - Warm White LED 3200K

**21496** Cubic 1 - White LED 6400K

Requires 350mA Constant Current LED Driver – Wire in Series



## Cubic 2

2x1W 350mA LED square body exterior mini wall light facing up and down. 6063 Natural Anodised Aluminium. Ideal for coastal areas. Great effect when lighting narrow columns. Non-dimmable.

### Specification:

**Dimensions:** Body (L) 58mm x (W) 33mm x (D) 33mm

**Cut-out:** (Ø) 20mm

### Order Code:

**21503** Cubic 2 - Warm White LED 3200K

**21502** Cubic 2 - White LED 6400K

Requires 350mA Constant Current LED Driver – Wire in Series





### Elite 1

Round body exterior wall light facing down. 6063 Natural Anodised Aluminium, GU10 240V lamp holder. Ideal for coastal areas. Comes complete with 1 x 6W GU10 LED complimentary lamp or as a body only with no lamp.

**Specification:**

**Dimensions:** Backplate (Ø) 80mm x (D) 40mm  
Body (Ø) 65mm x (L) 135mm

**Order Code:**

**19404** Elite 1 - Warm White LED 3000K

**19405** Elite 1 - White LED 5000K

**19398** Elite 1 Body Only (No Lamp)



### Elite 2

Round body exterior wall light facing up and down. 6063 Natural Anodised Aluminium, GU10 240V lamp holders. Ideal for coastal areas. Comes complete with 2 x 6W GU10 LED complimentary lamps or as a body only with no lamps.

**Specification:**

**Dimensions:** Backplate (Ø) 80mm x (D) 40mm  
Body (Ø) 65mm x (L) 210mm

**Order Code:**

**19406** Elite 2 - Warm White LED 3000K

**19407** Elite 2 - White LED 5000K

**19399** Elite 2 Body Only (No Lamps)



### Elite Surface Mount

Round body exterior surface mounted ceiling light. 6063 Natural Anodised Aluminium, GU10 240V lamp holder. Ideal for coastal areas. Comes complete with 1 x 6W GU10 LED complimentary lamp or as a body only with no lamp.

**Specification:**

**Dimensions:** Body (Ø) 65mm x (L) 135mm

**Order Code:**

**19410** Elite SM - Warm White LED 3000K

**19411** Elite SM - White LED 5000K

**19412** Elite SM Body Only (No Lamp)





### Alpha 1

Square body exterior wall light facing down. 6063 Natural Anodised Aluminium, GU10 240V lamp holder. Ideal for coastal areas. Comes complete with 1 x 6W GU10 LED complimentary lamp or as a body only with no lamp.

**Specification:**

**Dimensions:** Backplate (L) 68mm x (W) 68mm x (D) 25mm  
Body (L) 135mm x (W) 62mm x (D) 62mm

**Order Code:**

**19400** Alpha 1 - Warm White LED 3000K

**19401** Alpha 1 - White LED 5000K

**19396** Alpha 1 Body Only (No Lamp)



### Alpha 2

Square body exterior wall light facing up and down. 6063 Natural Anodised Aluminium, GU10 240V lamp holders. Ideal for coastal areas. Comes complete with 2 x 6W GU10 LED complimentary lamps or as a body only with no lamps.

**Specification:**

**Dimensions:** Backplate (L) 68mm x (W) 68mm x (D) 25mm  
Body (L) 200mm x (W) 62mm x (D) 62mm

**Order Code:**

**19402** Alpha 2 - Warm White LED 3000K

**19403** Alpha 2 - White LED 5000K

**19397** Alpha 2 Body Only (No Lamps)



### Alpha Surface Mount

Round body exterior surface mounted ceiling light. 6063 Natural Anodised Aluminium, GU10 240V lamp holder. Ideal for coastal areas. Comes complete with 1 x 6W GU10 LED complimentary lamp or as a body only with no lamp.

**Specification:**

**Dimensions:** Body (L) 135mm x (W) 62mm x (D) 62mm

**Order Code:**

**19413** Alpha SM - Warm White LED 3000K

**19414** Alpha SM - White LED 5000K

**19415** Alpha SM Body Only (No Lamp)



### Block-Mini

2 x 3W LED horizontal exterior wall light facing up and down. Die cast aluminium body, custom powder coat finishes. Featuring an anti-glare internal reflector. Tempered glass. 240V wiring, built in 350mA LED Driver. Non-dimmable.

**Specification:**

**Dimensions:** (L) 70mm x (W) 85mm

**Height:** 65mm

**Order Code:**

**19570** Silver - Warm White LED 3000K

**19571** Silver - White LED 5000K

**19572** Satin White - Warm White LED 3000K

**19573** Satin White - White LED 5000K



NEW

### Block-Wide

2 x 6W LED horizontal exterior wall light facing up and down. Die cast aluminium body, custom powder coat finishes. Featuring an anti-glare internal reflector. Tempered glass. 240V wiring, built in 350mA LED Driver. Non-dimmable.

**Specification:**

**Dimensions:** (L) 70mm x (W) 170mm

**Height:** 65mm

**Order Code:**

**19576** Silver - Warm White LED 3000K

**19577** Silver - White LED 5000K

**19578** Satin White - Warm White LED 3000K

**19579** Satin White - White LED 5000K



NEW



19462 X-Wave - Warm White

### I-Wave

2x3W LED Slimline exterior wall light narrow light up and wide light down. Die cast aluminium body, custom silver powder coat. 25° up-beam and 60° down-beam. 240V wiring, built in 350mA LED Driver. Non-dimmable.

**Specification:**

**Dimensions:** (W-TOP) 65mm x (L) 173mm x  
(W-BOTTOM) 91mm x (P) 46mm

**Order Code:**

**19460** I-Wave - Warm White LED 3000K

**19461** I-Wave - White LED 5000K



### X-Wave

2x4W LED exterior wall light facing up and down. Die cast aluminium body, custom silver powder coat. 25° up-beam and 45° down-beam. 240V wiring, built in 350mA LED Driver. Non-dimmable.

**Specification:**

**Dimensions:** (W-TOP) 53mm x (L) 193mm x  
(W-BOTTOM) 74mm x (P) 135mm

**Order Code:**

**19462** X-Wave - Warm White LED 3000K

**19463** X-Wave - White LED 5000K



### I-Book

2x3W LED exterior wall light wide light up and narrow light down. Die cast aluminium body, custom silver powder coat. 25° up-beam and 5° down-beam. 240V wiring, built in 350mA LED Driver. Non-dimmable.

**Specification:**

**Dimensions:** (H) 218mm x (W) 50mm x (P) 90mm

**Order Code:**

**19464** I-Book - Warm White LED 3000K

**19465** I-Book - White LED 5000K



## Cup

1 x 10W LED exterior wall light with downward lighting. Die cast aluminium body, custom powder coat finishes. 45° down beam, ideal for front entrance lighting. 240V wiring, built in 250mA LED Driver. Non-dimmable.

**Specification:**

**Dimensions:** (L) 185mm x (W) 160mm

**Height:** 70mm


**Order Code:**

**19510** Silver - Warm White LED 3000K

**19511** Silver - White LED 5000K

**19512** Dark Grey - Warm White LED 3000K

**19513** Dark Grey - White LED 5000K

**NEW**

**19512** Dark Grey - Warm White LED



### Zeke-Large Round

Surface mounted round exterior wall light. Die cast aluminium construction. Downward light distribution, high output SMD LED, custom powder coated finish, 240VAC wiring, built in 350mA LED Driver. Non-dimmable.

#### Specification:

**Diameter:** (Ø) 215mm

**Height:** (H) 36mm

#### Order Code:

**19486** ZEKE-R Silver - Warm White 3000K

**19487** ZEKE-R Silver - White 5000K

**19488** ZEKE-R Dark Grey - Warm White 3000K

**19489** ZEKE-R Dark Grey - White 5000K



### Zeke-Large Square

Surface mounted square exterior wall light. Die cast aluminium construction. Downward light distribution, high output SMD LED, custom powder coated finish, 240VAC wiring, built in 350mA LED Driver. Non-dimmable.

#### Specification:

**Fascia:** (L) 215mm x (W) 215mm

**Height:** (H) 36mm

#### Order Code:

**19490** ZEKE-SQ Silver - Warm White 3000K

**19491** ZEKE-SQ Silver - White 5000K

**19492** ZEKE-SQ Dark Grey - Warm White 3000K

**19493** ZEKE-SQ Dark Grey - White 5000K



### Zeke-Mini

3W surface mounted round and square mini exterior wall light. Die cast aluminium body, custom powder coat finishes. Downward light distribution, high output SMD LED, ideal for low level path lighting or column lighting. 240V wiring, built in 350mA LED Driver. Non-dimmable.

#### Specification:

**Dimensions:** (L) 100mm

**Depth:** 30mm

#### Zeke Mini Round

##### Order Code:

**19700** Silver - Warm White LED 3000K

**19701** Silver - White LED 5000K

**19702** Dark Grey - Warm White LED 3000K

**19703** Dark Grey - White LED 5000K

**19704** Satin White - Warm White LED 3000K

**19705** Satin White - White LED 5000K



#### Zeke Mini Square

##### Order Code:

**19706** Silver - Warm White LED 3000K

**19707** Silver - White LED 5000K

**19708** Dark Grey - Warm White LED 3000K

**19709** Dark Grey - White LED 5000K

**19710** Satin White - Warm White LED 3000K

**19711** Satin White - White LED 5000K

### Zeke-Wide

6W surface mounted rectangular wide exterior wall light. Die cast aluminium body, custom powder coat finishes. Downward light distribution, high output SMD LED, ideal for low level path lighting or wall lighting. 240V wiring, built in 350mA LED Driver. Non-dimmable.

#### Specification:

**Dimensions:** (L) 200mm x (W) 80mm

**Depth:** 32mm

#### Order Code:

**19712** Silver - Warm White LED 3000K

**19713** Silver - White LED 5000K

**19714** Dark Grey - Warm White LED 3000K

**19715** Dark Grey - White LED 5000K

**19716** Satin White - Warm White LED 3000K

**19717** Satin White - White LED 5000K



### Ixis Recessed

2x1W LED recessed step light, die-cast aluminium, custom silver powder coat, 25° beam angle. Built in power supply. Non-dimmable. This is ideal as a bright step light.

**Specification:**

**Fitting:** (L) 110mm x (W) 110mm x (D) 67mm

**Poly housing:** (W) 96mm x (L) 93mm x (D) 77mm

**Order Code:**

**19466** Silver - Warm White LED 3000K

**19467** Silver - White LED 5000K



### Step

4W LED recessed wall light, die-cast aluminium, custom silver powder coat. Built in power supply. Non-dimmable. This is ideal as a bright step light.

**Specification:**

**Fitting:** (W) 110mm x (H) 85mm x (D) 64mm

**Poly housing:** (W) 100mm x (L) 70mm x (D) 65mm

**Order Code:**

**19472** Silver - Warm White LED 3000K

**19473** Silver - White LED 5000K



### Step Wide

4W LED recessed wall light, die-cast aluminium, custom silver powder coat. Built in power supply. Non-dimmable. This is ideal as a bright step light.

**Specification:**

**Fitting:** (W) 220mm x (H) 64mm x (D) 74mm

**Poly housing:** (W) 205mm x (L) 60mm x (D) 70mm

**Order Code:**

**19474** Silver - Warm White LED 3000K

**19475** Silver - White LED 5000K



### Blade

3W LED recessed wall light, die-cast aluminium, custom silver powder coat 5° beam angle. Built in power supply. Non-dimmable. This is ideal as a bright step light.

**Specification:**

**Fitting:** (W) 55mm x (H) 204mm x (D) 67mm

**Poly housing:** (W) 48mm x (H) 188mm x (D) 96mm

**Order Code:**

**19484** Silver - Warm White LED 3000K

**19485** Silver - White LED 5000K



### Mini Eyed

3W LED recessed wall light, 6063 Natural Anodised Aluminium. Ideal for coastal areas. Non-dimmable. This is ideal as a discreet pathway light.

**Specification:**

**Fitting:** (Ø) 40mm x (D) 63mm

**Order Code:**

**19496** Natural Anodised Body - Warm White LED 3000K

**19497** Natural Anodised Body - White LED 5000K

Requires 700mA Constant Current LED Driver – Wire in Series



### Mini Eyed Brass

3W LED recessed wall light, 6063 Natural Anodised Aluminium. Brass fascia. Ideal for coastal areas. Non-dimmable. This is ideal as a discreet pathway light.

**Specification:**

**Fitting:** (Ø) 40mm x (D) 63mm

**Order Code:**

**19494** Brass - Warm White LED 3000K

**19495** Brass - White LED 5000K

Requires 700mA Constant Current LED Driver – Wire in Series





**Ixis Surface Mounted Round**

2x1W LED surface mounted step light, die-cast aluminium, custom silver powder coat, 25° beam angle. Built in power supply. Non-dimmable. This is ideal as a bright step light.

**Specification:**

**Fitting:** (Ø) 138mm x (D) 53mm

**Order Code:**

**19468** Silver - Warm White LED 3000K

**19469** Silver - White LED 5000K

**Ixis Surface Mounted Square**

2x1W LED surface mounted step light, die-cast aluminium, custom silver powder coat, 25° beam angle. Built in power supply. Non-dimmable. This is ideal as a bright step light.

**Specification:**

**Fitting:** (L) 150mm x (W) 113mm x (D) 53mm

**Order Code:**

**19470** Silver - Warm White LED 3000K

**19471** Silver - White LED 5000K

**ME Surface Mounted Round**

3W LED surface mounted step light, die-cast aluminium, custom silver powder coat. 30° beam angle. Built in power supply. Non-dimmable. This is ideal as an effective path light.

**Specification:**

**Dimensions:** (Ø) 100mm x (D) 43mm

**Order Code:**

**19978** Silver - Warm White LED 3000K

**19979** Silver - White LED 5000K

**ME Surface Mounted Square**

3W LED surface mounted step light, die-cast aluminium, custom silver powder coat. 30° beam angle. Built in power supply. Non-dimmable. This is ideal as an effective path light.

**Specification:**

**Dimensions:** (L) 133mm x (W) 69mm x (D) 39mm

**Order Code:**

**19980** Silver - Warm White LED 3000K

**19981** Silver - White LED 5000K



**LED-501**

1.2W round recessed LED step light. IP65. Die-cast aluminium body, powder coated silver finish. Available in white and blue LED. Ideal for subtle low level floor / path lighting. 240V wiring, non-dimmable.

**Specification:**

**Dimensions:** (Ø) 126mm

**Recessed body:** (Ø) 97mm x (D) 58mm

**Cut-out Size:** Plaster board: (Ø) 100mm

Concrete using housing: (Ø) 120mm

**Order Code:**

**20732** Silver - White LED 4500K

**20730** Silver - Blue LED

**LED-502**

1.2W square recessed LED step light. IP65. Die-cast aluminium body, powder coated silver finish. Available in white and blue LED. Ideal for subtle low level floor / path lighting. 240V wiring, non-dimmable.

**Specification:**

**Dimensions:** (L) 126mm x (H) 126mm

**Recessed body:** (Ø) 97mm x (D) 58mm

**Cut-out Size:** Plaster board: (Ø) 100mm

Concrete using housing: (Ø) 120mm

**Order Code:**

**20735** Silver - White LED 4500K

**20733** Silver - Blue LED

**LED-515**

1.2W slim rectangular recessed LED step light. IP65. Die-cast aluminium body, powder coated silver finish. Available in white and blue LED. Ideal for subtle low level floor / path lighting. 240V wiring, non-dimmable.

**Specification:**

**Dimensions:** (L) 90mm x (H) 230mm

**Recessed body:** (L) 73mm x (H) 213mm x (D) 76mm

**Cut-out Size:** Plaster board: (L) 73mm x (H) 213mm

Concrete using housing: (L) 85mm x (H) 225mm

**Order Code:**

**20742** Silver - White LED 4500K

**20740** Silver - Blue LED

**LED-516**

2.2W maxi rectangular recessed LED step light. IP65. Die-cast aluminium body, powder coated silver finish. Available in white and blue LED. Ideal for subtle low level floor / path lighting. 240V wiring, non-dimmable.

**Specification:**

**Dimensions:** (L) 180mm x (H) 230mm

**Recessed body:** (L) 160mm x (H) 215mm x (D) 76mm

**Cut-out Size:** Plaster board: (L) 160mm x (H) 215mm

Concrete using housing: (L) 180mm x (H) 225mm

**Order Code:**

**20745** Silver - White LED 4500K

**20743** Silver - Blue LED



### 12V Mini Rectangle Grille Fascia LED-703

1W mini rectangle recessed LED step light. IP54. Die-cast aluminium body, stainless steel grille fascia. Available in white and blue LED. Ideal for subtle low level floor / path lighting. 12V DC Parallel wiring, LED driver required. Non-dimmable.

**Specification:**

**Dimensions:** (L) 110mm x (H) 44mm

**Recessed body:** (L) 95mm x (H) 30mm x (D) 43mm

**Cut-out Size:** Plaster board: (L) 100mm x (H) 33mm

Concrete using housing: (L) 100mm x (H) 36mm


**Order Code:**

**20782** Stainless Steel - White LED 4500K

**20781** Stainless Steel - Blue LED

Requires 12V DC Constant Voltage LED Driver – wire in parallel



### 12V Mini Rectangle Open Fascia LED-704

1W mini rectangle recessed LED step light. IP54. Die-cast aluminium body, stainless steel open fascia. Available in white and blue LED. Ideal for subtle low level floor / path lighting. 12V DC Parallel wiring, LED driver required. Non-dimmable.

**Specification:**

**Dimensions:** (L) 110mm x (H) 44mm

**Recessed body:** (L) 95mm x (H) 30mm x (D) 43mm

**Cut-out Size:** Plaster board: (L) 100mm x (H) 33mm

Concrete using housing: (L) 100mm x (H) 36mm


**Order Code:**

**20784** Stainless Steel - White LED 4500K

**20783** Stainless Steel - Blue LED

Requires 12V DC Constant Voltage LED Driver – wire in parallel



### 12V Maxi Rectangle Open Fascia LED-714

1.5W maxi rectangle recessed LED step light. IP54. Die-cast aluminium body, stainless steel open fascia. Available in white and blue LED. Ideal for subtle low level floor / path lighting. 12V DC Parallel wiring, LED driver required. Non-dimmable.

**Specification:**

**Dimensions:** (L) 170mm x (H) 68mm

**Recessed body:** (L) 155mm x (H) 50mm x (D) 90mm

**Cut-out Size:** Plaster board: (L) 155mm x (H) 52mm

Concrete using housing: (L) 159mm x (H) 56mm


**Order Code:**

**20786** Stainless Steel - White LED 4500K

**20785** Stainless Steel - Blue LED

Requires 12V DC Constant Voltage LED Driver – wire in parallel



### 12V Maxi Rectangle Grille Fascia LED-718

1.5W maxi rectangle recessed LED step light. IP54. Die-cast aluminium body, stainless steel grille fascia. Available in white and blue LED. Ideal for subtle low level floor / path lighting. 12V DC Parallel wiring, LED driver required. Non-dimmable.

**Specification:**

**Dimensions:** (L) 170mm x (H) 68mm

**Recessed body:** (L) 155mm x (H) 50mm x (D) 90mm

**Cut-out Size:** Plaster board: (L) 155mm x (H) 52mm

Concrete using housing: (L) 159mm x (H) 56mm


**Order Code:**

**20788** Stainless Steel - White LED 4500K

**20787** Stainless Steel - Blue LED

Requires 12V DC Constant Voltage LED Driver – wire in parallel



### 12V Mini Square Grille Fascia LED-733

0.8W mini square recessed LED step light. IP54. Die-cast aluminium body, stainless steel grille fascia. Available in white and blue LED. Ideal for subtle low level floor / path lighting. 12V DC Parallel wiring, LED driver required. Non-dimmable.

**Specification:**

**Dimensions:** (L) 70mm x (H) 70mm

**Recessed body:** (L) 56mm x (H) 59mm x (D) 43mm

**Cut-out Size:** Plaster board: (L) 65mm x (H) 65mm

Concrete using housing: (L) 65mm x (H) 65mm


**Order Code:**

**20790** Stainless Steel - White LED 4500K

**20789** Stainless Steel - Blue LED

Requires 12V DC Constant Voltage LED Driver – wire in parallel



### 12V Mini Square Open Fascia LED-734

0.8W mini square recessed LED step light. IP54. Die-cast aluminium body, stainless steel open fascia. Available in white and blue LED. Ideal for subtle low level floor / path lighting. 12V DC Parallel wiring, LED driver required. Non-dimmable.

**Specification:**

**Dimensions:** (L) 70mm x (H) 70mm

**Recessed body:** (L) 56mm x (H) 59mm x (D) 43mm

**Cut-out Size:** Plaster board: (L) 65mm x (H) 65mm

Concrete using housing: (L) 65mm x (H) 65mm


**Order Code:**

**20792** Stainless Steel - White LED 4500K

**20791** Stainless Steel - Blue LED

Requires 12V DC Constant Voltage LED Driver – wire in parallel



### 12V Maxi Square Grille Fascia LED-743

1.5W maxi square recessed LED step light. IP54. Die-cast aluminium body, stainless steel grille fascia. Available in white and blue LED. Ideal for subtle low level floor / path lighting. 12V DC Parallel wiring, LED driver required. Non-dimmable.

**Specification:**

**Dimensions:** (L) 105mm x (H) 105mm

**Recessed body:** (L) 90mm x (H) 90mm x (D) 75mm

**Cut-out Size:** Plaster board: (L) 90mm x (H) 90mm

Concrete using housing: (L) 96mm x (H) 96mm


**Order Code:**

**20794** Stainless Steel - White LED 4500K

**20793** Stainless Steel - Blue LED

Requires 12V DC Constant Voltage LED Driver – wire in parallel



### 12V Maxi Square Open Fascia LED-744

1.5W maxi square recessed LED step light. IP54. Die-cast aluminium body, stainless steel open fascia. Available in white and blue LED. Ideal for subtle low level floor / path lighting. 12V DC Parallel wiring, LED driver required. Non-dimmable.

**Specification:**

**Dimensions:** (L) 105mm x (H) 105mm

**Recessed body:** (L) 90mm x (H) 90mm x (D) 75mm

**Cut-out Size:** Plaster board: (L) 90mm x (H) 90mm

Concrete using housing: (L) 96mm x (H) 96mm


**Order Code:**

**20796** Stainless Steel - White LED 4500K

**20795** Stainless Steel - Blue LED

Requires 12V DC Constant Voltage LED Driver – wire in parallel



### 240V Mini Rectangle Grille Fascia LED-803

1W mini rectangle recessed LED step light. IP54. Die-cast aluminium body, stainless steel grille fascia. Available in white and blue LED. Ideal for subtle low level floor / path lighting. 240V wiring. Non-dimmable.

**Specification:**

**Dimensions:** (L) 110mm x (H) 44mm

**Recessed body:** (L) 95mm x (H) 30mm x (D) 43mm

**Cut-out Size:** Plaster board: (L) 100mm x (H) 33mm

Concrete using housing: (L) 100mm x (H) 36mm

**Order Code:**

**20808** Stainless Steel - White LED 4500K

**20806** Stainless Steel - Blue LED



### 240V Mini Rectangle Open Fascia LED-804

1W mini rectangle recessed LED step light. IP54. Die-cast aluminium body, stainless steel open fascia. Available in white and blue LED. Ideal for subtle low level floor / path lighting. 240V wiring. Non-dimmable.

**Specification:**

**Dimensions:** (L) 110mm x (H) 44mm

**Recessed body:** (L) 95mm x (H) 30mm x (D) 43mm

**Cut-out Size:** Plaster board: (L) 100mm x (H) 33mm

Concrete using housing: (L) 100mm x (H) 36mm

**Order Code:**

**20811** Stainless Steel - White LED 4500K

**20809** Stainless Steel - Blue LED



### 240V Maxi Rectangle Open Fascia LED-814

1.5W maxi rectangle recessed LED step light. IP54. Die-cast aluminium body, stainless steel open fascia. Available in white and blue LED. Ideal for subtle low level floor / path lighting. 240V wiring. Non-dimmable.

**Specification:**

**Dimensions:** (L) 170mm x (H) 68mm

**Recessed body:** (L) 155mm x (H) 50mm x (D) 90mm

**Cut-out Size:** Plaster board: (L) 155mm x (H) 52mm

Concrete using housing: (L) 159mm x (H) 56mm

**Order Code:**

**20826** Stainless Steel - White LED 4500K

**20824** Stainless Steel - Blue LED



### 240V Maxi Rectangle Grille Fascia LED-818

1.5W maxi rectangle recessed LED step light. IP54. Die-cast aluminium body, stainless steel grille fascia. Available in white and blue LED. Ideal for subtle low level floor / path lighting. 240V wiring. Non-dimmable.

**Specification:**

**Dimensions:** (L) 170mm x (H) 68mm

**Recessed body:** (L) 155mm x (H) 50mm x (D) 90mm

**Cut-out Size:** Plaster board: (L) 155mm x (H) 52mm

Concrete using housing: (L) 159mm x (H) 56mm

**Order Code:**

**20838** Stainless Steel - White LED 4500K

**20836** Stainless Steel - Blue LED





### 240V Mini Square Grille Fascia LED-833

0.8W mini square recessed LED step light. IP54. Die-cast aluminium body, stainless steel grille fascia. Available in white and blue LED. Ideal for subtle low level floor / path lighting. 240V wiring. Non-dimmable.

**Specification:**

**Dimensions:** (L) 70mm x (H) 70mm

**Recessed body:** (L) 56mm x (H) 59mm x (D) 43mm

**Cut-out Size:** Plaster board: (L) 65mm x (H) 65mm

Concrete using housing: (L) 65mm x (H) 65mm

**Order Code:**

**20847** Stainless Steel - White LED 4500K

**20845** Stainless Steel - Blue LED



### 240V Mini Square Open Fascia LED-834

0.8W mini square recessed LED step light. IP54. Die-cast aluminium body, stainless steel open fascia. Available in white and blue LED. Ideal for subtle low level floor / path lighting. 240V wiring. Non-dimmable.

**Specification:**

**Dimensions:** (L) 70mm x (H) 70mm

**Recessed body:** (L) 56mm x (H) 59mm x (D) 43mm

**Cut-out Size:** Plaster board: (L) 65mm x (H) 65mm

Concrete using housing: (L) 65mm x (H) 65mm

**Order Code:**

**20850** Stainless Steel - White LED 4500K

**20848** Stainless Steel - Blue LED



### 240V Maxi Square Grille Fascia LED-843

1.5W maxi square recessed LED step light. IP54. Die-cast aluminium body, stainless steel grille fascia. Available in white and blue LED. Ideal for subtle low level floor / path lighting. 240V wiring. Non-dimmable.

**Specification:**

**Dimensions:** (L) 105mm x (H) 105mm

**Recessed body:** (L) 90mm x (H) 90mm x (D) 75mm

**Cut-out Size:** Plaster board: (L) 90mm x (H) 90mm

Concrete using housing: (L) 96mm x (H) 96mm

**Order Code:**

**20862** Stainless Steel - White LED 4500K

**20860** Stainless Steel - Blue LED



### 240V Maxi Square Open Fascia LED-844

1.5W maxi square recessed LED step light. IP54. Die-cast aluminium body, stainless steel open fascia. Available in white and blue LED. Ideal for subtle low level floor / path lighting. 240V wiring. Non-dimmable.

**Specification:**

**Dimensions:** (L) 105mm x (H) 105mm

**Recessed body:** (L) 90mm x (H) 90mm x (D) 75mm

**Cut-out Size:** Plaster board: (L) 90mm x (H) 90mm

Concrete using housing: (L) 96mm x (H) 96mm

**Order Code:**

**20865** Stainless Steel - White LED 4500K

**20863** Stainless Steel - Blue LED



### Muro-13 Single Spot

13W LED exterior spotlight, die-cast aluminium, tempered glass. 90° beam angle. This is ideal where small amount of light is required, for over a BBQ, clothes line areas, etc.

**Specification:**

**Base:** (Ø) 113mm

**Depth:** 181mm

**Height:** 151mm

**Order Code:**

**25000** Muro-13 Black - White LED 5000K

**25001** Muro-13 Silver - White LED 5000K

**25002** Muro-13 White - White LED 5000K

NEW



### Muro-13 Single Spot with Sensor

13W LED exterior spotlight with sensor, die-cast aluminium, tempered glass. 90° beam angle. This is ideal where small amount of light is required, for over a BBQ, clothes line areas, etc.

**Specification:**

**Base:** (Ø) 113mm

**Depth:** 181mm

**Height:** 151mm

**Order Code:**

**25003** Muro-13S Black - White LED 5000K

**25004** Muro-13S Silver - White LED 5000K

**25005** Muro-13S White - White LED 5000K

NEW



### Muro-26 Twin Spot

2x13W LED exterior spotlight, die-cast aluminium, tempered glass. 90° beam angle. This is ideal for a BBQ area, clothes line areas, backyard area, under eave, front garage, etc.

**Specification:**

**Base:** (Ø) 113mm

**Width:** 220mm

**Depth:** 183mm

**Height:** 119mm

**Order Code:**

**25006** Muro-26 Black - White LED 5000K

**25007** Muro-26 Silver - White LED 5000K

**25008** Muro-26 White - White LED 5000K



### Muro-26S Twin Spot with Sensor

2x13W LED exterior spotlight with sensor, die-cast aluminium, tempered glass. 90° beam angle. This is ideal for a BBQ area, clothes line areas, backyard area, under eave, front garage, etc.

**Specification:**

**Base:** (Ø) 113mm

**Width:** 220mm

**Depth:** 183mm

**Height:** 119mm

**Order Code:**

**25010** Muro-26S Black - White LED 5000K

**25011** Muro-26S Silver - White LED 5000K

**25012** Muro-26S White - White LED 5000K



### Muro-15 Single Spot

15W LED exterior spotlight, die-cast aluminium, tempered glass. 90° beam angle. This is ideal where small amount of light is required, for over a BBQ, clothes line areas, etc.

**Specification:**

**Base:** (Ø) 113mm

**Depth:** 181mm

**Height:** 119mm

**Order Code:**

**25013** Muro-15 Black - White LED 5000K

**25014** Muro-15 Silver - White LED 5000K

**25015** Muro-15 White - White LED 5000K



NEW

### Muro-15 Single Spot with Sensor

15W LED exterior spotlight with sensor, die-cast aluminium, tempered glass. 90° beam angle. This is ideal where small amount of light is required, for over a BBQ, clothes line areas, etc.

**Specification:**

**Base:** (Ø) 113mm

**Depth:** 181mm

**Height:** 151mm

**Order Code:**

**25016** Muro-15S Black - White LED 5000K

**25017** Muro-15S Silver - White LED 5000K

**25018** Muro-15S White - White LED 5000K



NEW

### Muro-30 Twin Spot

2x15W LED exterior spotlight, die-cast aluminium, tempered glass. 90° beam angle. This is ideal for a BBQ area, clothes line areas, backyard area, under eave, front garage, etc.

**Specification:**

**Base:** (Ø) 113mm

**Width:** 220mm

**Depth:** 183mm

**Height:** 119mm

**Order Code:**

**25019** Muro-30 Black - White LED 5000K

**25020** Muro-30 Silver - White LED 5000K

**25021** Muro-30 White - White LED 5000K



NEW

### Muro-30 Twin Spot with Sensor

2x15W LED exterior spotlight with sensor, die-cast aluminium, tempered glass. 90° beam angle. This is ideal for a BBQ area, clothes line areas, backyard area, under eave, front garage, etc.

**Specification:**

**Base:** (Ø) 113mm

**Width:** 220mm

**Depth:** 183mm

**Height:** 119mm

**Order Code:**

**25022** Muro-30S Black - White LED 5000K

**25023** Muro-30S Silver - White LED 5000K

**25024** Muro-30S White - White LED 5000K



NEW

### Elite Adjustable Spotlight

Round body exterior adjustable wall / ceiling light. 6063 Natural Anodised Aluminium, GU10 240V lamp holder. Ideal for coastal areas. Comes complete with 1 x 6W GU10 LED complimentary lamp or as a body only with no lamp.

#### Specification:

**Dimensions:** Backplate (Ø) 80mm

**Fitting:** (Ø) 59mm x (H) 124mm

#### Order Code:

**19408** Elite Adj - Warm White LED 3000K

**19409** Elite Adj - White LED 5000K

**19416** Elite Adj Body Only (No Lamp)



NEW

### Spot 2

9x1W LED exterior spot light. 6063 Natural Anodised Aluminium. 21° beam angle. Ideal for coastal areas. 240V wiring, built in 350mA LED Driver. Non-dimmable.

#### Specification:

**Dimensions:** Backplate (Ø) 114mm

Body (Ø) 114mm x (L) 190mm

#### Order Code:

**19480** Black Anodised Body - Warm White LED 3000K

**19481** Black Anodised Body - White LED 5000K

**19482** Natural Anodised Body - Warm White LED 3000K

**19483** Natural Anodised Body - White LED 5000K



### Vision-9 Spotlight

1 x 9W LED exterior spotlight, die cast aluminium, tempered glass. Custom powder coat finishes. 45° beam angle, ideal for a BBQ area, clothes line areas, under eave, front garage, etc. 240V wiring, built in 250mA LED Driver. Non-dimmable.

#### Specification:

**Dimensions:** Backplate (Ø) 115mm

**Fitting:** (L) 130mm x (W) 115mm x (H) 200mm

#### Order Code:

**19518** Silver - Warm White LED 3000K

**19519** Silver - White LED 5000K

**19520** Dark Grey - Warm White LED 3000K

**19521** Dark Grey - White LED 5000K



NEW

### Vision-12 Spotlight

1 x 12W LED exterior spotlight, die cast aluminium, tempered glass. Custom powder coat finishes. 45° beam angle, ideal for a BBQ area, clothes line areas, under eave, front garage, etc. 240V wiring, built in 350mA LED Driver. Non-dimmable.

#### Specification:

**Dimensions:** Backplate (Ø) 115mm

**Fitting:** (L) 119mm x (W) 115mm x (H) 218mm

#### Order Code:

**19522** Silver - Warm White LED 3000K

**19523** Silver - White LED 5000K

**19524** Dark Grey - Warm White LED 3000K

**19525** Dark Grey - White LED 5000K



NEW

### Flash-20 Floodlight

20W SMD LED exterior floodlight. Die cast aluminium body, custom powder coat finishes. 120° beam angle, ideal for lighting average backyard areas. 240V wiring, built in 350mA LED Driver. Non-dimmable.

**Specification:**

**Dimensions:** (L) 230mm x (W) 210mm

**Depth:** 37mm

**Order Code:**

**19584** Silver - Warm White LED 3000K

**19585** Silver - White LED 5000K

**19586** Satin White - Warm White LED 3000K

**19587** Satin White - White LED 5000K

NEW



### Terra

6W 12V DC LED garden spike light, die-cast aluminium, 60° beam angle. This is ideal to light up low level shrubs.

**Specification:**

**Fitting:** (W) 113mm x (L) 150mm x (D) 53mm

**Order Code:**

**25030** Black - Warm White LED 3000K

**25031** Black - White LED 5000K

**25032** Silver - Warm White LED 3000K

**25033** Silver - White LED 5000K

Requires 12V DC Constant Voltage LED Driver – Wire in Parallel



### Elite Spike

Round body exterior spike light. 6063 Natural Anodised Aluminium, MR16 12V lamp holder. Ideal for coastal areas. Complete with 1.5 metre of cable. Comes complete with 1 x 6W MR16 LED complimentary lamp or as a body only with no lamp.

**Specification:**

**Dimensions:** Head and Spike (H) 280mm

Head (Ø) 59mm x (L) 110mm

**Order Code:**

**19501** Elite Spike - Warm White LED 3000K

**19500** Elite Spike - White LED 5000K

**19499** Elite Spike Body Only (No Lamp)

Requires 12V DC Constant Voltage LED Driver – Wire in Parallel





**Emit**

1W 12/24V DC LED garden spike light, 316 Marine Grade Stainless Steel. Complete with 3 metres of cable. This is ideal to light up low level shrubs.

**Specification:**

**Dimensions:** Head and Spike (H) 520mm  
Head (Ø) 42mm x (L) 49mm

**Order Code:**

**21434** Emit Spot 20° - Warm White LED 3200K

**21433** Emit Spot 20° - White LED 6400K

**21441** Emit Flood 45° - Warm White LED 3200K

**21440** Emit Flood 45° - White LED 6400K

Requires 12/24V DC Constant Voltage LED Driver – Wire in Parallel

**LED520**

4x1W LED bollard, 6063 Natural Anodised Aluminium. 3x30° downward beam angle, 1x upward light for general illumination. Ideal for coastal areas. Non-dimmable. Great lighting effect with light through clear acrylic diffuser and with three lights illuminating the ground.

**Specification:**

**Fitting:** (L) 590mm x (Ø) 63mm

**Order Code:**

**20776** Natural Anodised Body - Warm White LED 3000K

**20775** Natural Anodised Body - White LED 5000K

Requires 12/24V DC Constant Voltage LED Driver – Wire in Parallel

**ME Round Bollard**

1x3W LED round bollard, 6063 Natural Anodised Aluminium. Ideal for coastal areas. Non-dimmable. Great lighting effect with light angled illuminating the ground.

**Specification:**

**Fitting:** (L) 500mm x (Ø) 63mm

**Order Code:**

**19503** Natural Anodised Body - Warm White LED 3000K

**19502** Natural Anodised Body - White LED 5000K

Requires 12V DC Constant Voltage LED Driver – Wire in Parallel

**ME Square Bollard**

1x3W LED square bollard, 6063 Natural Anodised Aluminium. Ideal for coastal areas. Non-dimmable. Great lighting effect with light angled illuminating the ground.

**Specification:**

**Fitting:** (L) 500mm x (W) 63mm x (D) 63mm

**Order Code:**

**19505** Natural Anodised Body - Warm White LED 3000K

**19504** Natural Anodised Body - White LED 5000K

Requires 12V DC Constant Voltage LED Driver – Wire in Parallel



### Vivid Round Deck Light 5 Pack Kit

5 Pack DIY LED Deck Light kit, 5x0.6W, complete with plug and play cable and 12V DC LED Driver with flex and plug. 316 Stainless steel body with opal glass diffuser. Upgradable to maximum 10 lights by adding optional single deck light. Optional RF hand held dimmer (21100) also available upon request. Complete with 1 metre of cable per head.

**Specification:**

**Fitting:** (Ø) 28mm x (D) 25mm

**Cut-out:** (Ø) 25mm

**Order Code:**

**21101** Vivid 5 Pack Deck Light Kit - Warm White LED 3000K

**21102** Vivid 5 Pack Deck Light Kit - White LED 5000K



1.8m Flex and Plug to LED Driver. Driver to first light is 50cm, each light has 1m left and right, so max 2m spacing.

### Vivid Round Deck Light 5 Pack Kit RGB Colour Change

5 Pack DIY LED Deck Light kit RGB Colour Change, 5x0.6W, complete with plug and play cable and 12V DC LED Driver with flex and plug, and colour controller with RF remote control. Multiple pre-set colour scenes as well as the option of choosing desired colour. 316 Stainless steel body with opal glass diffuser. Upgradable to maximum 10 lights by adding optional single deck light. Complete with 1 metre of cable per head.

**Specification:**

**Fitting:** (Ø) 28mm x (D) 25mm

**Cut-out:** (Ø) 25mm

**Order Code:**

**21103** Vivid 5 Pack Deck Light Kit  
– RGB Colour Change LED



1.8m Flex and Plug to LED Driver. Driver to first light is 50cm, each light has 1m left and right, so max 2m spacing.

### Vivid Round Deck Light Single Head Only

Single head only to suit 5 Pack DIY LED Deck Light kit. Designed only to be used with kits to allow for extra lights to be added. 316 Stainless steel body with opal glass diffuser. Complete with 1 metre of cable per head.

**Specification:**

**Fitting:** (Ø) 28mm x (D) 25mm

**Cut-out:** (Ø) 25mm

**Order Code:**

**21104** Vivid Single Head only to suit Vivid 5 Pack Kit - Warm White LED 3000K

**21105** Vivid Single Head only to suit Vivid 5 Pack Kit - White LED 5000K

**21106** Vivid Single Head only to suit Vivid 5 Pack Kit - RGB Colour Change RGB

Must be used with relevant 5 Pack LED Deck Light Kit.



### Vivid Round Deck Light Single Colour Dimming Controller

Single colour dimming controller and RF remote control to suit 5 Pack DIY LED Deck Light kit. Designed for use with Warm White and White 5 pack LED Deck light kits only.

**Specification:**

**Controller:** (L) 85mm x (W) 64mm x (H) 24mm

**Order Code:**

**21100** Vivid Single Colour Dimming Controller  
only to suit Vivid 5 Pack Kit

Must be used with single colour 5 Pack LED Deck Light Kits only.



### Plate

0.6W LED deck light, 316 Stainless Steel, opal diffuser. Slim depth allows for shallow installations or restricted mounting depths. Non-dimmable.

#### Specification:

**Fitting:** (Ø) 45mm x (D) 10mm

**Cut-out:** (Ø) 36mm

#### Order Code:

**21307** Plate - Warm White LED 3200K

**21306** Plate - White LED 6400K

Requires 12V DC Constant Voltage LED Driver – Wire in Parallel



### Star

1W LED deck light, 316 Stainless Steel, star patterned effect plate. Non-dimmable. Ideal as a decorative and unique deck light, or as an effective low level wall light.

#### Specification:

**Fitting:** (Ø) 35mm x (D) 30mm

**Cut-out:** (Ø) 27mm

#### Order Code:

**21491** Star - Warm White LED 3200K

**21490** Star - White LED 6400K

Requires 12V DC Constant Voltage LED Driver – Wire in Parallel



### Point-1

1W LED inground light, 316 Stainless Steel, opal diffuser. Complete with 3 metres of rubberised cable. Non-dimmable. Ideal as a deck light or inground light as glare is considerably reduced with opal lens. Optional mounting tube available (21365).

#### Specification:

**Fitting:** (Ø) 36mm x (D) 37mm

**Cut-out:** (Ø) 28mm

#### Order Code:

**21353** Point-1 - Warm White LED 3200K

**21352** Point-1 - White LED 6400K

Requires 12/24V DC Constant Voltage LED Driver – Wire in Parallel



#### Mounting Tube:

**21365** Point-1 - Mounting Tube

### Point-2

1W LED inground light, 316 Stainless Steel, optic lens diffuser. Complete with 3 metres of rubberised cable. Non-dimmable. Ideal as a deck light or inground light close to walls or columns to achieve wall washing or v-line effects. Optional mounting tube available (21379).

#### Specification:

**Fitting:** (Ø) 40mm x (D) 36mm

**Cut-out:** (Ø) 32mm

#### Order Code:

**21367** Point-2 Spot 20° - Warm White LED 3200K

**21366** Point-2 Spot 20° - White LED 6400K

**21374** Point-2 Flood 60° - Warm White LED 3200K

**21373** Point-2 Flood 60° - White LED 6400K

Requires 12/24V DC Constant Voltage LED Driver – Wire in Parallel



#### Mounting Tube:

**21379** Point-2 - Mounting Tube

### Laser

1W LED inground light, 316 Stainless Steel, optic lens diffuser. Complete with 3 metres of rubberised cable. Non-dimmable. Ideal as a deck light or inground light close to walls or columns to achieve wall washing or v-line effects. Optional mounting tube available (21350).

#### Specification:

**Fitting:** (Ø) 60mm x (D) 45mm

**Cut-out:** (Ø) 50mm

#### Order Code:

**21336** Laser Spot 12° - Warm White LED 3200K

**21335** Laser Spot 12° - White LED 6400K

**21343** Laser Flood 45° - Warm White LED 3200K

**21342** Laser Flood 45° - White LED 6400K

Requires 12/24V DC Constant Voltage LED Driver – Wire in Parallel



#### Mounting Tube:

**21350** Laser - Mounting Tube



### Shine

3x1W LED inground light, 316 Stainless Steel, optic lens diffuser. Complete with 3 metres of rubberised cable. Non-dimmable. Ideal as a deck light or inground light close to walls or columns to achieve wall washing or v-line effects. Optional mounting tube available (21423).

#### Specification:

**Fitting:** (Ø) 76mm x (D) 47mm

**Cut-out:** (Ø) 65mm

#### Order Code:

**21409** Shine Spot 20° - Warm White LED 3200K

**21408** Shine Spot 20° - White LED 6400K

**21416** Shine Flood 60° - Warm White LED 3200K


**21415** Shine Flood 60° - White LED 6400K

Requires 12/24V DC Constant Voltage LED Driver – Wire in Parallel



#### Mounting Tube:

**21423** Shine/Twilight - Mounting Tube



**21343** Laser Flood 45° - Warm White

### Twilight

3x1W LED inground light, 316 Stainless Steel, opal diffuser. Complete with 3 metres of rubberised cable. Non-dimmable. Ideal as a deck light or inground light as glare is considerably reduced with opal lens. Optional mounting tube available (21423).

#### Specification:

**Fitting:** (Ø) 76mm x (D) 47mm

**Cut-out:** (Ø) 65mm

#### Order Code:

**21426** Twilight - Warm White LED 3200K

**21425** Twilight - White LED 6400K

Requires 12/24V DC Constant Voltage LED Driver – Wire in Parallel



#### Mounting Tube:

**21423** Shine/Twilight - Mounting Tube



### Deka Opens/Eyelid

1 x 3W COB LED exterior inground light. Black anodised aluminium body, anodised or brass fascia plates. 45° beam angle, ideal for inground path lighting, or low level wall lighting using the eyelid fascia. 12V DC wiring, LED Driver required. Non-dimmable. IP67. Complete with polycarbonate housing.

Please order this product in two parts using two codes:

#### Deka Body

##### Specification:

**Dimensions:** (Ø) 60mm x (L) 80mm

**Cut-out:** (Ø) 70mm

##### Order Code:

**19458** Deka Body Only - Warm White LED 3000K

**19459** Deka Body Only - White LED 5000K

#### Deka Fascia Only:

**19424** Round Cover Anodised Aluminium

**19438** Round Cover Brass

**19426** Square Cover Anodised Aluminium

**19440** Square Cover Brass

**19436** Eyelid Cover Anodised Aluminium

**19450** Eyelid Cover Brass

For example: To order complete Deka Inground Anodised Aluminium Eyelid / Warm White, please order: 19458 + 19436

Requires 12V DC Constant Voltage LED Driver – Wire in Parallel



### Deka 1-4 Ways

1 x 3W COB LED exterior inground light. Black anodised aluminium body, anodised or brass fascia plates. 45° beam angle, ideal for inground path lighting. 12V DC wiring, LED Driver required. Non-dimmable. IP67. Complete with polycarbonate housing.

Please order this product in two parts using two codes:

#### Deka Body

##### Specification:

**Dimensions:** (Ø) 60mm x (L) 80mm

**Cut-out:** (Ø) 70mm

##### Order Code:

**19458** Deka Body Only - Warm White LED 3000K

**19459** Deka Body Only - White LED 5000K

#### Deka Fascia Only:

**19428** 1-Way Cover Anodised Aluminium

**19442** 1-Way Cover Brass

**19430** 2-Way Cover Anodised Aluminium

**19444** 2-Way Cover Brass

**19432** 3-Way Cover Anodised Aluminium

**19446** 3-Way Cover Brass

**19434** 4-Way Cover Anodised Aluminium

**19448** 4-Way Cover Brass

For example: To order complete Deka Inground Brass 3-Way / White, please order: 19459 + 19446

Requires 12V DC Constant Voltage LED Driver – Wire in Parallel





### Modula Round

3x3W LED inground light, 6063 Natural Anodised Aluminium, optic lens diffuser. Complete with rubberised cable. Non-dimmable. Ideal as an inground light to achieve wall washing or v-line effects, or to light up small trees. Complete with mounting tube.

**Specification:**

**Fitting:** (L) 125mm x (W) 125mm x (D) 110mm

**Cut-out:** (Ø) 110mm

**Order Code:**

**19420** Modula Round - Warm White LED 3000K

**19421** Modula Round - White LED 5000K

Requires 24V DC Constant Voltage LED Driver – Wire in Parallel



### Modula Square

3x3W LED inground light, 6063 Natural Anodised Aluminium, optic lens diffuser. Complete with rubberised cable. Non-dimmable. Ideal as an inground light to achieve wall washing or v-line effects, or to light up small trees. Complete with mounting tube.

**Specification:**

**Fitting:** (L) 125mm x (W) 125mm x (D) 110mm

**Cut-out:** (Ø) 110mm

**Order Code:**

**19422** Modula Square - Warm White LED 3000K

**19423** Modula Square - White LED 5000K

Requires 24V DC Constant Voltage LED Driver – Wire in Parallel



### Fusion 2 - 240V

24x1W LED inground light, 316 Stainless Steel fascia, and optic lens diffuser. Complete with rubberised cable. Non-dimmable. 240V wiring, built in LED Driver. Ideal as a powerful inground uplighter to wash large walls or uplight large trees. Complete with polycarbonate housing.

**Specification:**

**Fitting:** (Ø) 248mm x (D) 55mm

**Polycarb housing:** (Ø) 248mm x (D) 90mm

**Cut-out:** (Ø) 220mm

**Order Code:**

**21831** Fusion2 240V - Warm White LED 3200K

**21830** Fusion2 240V - White LED 6400K



### Fusion 2 - 24V DC

24x1W LED inground light, 316 Stainless Steel fascia, and optic lens diffuser. Complete with rubberised cable. Non-dimmable. Low voltage 24V DC. Ideal as a powerful inground uplighter to wash large walls or uplight large trees. Complete with polycarbonate housing.

**Specification:**

**Fitting:** (Ø) 248mm x (D) 55mm

**Polycarb housing:** (Ø) 225mm x (D) 100mm

**Cut-out:** (Ø) 220mm

**Order Code:**

**21829** Fusion2 24V DC - Warm White LED 3200K

**21828** Fusion2 24V DC - White LED 6400K

Requires 24V DC Constant Voltage LED Driver – Wire in Parallel



**AL-2800**

Plain cylindrical bunker. IP54. Die-cast aluminium body, tempered glass.

**Specification:**

**Height:** 250mm

**Width:** 165mm

**Projection:** 124mm

**Requires:** Lamp

**Order Code:**

**10783** Beige 1 x E27

**10784** Black 1 x E27

**10785** Silver 1 x E27

**10792** ALG-2800 - Spare Glass

**AL-2801**

Grille cylindrical bunker. IP54. Die-cast aluminium body, tempered glass.

**Specification:**

**Height:** 250mm

**Width:** 165mm

**Projection:** 124mm

**Requires:** Lamp

**Order Code:**

**10786** Black 1 x E27

**10787** Beige 1 x E27

**10788** Silver 1 x E27

**10792** ALG-2800 - Spare Glass

**AL-2802**

Louvered cylindrical bunker. IP54. Die-cast aluminium body, tempered glass.

**Specification:**

**Height:** 250mm

**Width:** 165mm

**Projection:** 124mm

**Requires:** Lamp

**Order Code:**

**10789** Beige 1 x E27

**10790** Black 1 x E27

**10791** Silver 1 x E27

**10792** ALG-2800 - Spare Glass

**AL-2101**

Plain rectangular bunker. IP54. Die-cast aluminium body, tempered glass.

**Specification:**

**Height:** 128mm

**Width:** 264mm

**Projection:** 118mm

**Requires:** Lamp

**Order Code:**

**10393** Beige 1 x E27

**10394** Black 1 x E27

**10396** Silver 1 x E27

**10403** White 1 x E27

**10768** ALG-2101 - Spare Glass

**AL-2102**

Grille rectangular bunker. IP54. Die-cast aluminium body, tempered glass.

**Specification:**

**Height:** 128mm

**Width:** 264mm

**Projection:** 118mm

**Requires:** Lamp

**Order Code:**

**10417** Beige 1 x E27

**10418** Black 1 x E27

**10420** Silver 1 x E27

**10427** White 1 x E27

**10768** ALG-2101 - Spare Glass

**AL-2103**

Eyelid louvre rectangular bunker. IP54. Die-cast aluminium body, tempered glass.

**Specification:**

**Height:** 128mm

**Width:** 264mm

**Projection:** 118mm

**Requires:** Lamp

**Order Code:**

**10441** Beige 1 x E27

**10442** Black 1 x E27

**10444** Silver 1 x E27

**10451** White 1 x E27

**10768** ALG-2101 - Spare Glass



**AL-3000**

Exterior angled bunker. IP54. Die-cast aluminium body, tempered glass.

**Specification:**

**Height:** 155mm

**Width:** 215mm

**Projection:** 125mm

**Requires:** Lamp

**Order Code:**

**10537** Beige 1 x E27

**10538** Black 1 x E27

**10539** Silver 1 x E27

**10545** White 1 x E27

**10771** ALG-3000 - Spare Glass

**Oval Plain**

Body injection moulded thermoplastic.

Injection moulded opal polycarbonate diffuser. IP65.

Ideal for coastal areas.

**Specification:**

**Length:** 270mm

**Width:** 150mm

**Projection:** 100mm

**Requires:** Lamp

**Order Code:**

**18621** VL-127300 White 1 x E27

**18623** VL-127301 Black 1 x E27

**Oval Eyelid**

Body injection moulded thermoplastic.

Injection moulded opal polycarbonate diffuser. IP65.

Ideal for coastal areas.

**Specification:**

**Length:** 270mm

**Width:** 150mm

**Projection:** 100mm

**Requires:** Lamp

**Order Code:**

**18617** VL-127000 White 1 x E27

**18619** VL-127001 Black 1 x E27



**Large Oval Plain**

Body injection moulded thermoplastic. Injection moulded opal polycarbonate diffuser. IP65. Ideal for coastal areas.

**Specification:**

**Length:** 295mm

**Width:** 173mm

**Projection:** 96mm

**Requires:** Lamp

**Order Code:**

**18481** VL-127390 White 1 x E27

**18588** VL-127391 Black 1 x E27

**Large Oval Eyelid**

Body injection moulded thermoplastic. Injection moulded opal polycarbonate diffuser. IP65. Ideal for coastal areas.

**Specification:**

**Length:** 295mm

**Width:** 173mm

**Projection:** 102mm

**Requires:** Lamp

**Order Code:**

**18477** VL-127090 White 1 x E27

**18479** VL-127091 Black 1 x E27

**Large Round Plain**

Body injection moulded thermoplastic. Injection moulded opal polycarbonate diffuser. IP65. Ideal for coastal areas.

**Specification:**

**Diameter:** 295mm

**Width:** 173mm

**Projection:** 87mm

**Requires:** Lamp

**Order Code:**

**18590** VL-127490 White 1 x E27

**18592** VL-127491 Black 1 x E27

**Large Round Eyelid**

Body injection moulded thermoplastic. Injection moulded opal polycarbonate diffuser. IP65. Ideal for coastal areas.

**Specification:**

**Diameter:** 295mm

**Width:** 173mm

**Projection:** 96mm

**Requires:** Lamp

**Order Code:**

**18473** VL-126690 White 1 x E27

**18475** VL-126691 Black 1 x E27



### Small Round

Body injection moulded thermoplastic.  
Injection moulded opal polycarbonate diffuser.  
Ideal for coastal areas.

**Specification:**

**Height:** 113mm  
**Width:** Ø250mm  
**Requires:** Lamp

**Order Code:**

**18643** VL-137000 White 1 x E27  
**18645** VL-137001 Black 1 x E27  
**18647** VL-137002 Silver 1 x E27



### Medium Round

Body injection moulded thermoplastic.  
Injection moulded opal polycarbonate diffuser.  
Ideal for coastal areas.

**Specification:**

**Height:** 113mm  
**Width:** Ø340mm  
**Requires:** Lamp

**Order Code:**

**18637** VL-134000 White 1 x E27  
**18639** VL-134001 Black 1 x E27  
**18641** VL-134002 Silver 1 x E27



### Large Round

Body injection moulded thermoplastic. Injection moulded opal polycarbonate diffuser. Ideal for coastal areas.

**Specification:**

**Height:** 143mm  
**Width:** Ø425mm  
**Requires:** Lamps

**Order Code:**

**18649** VL-140100 White 2 x E27  
**18651** VL-140101 Black 2 x E27  
**18653** VL-140102 Silver 2 x E27





### Round Plain

Body injection moulded thermoplastic.  
Injection moulded opal polycarbonate diffuser.  
Ideal for coastal areas.

**Specification:**

**Diameter:** 270mm

**Projection:** 90mm

**Requires:** Lamp

**Order Code:**

**18629** VL-127400 White 1 x E27

**18631** VL-127401 Black 1 x E27

**18595** VL-127402 Silver 1 x E27



### Sphere Light

Polycarbonate 200mm surface or ceiling mounted sphere light. Ideal for coastal areas.

**Specification:**

**Diameter:** 200mm

**Height:** 240mm

**Requires:** Lamp

**Order Code:**

**18607** VL-118201 White/Opal 1 x E27

**18608** VL-118204 Black/Opal 1 x E27



### Polycarbonate Wall Light

Polycarbonate wall light with arm and 200mm sphere.  
Ideal for coastal areas.

**Specification:**

**Length:** 250mm

**Height:** 240mm

**Requires:** Lamp

**Order Code:**

**18613** VL-120021 White/Opal 1 x E27

**18614** VL-120022 White/Smoke 1 x E27

**18615** VL-120024 Black/Opal 1 x E27

**18616** VL-120025 Black/Smoke 1 x E27



### 60mm x 1 Metre Aluminium Post

60mm x 1 Metre Powder Coated  
Aluminium Post Only

**Specification:**  
**Width:** 60mm  
**Height:** 1000mm

**Order Code:**  
**10819** AP-6010 Beige  
**10820** AP-6010 Black  
**10821** AP-6010 Silver  
**10822** AP-6010 Green  
**10824** AP-6010 White

### 60mm x 2 Metre Aluminium Post

60mm x 2 Metre Powder Coated  
Aluminium Post Only

**Specification:**  
**Width:** 60mm  
**Height:** 2000mm

**Order Code:**  
**10831** AP-6020 Beige  
**10832** AP-6020 Black  
**10833** AP-6020 Silver  
**10834** AP-6020 Green  
**10836** AP-6020 White



### 60mm x 1.5 Metre Aluminium Post

60mm x 1.5 Metre Powder Coated  
Aluminium Post Only

**Specification:**  
**Width:** 60mm  
**Height:** 1500mm

**Order Code:**  
**10825** AP-6015 Beige  
**10826** AP-6015 Black  
**10827** AP-6015 Silver  
**10828** AP-6015 Green  
**10830** AP-6015 White

### 60mm x 2.5 Metre Aluminium Post

60mm x 2.5 Metre Powder Coated  
Aluminium Post Only

**Specification:**  
**Width:** 60mm  
**Height:** 2500mm

**Order Code:**  
**10837** AP-6025 Beige  
**10838** AP-6025 Black  
**10839** AP-6025 Silver  
**10840** AP-6025 Green  
**10842** AP-6025 White

### Opal Spheres

Polycarbonate sphere complete with base.  
Ideal for coastal areas.

**Specification:**  
**Dimensions:** (W) ø200 x (H) 210mm  
(W) ø250 x (H) 260mm  
(W) ø300 x (H) 310mm  
(W) ø400 x (H) 420mm  
**Requires:** Lamp

**Order Code:**  
**18599** VL-1010202 200mm 1 x E27  
**18601** VL-1010252 250mm 1 x E27  
**18603** VL-1010302 300mm 1 x E27  
**18605** VL-1010402 400mm 1 x E27



### Smoke Spheres

Polycarbonate sphere complete with base.  
Ideal for coastal areas.

**Specification:**  
**Dimensions:** (W) ø200 x (H) 210mm  
(W) ø250 x (H) 260mm  
(W) ø300 x (H) 310mm  
(W) ø400 x (H) 420mm  
**Requires:** Lamp

**Order Code:**  
**18600** VL-1010203 200mm 1 x E27  
**18602** VL-1010253 250mm 1 x E27  
**18604** VL-1010303 300mm 1 x E27  
**18606** VL-1010403 400mm 1 x E27



### 60mm PVC Base

Black base for use with 60mm PVC posts.  
Ideal for coastal areas.

**Specification:**

**Width:** 170mm

**Height:** 80mm

**Order Code:**

**18636** VL-160900 Black



### PVC Posts

For use with our sphere and base range.  
Ideal for coastal areas.

**Specification:**

**Dimensions:** 1.2m - 1.8m  
Diameter 60mm

**Order Code:**

**18633** VL-160120 Black

**18634** VL-160180 Black



### Pillar Mount

Italian made sphere available 250mm complete with pillar mount base.

**Specification:**

**Diameter:** 250mm

**Height:** 410mm

**Requires:** Lamp

**Order Code:**

**18609** VL-119251 Black Base/Opal 1 x E27

**18610** VL-119252 Black Base/Smoke 1 x E27

**18611** VL-119254 White Base/Opal 1 x E27

**18612** VL-119255 White Base/Smoke 1 x E27



### Three Tier Bollard Head

Tiered conical helmet bollard to suit 76mm post.

**Specification:**

**Width:** 160mm

**Height:** 220mm

**Base:** 78mm

**Requires:** 76mm Aluminium post and lamp.

**Order Code:**

**10700** BL-100 Beige 1 x E27

**10701** BL-100 Black 1 x E27

**10702** BL-100 Silver 1 x E27

**10703** BL-100 Green 1 x E27

**10704** BL-100 White 1 x E27

**10773** BLG-100 - Spare Glass



### 76mm x 1 Metre Aluminium Post

76mm x 1 Metre Powder Coated  
Aluminium Post Only

**Specification:**

**Width:** 76mm

**Height:** 1000mm

**Order Code:**

**10849** AP-7610 Beige

**10850** AP-7610 Black

**10851** AP-7610 Silver

**10852** AP-7610 Green

**10853** AP-7610 White

### 76mm x 2 Metre Aluminium Post

76mm x 2 Metre Powder Coated  
Aluminium Post Only

**Specification:**

**Width:** 76mm

**Height:** 2000mm

**Order Code:**


**10859** AP-7620 Beige

**10860** AP-7620 Black

**10861** AP-7620 Silver

**10862** AP-7620 Green

**10863** AP-7620 White



### 76mm x 1.5 Metre Aluminium Post

76mm x 1.5 Metre Powder Coated  
Aluminium Post Only

**Specification:**

**Width:** 76mm

**Height:** 1500mm

**Order Code:**

**10854** AP-7615 Beige

**10855** AP-7615 Black

**10856** AP-7615 Silver

**10857** AP-7615 Green

**10858** AP-7615 White

# Exterior Traditional Lights



## GT-652 Wall Bracket

Single Monaco, curved arm, wall bracket.

### Specification:

Base to Head: 420mm

Height: 500mm

Requires: Lamp

### Order Code:


**15806** Beige 1 x E27

**15807** Black 1 x E27

**15808** Burgundy 1 x E27

**15809** Green 1 x E27

**15811** White 1 x E27



## GT-654 Wall Bracket

Single Monaco, hanging lamp, wall bracket.

### Specification:

Base to Head: 290mm

Height: 420mm

Requires: Lamp

### Order Code:


**15812** Beige 1 x E27

**15813** Black 1 x E27

**15814** Burgundy 1 x E27

**15815** Green 1 x E27

**15817** White 1 x E27





**GT-653 Post Bracket**

Single Monaco post bracket.

**Specification:**

**Suits:** 60mm Post  
**Base to Head:** 420mm  
**Height:** 500mm  
**Requires:** Lamp

**Order Code:**

**16016** Beige 1 x E27  
**16017** Black 1 x E27  
**16018** Burgundy 1 x E27  
**16019** Green 1 x E27  
**16020** White 1 x E27

**GT-650 Pendant**


Single Monaco head suspended by chain.

**Specification:**

**Diameter:** 247mm  
**Height:** 350mm  
**Chain Length:** 300mm  
**Requires:** Lamp

**Order Code:**

**15800** Beige 1 x E27  
**15801** Black 1 x E27  
**15802** Burgundy 1 x E27  
**15803** Green 1 x E27  
**15805** White 1 x E27

**GT-656 Single Head on Post 1.35m**

Single Monaco head on fancy post with short base.

**Specification:**

**Height:** 1350mm  
**Requires:** Lamp

**Order Code:**

**15818** Beige 1 x E27  
**15819** Black 1 x E27  
**15820** Burgundy 1 x E27  
**15821** Green 1 x E27  
**15823** White 1 x E27

**GT-657 Twin Head on Post 1.35m**

Two Monaco heads on fancy post with short base.

**Specification:**

**Height:** 1350mm  
**Width:** 860mm  
**Requires:** Lamps

**Order Code:**

**15824** Beige 2 x E27  
**15825** Black 2 x E27  
**15826** Burgundy 2 x E27  
**15827** Green 2 x E27  
**15829** White 2 x E27



**GT-658 Single Head on Post 1.98m**

Single Monaco head on medium fancy post with short base.

**Specification:**

**Height:** 1980mm

**Requires:** Lamp

**Order Code:**

**15830** Beige 1 x E27

**15831** Black 1 x E27

**15832** Burgundy 1 x E27

**15833** Green 1 x E27

**15835** White 1 x E27

**GT-660 Single Head on Post 2.35m**

Single Monaco head on fancy post with tall base.

**Specification:**

**Height:** 2350mm

**Requires:** Lamp

**Order Code:**

**15842** Beige 1 x E27

**15843** Black 1 x E27

**15844** Burgundy 1 x E27

**15845** Green 1 x E27

**15847** White 1 x E27

**GT-659 Twin Head on Post 1.98m**

Two Monaco heads on medium fancy post with short base.

**Specification:**

**Height:** 1980mm

**Requires:** Lamps

**Order Code:**

**15836** Beige 2 x E27

**15837** Black 2 x E27

**15838** Burgundy 2 x E27

**15839** Green 2 x E27

**15841** White 2 x E27

**GT-662 Twin Head on Post 2.35m**

Two Monaco heads on fancy post with tall base.

**Specification:**

**Height:** 2350mm

**Width:** 860mm

**Requires:** Lamps

**Order Code:**

**15848** Beige 2 x E27

**15849** Black 2 x E27

**15850** Burgundy 2 x E27

**15851** Green 2 x E27

**15853** White 2 x E27



**GT-664 Triple Head on Post 2.35m**

Three Monaco heads on fancy post with tall base.

**Specification:**

**Height:** 2350mm

**Requires:** Lamps

**Order Code:**

**15854** Beige 3 x E27

**15855** Black 3 x E27

**15856** Burgundy 3 x E27

**15857** Green 3 x E27

**15859** White 3 x E27

**GT-1068 Single Head on Plain Post 2.4m**

Single Monaco head on plain post and base.

**Specification:**

**Height:** 2400mm

**Width:** 450mm

**Requires:** Lamp

**Order Code:**

**15872** Beige 1 x E27

**15873** Black 1 x E27

**15874** Burgundy 1 x E27

**15875** Green 1 x E27

**15877** White 1 x E27

**GT-1066 Twin Head on Plain Post 2.4m**

Two Monaco heads on plain post and base.

**Specification:**

**Height:** 2400mm

**Width:** 800mm

**Requires:** Lamps

**Order Code:**

**15866** Beige 2 x E27

**15867** Black 2 x E27

**15868** Burgundy 2 x E27

**15869** Green 2 x E27

**15871** White 2 x E27

**GT-1064 Triple Head on Plain Post 2.4m**

Three Monaco heads on plain post and base.

**Specification:**

**Height:** 2400mm

**Width:** 800mm

**Requires:** Lamps

**Order Code:**

**15860** Beige 3 x E27

**15861** Black 3 x E27

**15862** Burgundy 3 x E27

**15863** Green 3 x E27

**15865** White 3 x E27



**GT-600 Wall Bracket 25cm Sphere**

Single 25cm opal sphere on curved arm.  
Can be mounted up or down.

**Specification:**

**Base to Head:** 440mm

**Height:** 510mm

**Sphere:** (Ø) 250mm

**Requires:** Lamp

**Order Code:**

**15662** Beige 1 x E27

**15663** Black 1 x E27

**15664** Burgundy 1 x E27

**15665** Green 1 x E27

**15667** White 1 x E27

**GT-602 Wall Bracket 30cm Sphere**

Single 30cm opal sphere on curved arm.  
Can be mounted up or down.

**Specification:**

**Base to Head:** 440mm

**Height:** 510mm

**Sphere:** (Ø) 300mm

**Requires:** Lamp

**Order Code:**

**15668** Beige 1 x E27

**15669** Black 1 x E27

**15670** Burgundy 1 x E27

**15671** Green 1 x E27

**15673** White 1 x E27

**GT-606 Ø250mm****GT-607 Ø300mm****Single Head on Post 1.32m**

Single opal sphere on curved arm complete  
with fancy post and short base.

**Specification:**

**Height:** 1320mm

**Width:** 450mm

**Requires:** Lamp

**Order Code:**

**15674** GT-606 Beige 1 x E27

**15675** GT-606 Black 1 x E27

**15676** GT-606 Burgundy 1 x E27

**15677** GT-606 Green 1 x E27

**15679** GT-606 White 1 x E27

**15680** GT-607 Beige 1 x E27

**15681** GT-607 Black 1 x E27

**15682** GT-607 Burgundy 1 x E27

**15683** GT-607 Green 1 x E27

**15685** GT-607 White 1 x E27

**GT-608 Ø250mm****GT-609 Ø300mm****Double Head on Post 1.32m**

Two opal spheres on curved arm complete  
with fancy post and short base.

**Specification:**

**Height:** 1320mm

**Width:** 890mm

**Requires:** Lamps

**Order Code:**

**15686** GT-608 Beige 1 x E27

**15687** GT-608 Black 1 x E27

**15688** GT-608 Burgundy 1 x E27

**15689** GT-608 Green 1 x E27

**15691** GT-608 White 1 x E27

**15692** GT-609 Beige 1 x E27

**15693** GT-609 Black 1 x E27

**15694** GT-609 Burgundy 1 x E27

**15695** GT-609 Green 1 x E27

**15697** GT-609 White 1 x E27



**GT-612 Ø250mm  
GT-613 Ø300mm  
Single Head on Post 1.94m**

Single opal sphere on curved arm complete with medium fancy post and short base.

**Specification:**  
**Height:** 1940mm  
**Width:** 450mm  
**Requires:** Lamp

**Order Code:**

<b>15698</b> GT-612 Beige 1 x E27	<b>15704</b> GT-613 Beige 1 x E27
<b>15699</b> GT-612 Black 1 x E27	<b>15705</b> GT-613 Black 1 x E27
<b>15700</b> GT-612 Burgundy 1 x E27	<b>15706</b> GT-613 Burgundy 1 x E27
<b>15701</b> GT-612 Green 1 x E27	<b>15707</b> GT-613 Green 1 x E27
<b>15703</b> GT-612 White 1 x E27	<b>15709</b> GT-613 White 1 x E27



**GT-614 Ø250mm  
GT-615 Ø300mm  
Double Head on Post 1.94m**

Two opal spheres on curved arm complete with medium fancy post and short base.

**Specification:**  
**Height:** 1940mm  
**Width:** 890mm  
**Requires:** Lamps

**Order Code:**

<b>15710</b> GT-614 Beige 1 x E27	<b>15716</b> GT-615 Beige 2 x E27
<b>15711</b> GT-614 Black 1 x E27	<b>15717</b> GT-615 Black 2 x E27
<b>15712</b> GT-614 Burgundy 1 x E27	<b>15718</b> GT-615 Burgundy 2 x E27
<b>15713</b> GT-614 Green 1 x E27	<b>15719</b> GT-615 Green 2 x E27
<b>15715</b> GT-614 White 1 x E27	<b>15721</b> GT-615 White 2 x E27



**GT-618 Ø250mm  
GT-619 Ø300mm  
Single Head on Post 2.29m**

Single opal sphere on curved arm complete with fancy post and tall base.

**Specification:**  
**Height:** 2290mm  
**Width:** 450mm  
**Requires:** Lamp

**Order Code:**

<b>15722</b> GT-618 Beige 1 x E27	<b>15728</b> GT-619 Beige 1 x E27
<b>15723</b> GT-618 Black 1 x E27	<b>15729</b> GT-619 Black 1 x E27
<b>15724</b> GT-618 Burgundy 1 x E27	<b>15730</b> GT-619 Burgundy 1 x E27
<b>15725</b> GT-618 Green 1 x E27	<b>15731</b> GT-619 Green 1 x E27
<b>15727</b> GT-618 White 1 x E27	<b>15733</b> GT-619 White 1 x E27



**GT-620 Ø250mm  
GT-621 Ø300mm  
Double Head on Post 2.29m**

Two opal spheres on curved arm complete with fancy post and tall base.

**Specification:**  
**Height:** 2290mm  
**Width:** 890mm  
**Requires:** Lamps

**Order Code:**

<b>15734</b> GT-620 Beige 2 x E27	<b>15740</b> GT-621 Beige 2 x E27
<b>15735</b> GT-620 Black 2 x E27	<b>15741</b> GT-621 Black 2 x E27
<b>15736</b> GT-620 Burgundy 2 x E27	<b>15742</b> GT-621 Burgundy 2 x E27
<b>15737</b> GT-620 Green 2 x E27	<b>15743</b> GT-621 Green 2 x E27
<b>15739</b> GT-620 White 2 x E27	<b>15745</b> GT-621 White 2 x E27





**GT-622 Ø250mm  
GT-623 Ø300mm  
Triple Head on Post 2.54m**

Three opal spheres on curved arm complete with fancy post and tall base.

**Specification:**  
**Height:** 2540mm  
**Width:** 890mm  
**Requires:** Lamps

**Order Code:**

**15746** GT-622 Beige 3 x E27

**15747** GT-622 Black 3 x E27

**15748** GT-622 Burgundy 3 x E27

**15749** GT-622 Green 3 x E27

**15751** GT-622 White 3 x E27

**15752** GT-623 Beige 3 x E27

**15753** GT-623 Black 3 x E27

**15754** GT-623 Burgundy 3 x E27

**15755** GT-623 Green 3 x E27

**15757** GT-623 White 3 x E27



**GT-624 Ø250mm  
GT-625 Ø300mm  
Triple Head on Post 2.29m**

Three opal spheres on curved arm complete with fancy post and tall base.

**Specification:**  
**Height:** 2290mm  
**Width:** 890mm  
**Requires:** Lamps

**Order Code:**

**15758** GT-624 Beige 3 x E27

**15759** GT-624 Black 3 x E27

**15760** GT-624 Burgundy 3 x E27

**15761** GT-624 Green 3 x E27

**15763** GT-624 White 3 x E27

**15764** GT-625 Beige 3 x E27

**15765** GT-625 Black 3 x E27

**15766** GT-625 Burgundy 3 x E27

**15767** GT-625 Green 3 x E27

**15769** GT-625 White 3 x E27



**GT-626 Ø250mm  
GT-627 Ø300mm  
Four Heads on Post 2.54m**

Four opal spheres on curved arm complete with fancy post and tall base.

**Specification:**  
**Height:** 2540mm  
**Width:** 890mm  
**Requires:** Lamps

**Order Code:**

**15770** GT-626 Beige 4 x E27

**15771** GT-626 Black 4 x E27

**15772** GT-626 Burgundy 4 x E27

**15773** GT-626 Green 4 x E27

**15775** GT-626 White 4 x E27

**15776** GT-627 Beige 4 x E27

**15777** GT-627 Black 4 x E27

**15778** GT-627 Burgundy 4 x E27

**15779** GT-627 Green 4 x E27

**15781** GT-627 White 4 x E27



**GT-1001 Single Head on Plain Post 2.4m**

Single opal sphere on curved arm on plain post and base.

**Specification:**  
**Height:** 2290mm  
**Width:** 890mm  
**Requires:** Lamp

**Order Code:**

**15782** Beige 2 x E27

**15783** Black 2 x E27

**15784** Burgundy 2 x E27

**15785** Green 2 x E27

**15787** White 2 x E27



### GT-1002 Twin Heads on Plain Post 2.4m

Two opal spheres on curved arms on plain post and base.

**Specification:**  
**Height:** 2400mm  
**Width:** 890mm  
**Requires:** Lamps

**Order Code:**

**15788** Beige 2 x E27  
**15789** Black 2 x E27  
**15790** Burgundy 2 x E27  
**15791** Green 2 x E27  
**15793** White 2 x E27




### GT-1003 Triple Heads on Plain Post 2.4m

Three opal spheres on curved arms on plain post and base.

**Specification:**  
**Height:** 2400mm  
**Width:** 890mm  
**Requires:** Lamps

**Order Code:**

**15794** Beige 3 x E27  
**15795** Black 3 x E27  
**15796** Burgundy 3 x E27  
**15797** Green 3 x E27  
**15799** White 3 x E27




### GT-544 Ø 200mm GT-545 Ø 250mm Wall Bracket 20cm & 25cm

Single opal sphere on arm complete with wall bracket.

**Specification:**  
**Height:** 220mm  
**Base Width:** 300mm  
**Requires:** Lamp

**Order Code:**

**15566** GT-544 Beige 1 x E27  
**15567** GT-544 Black 1 x E27  
**15568** GT-544 Burgundy 1 x E27  
**15569** GT-544 Green 1 x E27  
**15571** GT-544 White 1 x E27  
**15572** GT-545 Beige 1 x E27  
**15573** GT-545 Black 1 x E27  
**15574** GT-545 Burgundy 1 x E27  
**15575** GT-545 Green 1 x E27  
**15577** GT-545 White 1 x E27



### GT-503 Ø250mm GT-504 Ø300mm Sphere on 180mm Pillar Mount

Single opal sphere on pillar mount.

**Specification:**  
**Height:** 180mm  
**Base:** (Ø) 170mm  
**Requires:** Lamp

**Order Code:**

**15524** GT-503 Beige 1 x E27  
**15525** GT-503 Black 1 x E27  
**15526** GT-503 Burgundy 1 x E27  
**15527** GT-503 Green 1 x E27  
**15529** GT-503 White 1 x E27  
**15530** GT-504 Beige 1 x E27  
**15531** GT-504 Black 1 x E27  
**15532** GT-504 Burgundy 1 x E27  
**15533** GT-504 Green 1 x E27  
**15535** GT-504 White 1 x E27



**GT-530 Ø200mm**  
**GT-531 Ø250mm**  
**Sphere on 80mm Pillar Mount**

Single opal sphere on CTC pillar mount.

**Specification:**

**Height:** 80mm

**Base:** (Ø) 120mm

**Requires:** Lamp

**Order Code:**

**15536** GT-530 Beige 1 x E27

**15537** GT-530 Black 1 x E27

**15538** GT-530 Burgundy 1 x E27

**15539** GT-530 Green 1 x E27

**15541** GT-530 White 1 x E27


**15542** GT-531 Beige 1 x E27

**15543** GT-531 Black 1 x E27

**15544** GT-531 Burgundy 1 x E27

**15545** GT-531 Green 1 x E27

**15547** GT-531 White 1 x E27



**GT-502 Ø200mm Wall Bracket 20cm**

Single opal sphere on arm complete with wall bracket.

**Specification:**

**Height:** 300mm

**Base Width:** 124mm

**Requires:** Lamp

**Order Code:**


**15518** Beige 1 x E27

**15519** Black 1 x E27

**15520** Burgundy 1 x E27

**15521** Green 1 x E27

**15523** White 1 x E27



**GT-535 Pendant with 200mm Sphere**

Single opal sphere complete with pendant chain and bracket.

**Specification:**

**Height:** 400mm (excluding sphere)

**Width:** 200mm

**Requires:** Lamp

**Order Code:**


**15548** Beige 1 x E27

**15549** Black 1 x E27

**15550** Burgundy 1 x E27

**15551** Green 1 x E27

**15553** White 1 x E27



**GT-536 Pendant with 250mm Sphere**

Single opal sphere complete with pendant chain and bracket.

**Specification:**

**Height:** 400mm (excluding sphere)

**Width:** 200mm

**Requires:** Lamp

**Order Code:**

**15554** Beige 1 x E27

**15555** Black 1 x E27

**15556** Burgundy 1 x E27

**15557** Green 1 x E27

**15559** White 1 x E27



**GT-537 Pendant with 300mm Sphere**

Single opal sphere complete with pendant chain and bracket.

**Specification:**

**Height:** 400mm (excluding sphere)

**Width:** 300mm

**Requires:** Lamp

**Order Code:**


**15560** Beige 1 x E27

**15561** Black 1 x E27

**15562** Burgundy 1 x E27

**15563** Green 1 x E27

**15565** White 1 x E27

**GT-553 Ø 250mm****GT-554 Ø 300mm****Single Sphere on Post 950mm**

Single opal sphere on fancy post and short base.

**Specification:**

**Height:** 950mm

**Requires:** Lamp

**Order Code:**

**15578** GT-553 Beige 1 x E27

**15579** GT-553 Black 1 x E27

**15580** GT-553 Burgundy 1 x E27

**15581** GT-553 Green 1 x E27

**15583** GT-553 White 1 x E27

**15584** GT-554 Beige 1 x E27

**15585** GT-554 Black 1 x E27

**15586** GT-554 Burgundy 1 x E27

**15587** GT-554 Green 1 x E27

**15589** GT-554 White 1 x E27

**GT-567 Ø 250mm****GT-568 Ø 300mm****Twin Spheres on Post 1.1m**

Two opal spheres on fancy post and short base.

**Specification:**

**Height:** 1100mm

**Requires:** Lamps

**Order Code:**

**15638** GT-567 Beige 2 x E27

**15639** GT-567 Black 2 x E27

**15640** GT-567 Burgundy 2 x E27

**15641** GT-567 Green 2 x E27

**15643** GT-567 White 2 x E27


**15644** GT-568 Beige 2 x E27

**15645** GT-568 Black 2 x E27

**15646** GT-568 Burgundy 2 x E27

**15647** GT-568 Green 2 x E27

**15649** GT-568 White 2 x E27

**GT-555 Ø250mm****GT-556 Ø300mm****Single Sphere on Post 1.6m**

Single opal sphere on medium fancy post and short base.

**Specification:**

**Height:** 1600mm

**Requires:** Lamp

**Order Code:**

**15590** GT-555 Beige 1 x E27

**15591** GT-555 Black 1 x E27

**15592** GT-555 Burgundy 1 x E27

**15593** GT-555 Green 1 x E27

**15595** GT-555 White 1 x E27

**15596** GT-556 Beige 1 x E27

**15597** GT-556 Black 1 x E27

**15598** GT-556 Burgundy 1 x E27

**15599** GT-556 Green 1 x E27

**15601** GT-556 White 1 x E27



**GT-569 Ø 250mm**  
**GT-570 Ø 300mm**  
**Twin Sphere on Post 1.75m**

Two opal spheres on medium fancy post and short base.

**Specification:**  
**Height:** 1750mm  
**Requires:** Lamps

**Order Code:**

**15650** GT-569 Beige 2 x E27

**15651** GT-569 Black 2 x E27

**15652** GT-569 Burgundy 2 x E27

**15653** GT-569 Green 2 x E27

**15655** GT-569 White 2 x E27

**15656** GT-570 Beige 2 x E27

**15657** GT-570 Black 2 x E27

**15658** GT-570 Burgundy 2 x E27

**15659** GT-570 Green 2 x E27

**15661** GT-570 White 2 x E27



**GT-557 Ø250mm**  
**GT-558 Ø300mm**  
**Single Sphere on Post 1.96m**

Single opal sphere on fancy post and tall base.

**Specification:**  
**Height:** 1960mm  
**Requires:** Lamp

**Order Code:**

**15602** GT-557 Beige 1 x E27

**15603** GT-557 Black 1 x E27

**15604** GT-557 Burgundy 1 x E27

**15605** GT-557 Green 1 x E27

**15607** GT-557 White 1 x E27


**15608** GT-558 Beige 1 x E27

**15609** GT-558 Black 1 x E27

**15610** GT-558 Burgundy 1 x E27

**15611** GT-558 Green 1 x E27

**15613** GT-558 White 1 x E27



**GT-560 Ø250mm**  
**GT-561 Ø300mm**  
**Twin Spheres on Post 2.1m**

Two opal spheres on fancy post and tall base.

**Specification:**  
**Height:** 2100mm  
**Requires:** Lamps

**Order Code:**

**15614** GT-560 Beige 2 x E27

**15615** GT-560 Black 2 x E27

**15616** GT-560 Burgundy 2 x E27

**15617** GT-560 Green 2 x E27

**15619** GT-560 White 2 x E27

**15620** GT-561 Beige 2 x E27

**15621** GT-561 Black 2 x E27

**15622** GT-561 Burgundy 2 x E27

**15623** GT-561 Green 2 x E27

**15625** GT-561 White 2 x E27



**GT-562 Ø250mm**  
**GT-563 Ø300mm**  
**Triple Spheres on Post 2.1m**

Three opal spheres on fancy post and tall base.

**Specification:**  
**Height:** 2100mm  
**Requires:** Lamps

**Order Code:**

**15626** GT-562 Beige 3 x E27

**15627** GT-562 Black 3 x E27

**15628** GT-562 Burgundy 3 x E27

**15629** GT-562 Green 3 x E27

**15631** GT-562 White 3 x E27

**15632** GT-563 Beige 3 x E27

**15633** GT-563 Black 3 x E27

**15634** GT-563 Burgundy 3 x E27

**15635** GT-563 Green 3 x E27

**15637** GT-563 White 3 x E27





**GT-671 Wall Bracket**

Single Vienna head complete with arm and bracket.

**Specification:**

**Height:** 510mm

**Projection:** 260mm

**Requires:** Lamp

**Order Code:**

**15884** Beige 1 x B22

**15885** Black 1 x B22

**15886** Burgundy 1 x B22

**15887** Green 1 x B22

**15889** White 1 x B22

**GT-672 Wall Bracket**

Single Vienna head complete with arm and bracket.

**Specification:**

**Height:** 510mm

**Projection:** 260mm

**Requires:** Lamp

**Order Code:**

**15890** Beige 1 x B22

**15891** Black 1 x B22

**15892** Burgundy 1 x B22

**15893** Green 1 x B22

**15895** White 1 x B22

**GT-1031 Wall Bracket**

Single Vienna head complete with arm and bracket.

**Specification:**

**Height:** 420mm

**Projection:** 290mm

**Requires:** Lamp

**Order Code:**

**15956** Beige 1 x B22

**15957** Black 1 x B22

**15958** Burgundy 1 x B22

**15959** Green 1 x B22

**15961** White 1 x B22

**GT-1032 Wall Bracket**

Single Vienna head complete with arm and bracket.

**Specification:**

**Height:** 420mm

**Projection:** 290mm

**Requires:** Lamp

**Order Code:**

**15962** Beige 1 x B22

**15963** Black 1 x B22

**15964** Burgundy 1 x B22

**15965** Green 1 x B22

**15967** White 1 x B22



**GT-670 Single Pendant**

Single Vienna head suspended with chain and bracket.

**Specification:**

**Base Width:** 164mm

**Height from Base to Head:** 300mm

**Height of Head:** 360mm

**Requires:** Lamp

**Order Code:**


**15878** Beige 1 x B22

**15879** Black 1 x B22

**15880** Burgundy 1 x B22

**15881** Green 1 x B22

**15883** White 1 x B22

**GT-673 Pillar Mount**

Single Vienna head complete with pillar mount.

**Specification:**

**Height:** 560mm

**Width:** 164mm

**Base:** (Ø) 170mm

**Requires:** Lamp

**Order Code:**

**15896** Beige 1 x B22

**15897** Black 1 x B22

**15898** Burgundy 1 x B22

**15899** Green 1 x B22

**15901** White 1 x B22

**GT-689 Post Top**

Single Vienna head complete with post top suitable for Ø60mm post.

**Specification:**

**Height:** 490mm

**Post Top:** (Ø) 67.5mm

**Requires:** Lamp

**Order Code:**

**15950** Beige 1 x B22

**15951** Black 1 x B22

**15952** Burgundy 1 x B22

**15953** Green 1 x B22

**15955** White 1 x B22

**GT-685 Surface Mounted**

Surface mounted Vienna styled fitting.

**Specification:**

**Height:** 150mm

**Projection:** 310mm

**Requires:** Lamp

**Order Code:**


**15944** Beige 1 x B22

**15945** Black 1 x B22

**15946** Burgundy 1 x B22

**15947** Green 1 x B22

**15949** White 1 x B22



**GT-674 Single Head on Post 1.31m**

Single Vienna head on fancy post complete with small base.

**Specification:**

**Height:** 1310mm

**Width:** 164mm

**Requires:** Lamp

**Order Code:**


**15902** Beige 1 x B22

**15903** Black 1 x B22

**15904** Burgundy 1 x B22

**15905** Green 1 x B22

**15907** White 1 x B22

**GT-676 Single Head on Post 1.93m**

Single Vienna head on medium fancy post complete with small base.

**Specification:**

**Height:** 1930mm

**Requires:** Lamp

**Order Code:**


**15914** Beige 1 x B22

**15915** Black 1 x B22

**15916** Burgundy 1 x B22

**15917** Green 1 x B22

**15919** White 1 x B22

**GT-675 Twin Head on Post 1.46m**

Two Vienna heads on fancy post complete with small base.

**Specification:**

**Height:** 1460mm

**Width:** 660mm

**Requires:** Lamps

**Order Code:**


**15908** Beige 1 x B22

**15909** Black 1 x B22

**15910** Burgundy 1 x B22

**15911** Green 1 x B22

**15913** White 1 x B22

**GT-677 Double Head on Post 2.08m**

Two Vienna heads on medium fancy post complete with small base.

**Specification:**

**Height:** 2080mm

**Width:** 660mm

**Requires:** Lamps

**Order Code:**


**15920** Beige 2 x B22

**15921** Black 2 x B22

**15922** Burgundy 2 x B22

**15923** Green 2 x B22

**15925** White 2 x B22



**GT-678 Single Head on Post 2.3m**

Single Vienna head on fancy post complete with tall base.

**Specification:**

**Height:** 2300mm

**Width:** 164mm

**Requires:** Lamp

**Order Code:**


**15926** Beige 1 x B22

**15927** Black 1 x B22

**15928** Burgundy 1 x B22

**15929** Green 1 x B22

**15931** White 1 x B22

**GT-682 Triple Head on Post 2.44m**

Three Vienna heads on fancy post complete with tall base.

**Specification:**

**Height:** 2440mm

**Requires:** Lamps

**Order Code:**


**15938** Beige 3 x B22

**15939** Black 3 x B22

**15940** Burgundy 3 x B22

**15941** Green 3 x B22

**15943** White 3 x B22

**GT-680 Twin Head on Post 2.44m**

Two Vienna heads on fancy post complete with tall base.

**Specification:**

**Height:** 2440mm

**Width:** 660mm

**Requires:** Lamps

**Order Code:**


**15932** Beige 2 x B22

**15933** Black 2 x B22

**15934** Burgundy 2 x B22

**15935** Green 2 x B22

**15937** White 2 x B22



### GT-1044 Twin Curved Arm Head on Post 2.35m

Two Vienna heads with curved arms on fancy post complete with tall base.

**Specification:**

**Height:** 2350mm

**Width:** 600mm

**Requires:** Lamps

**Order Code:**

**15968** Beige 2 x B22

**15969** Black 2 x B22

**15970** Burgundy 2 x B22

**15971** Green 2 x B22

**15973** White 2 x B22



### GT-1045 Triple Curved Arm Head on Post 2.35m

Three Vienna heads with curved arms on fancy post complete with tall base.

**Specification:**

**Height:** 2350mm

**Requires:** Lamps

**Order Code:**

**15974** Beige 3 x B22

**15975** Black 3 x B22

**15976** Burgundy 3 x B22

**15977** Green 3 x B22

**15979** White 3 x B22



### GT-691 Large Wall Bracket

Vienna head complete with arm and wall bracket.

**Specification:**

**Height:** 600mm

**Projection:** 300mm

**Requires:** Lamp

**Order Code:**


**15986** Beige 1 x B22

**15987** Black 1 x B22

**15988** Burgundy 1 x B22

**15989** Green 1 x B22

**15991** White 1 x B22



### GT-692 Large Wall Bracket

Vienna head complete with arm and wall bracket.

**Specification:**

**Height:** 600mm

**Projection:** 300mm

**Requires:** Lamp

**Order Code:**


**15992** Beige 1 x B22

**15993** Black 1 x B22

**15994** Burgundy 1 x B22

**15995** Green 1 x B22

**15997** White 1 x B22



### GT-696 Large Post Top

Vienna head complete with post top to suit Ø60mm post.

**Specification:**

**Height:** 480mm

**Requires:** Lamp

**Order Code:**

**16004** Beige 1 x B22

**16005** Black 1 x B22

**16006** Burgundy 1 x B22

**16007** Green 1 x B22

**16009** White 1 x B22



**GT-690 Large Pendant**

Single Vienna head suspended with chain and bracket.

**Specification:**

**Height from Base to Head:** 300mm

**Height of Head:** 470mm

**Requires:** Lamp

**Order Code:**


**15980** Beige 1 x B22

**15981** Black 1 x B22

**15982** Burgundy 1 x B22

**15983** Green 1 x B22

**15985** White 1 x B22

**GT-693 Large Pillar Mount**

Single Vienna head complete with pillar mount.

**Specification:**

**Height:** 600mm

**Requires:** Lamp

**Order Code:**

**15998** Beige 1 x B22

**15999** Black 1 x B22

**16000** Burgundy 1 x B22

**16001** Green 1 x B22

**16003** White 1 x B22

**GT-698 Large Single Head on Post 2.4m**

Large single Vienna head on fancy post complete with tall base.

**Specification:**

**Height:** 2400mm

**Requires:** Lamp

**Order Code:**

**16010** Beige 1 x B22

**16011** Black 1 x B22

**16012** Burgundy 1 x B22

**16013** Green 1 x B22

**16015** White 1 x B22





**GT-131 Wall Bracket**

Single Chester head complete with arm and wall bracket.

**Specification:**

**Height:** 540mm

**Projection:** 310mm

**Requires:** Lamp

**Order Code:**

**14972** Beige 1 x B22

**14973** Black 1 x B22

**14974** Burgundy 1 x B22

**14975** Green 1 x B22

**14977** White 1 x B22

**GT-132 Wall Bracket**

Single Chester head complete with arm and wall bracket.

**Specification:**

**Height:** 540mm

**Projection:** 310mm

**Requires:** Lamp

**Order Code:**

**14978** Beige 1 x B22

**14979** Black 1 x B22

**14980** Burgundy 1 x B22

**14981** Green 1 x B22

**14983** White 1 x B22

**GT-1073 Wall Bracket**

Chester head complete with arm and wall bracket.

**Specification:**

**Height:** 420mm

**Width:** 310mm

**Requires:** Lamp

**Order Code:**

**15038** Beige 1 x B22

**15039** Black 1 x B22

**15040** Burgundy 1 x B22

**15041** Green 1 x B22

**15043** White 1 x B22

**GT-1074 Wall Bracket**

Chester head complete with arm and wall bracket.

**Specification:**

**Height:** 420mm

**Projection:** 310mm

**Requires:** Lamp

**Order Code:**

**15044** Beige 1 x B22

**15045** Black 1 x B22

**15046** Burgundy 1 x B22

**15047** Green 1 x B22

**15049** White 1 x B22



**GT-133 Pillar Mount**

Chester head complete with pillar mount.

**Specification:**

**Height:** 560mm

**Width:** (Ø) 223mm

**Base:** (Ø) 170mm

**Requires:** Lamp

**Order Code:**

**14984** Beige 1 x B22

**14985** Black 1 x B22

**14986** Burgundy 1 x B22

**14987** Green 1 x B22

**14989** White 1 x B22

**GT-149 Post Top**

Chester head complete with post top to suit Ø60mm post.

**Specification:**

**Height:** 440mm

**Requires:** Lamp

**Order Code:**

**15032** Beige 1 x B22

**15033** Black 1 x B22

**15034** Burgundy 1 x B22

**15035** Green 1 x B22

**15037** White 1 x B22

**GT-130 Pendant**

Chester head complete with chain and mounting bracket.

**Specification:**

**Height from Base to Head:** 300mm

**Height of Head:** 370mm

**Width:** (Ø) 223mm

**Requires:** Lamp

**Order Code:**

**14966** Beige 1 x B22

**14967** Black 1 x B22

**14968** Burgundy 1 x B22

**14969** Green 1 x B22

**14971** White 1 x B22

**GT-134 Single Head on Post 1.32m**

Single Chester head on fancy post complete with small base.

**Specification:**

**Height:** 1320mm

**Width:** (Ø) 223mm

**Requires:** Lamp

**Order Code:**


**14990** Beige 1 x B22

**14991** Black 1 x B22

**14992** Burgundy 1 x B22

**14993** Green 1 x B22

**14995** White 1 x B22



**GT-135 Twin Head on Post 1.49m**

Twin Chester head on fancy post complete with small base.

**Specification:**

**Height:** 1490mm

**Width:** 680mm

**Requires:** Lamps

**Order Code:**

**14996** Beige 2 x B22

**14997** Black 2 x B22

**14998** Burgundy 2 x B22

**14999** Green 2 x B22

**15001** White 2 x B22

**GT-136 Single Head on Post 1.96m**

Single Chester head on fancy post complete with small base.

**Specification:**

**Height:** 1960mm

**Requires:** Lamp

**Order Code:**


**15002** Beige 1 x B22

**15003** Black 1 x B22

**15004** Burgundy 1 x B22

**15005** Green 1 x B22

**15007** White 1 x B22

**GT-137 Twin Head on Post 2.11m**

Twin Chester on fancy post complete with base.

**Specification:**

**Height:** 2110mm

**Requires:** Lamps

**Order Code:**

**15008** Beige 2 x B22

**15009** Black 2 x B22

**15010** Burgundy 2 x B22

**15011** Green 2 x B22

**15013** White 2 x B22

**GT-138 Single Head on Post 2.37m**

Single Chester head on fancy post complete with tall base.

**Specification:**

**Height:** 2370mm

**Width:** (Ø) 223mm

**Requires:** Lamp

**Order Code:**


**15014** Beige 1 x B22

**15015** Black 1 x B22

**15016** Burgundy 1 x B22

**15017** Green 1 x B22

**15019** White 1 x B22



**GT-140 Twin Head on Post 2.47m**

Twin Chester head on fancy post complete with tall base.

**Specification:**

**Height:** 2470mm

**Width:** 680mm

**Requires:** Lamps

**Order Code:**

**15020** Beige 2 x B22

**15021** Black 2 x B22

**15022** Burgundy 2 x B22

**15023** Green 2 x B22

**15025** White 2 x B22

**GT-142 Triple Head on Post 2.47m**

Triple Chester head on fancy post complete with tall base.

**Specification:**

**Height:** 2470mm

**Requires:** Lamps

**Order Code:**

**15026** Beige 3 x B22

**15027** Black 3 x B22

**15028** Burgundy 3 x B22

**15029** Green 3 x B22

**15031** White 3 x B22

**GT-1077 Twin Curved Arm Head on Post 2.4m**

Two Chester heads with curved arms on fancy post complete with tall base.

**Specification:**

**Height:** 2400mm

**Width:** 600mm

**Requires:** Lamps

**Order Code:**

**15050** Beige 2 x B22

**15051** Black 2 x B22

**15052** Burgundy 2 x B22

**15053** Green 2 x B22

**15055** White 2 x B22

**GT-1078 Triple Curved Arm Head on Post 2.4m**

Three Chester heads with curved arms on fancy post complete with tall base.

**Specification:**

**Height:** 2400mm

**Width:** 600mm

**Requires:** Lamps

**Order Code:**

**15056** Beige 3 x B22

**15057** Black 3 x B22

**15058** Burgundy 3 x B22

**15059** Green 3 x B22

**15061** White 3 x B22




**GT-161 Large Wall Bracket**

Large Chester head complete with arm and wall bracket.

**Specification:**  
**Projection:** 370mm  
**Height:** 640mm  
**Requires:** Lamp


**Order Code:**  
**15062** Beige 1 x B22  
**15063** Black 1 x B22  
**15064** Burgundy 1 x B22  
**15065** Green 1 x B22  
**15067** White 1 x B22

**GT-162 Large Wall Bracket**

Large Chester head complete with arm and wall bracket.

**Specification:**  
**Projection:** 370mm  
**Height:** 640mm  
**Requires:** Lamp


**Order Code:**  
**15068** Beige 1 x B22  
**15069** Black 1 x B22  
**15070** Burgundy 1 x B22  
**15071** Green 1 x B22  
**15073** White 1 x B22

**GT-163 Large Pillar Mount**

Chester head complete with pillar mount.

**Specification:**  
**Height:** 650mm  
**Width:** 310mm  
**Requires:** Lamp


**Order Code:**  
**15074** Beige 1 x B22  
**15075** Black 1 x B22  
**15076** Burgundy 1 x B22  
**15077** Green 1 x B22  
**15079** White 1 x B22

**GT-166 Large Post Top**

Chester head complete with post top to suit Ø60mm post.

**Specification:**  
**Height:** 520mm  
**Width:** 310mm  
**Requires:** Lamp

**Order Code:**  
**15086** Beige 1 x B22  
**15087** Black 1 x B22  
**15088** Burgundy 1 x B22  
**15089** Green 1 x B22  
**15091** White 1 x B22



**GT-165 Large Pendant**

Chester head complete with chain and mounting bracket.

**Specification:**

**Height from Base to Head:** 300mm

**Height of Head:** 500mm

**Requires:** Lamp

**Order Code:**

**15080** Beige 1 x B22

**15081** Black 1 x B22

**15082** Burgundy 1 x B22

**15083** Green 1 x B22

**15085** White 1 x B22

**GT-168 Single Head on Post 2.45m**

Single large Chester head on fancy post complete with tall base.

**Specification:**

**Height:** 2450mm

**Requires:** Lamp

**Order Code:**


**15092** Beige 1 x B22

**15093** Black 1 x B22

**15094** Burgundy 1 x B22

**15095** Green 1 x B22

**15097** White 1 x B22

**GT-231 Wall Bracket**

Paris head complete with arm and wall bracket.

**Specification:**

**Projection:** 270mm

**Height:** 530mm

**Width:** 170mm

**Requires:** Lamp

**Order Code:**

**15116** Beige 1 x B22

**15117** Black 1 x B22

**15118** Burgundy 1 x B22

**15119** Green 1 x B22

**15121** White 1 x B22

**GT-232 Wall Bracket**

Paris head complete with arm and wall bracket.

**Specification:**

**Height:** 520mm

**Width:** 310mm

**Requires:** Lamp

**Order Code:**

**15122** Beige 1 x B22

**15123** Black 1 x B22

**15124** Burgundy 1 x B22

**15125** Green 1 x B22

**15127** White 1 x B22





**GT-233 Pillar Mount**


Paris head complete with pillar mount.

**Specification:****Height:** 560mm**Width:** 170mm**Requires:** Lamp**Order Code:****15128** Beige 1 x B22**15129** Black 1 x B22**15130** Burgundy 1 x B22**15131** Green 1 x B22**15133** White 1 x B22**GT-249 Post Top**


Paris head complete with post top to suit Ø60mm post.

**Specification:****Height:** 450mm**Width:** 170mm**Requires:** Lamp**Order Code:****15182** Beige 1 x B22**15183** Black 1 x B22**15184** Burgundy 1 x B22**15185** Green 1 x B22**15187** White 1 x B22**GT-230 Pendant**

Paris head complete with chain and mounting bracket.


**Specification:****Head to base:** 300mm**Height of Head:** 350mm**Width:** 170mm**Requires:** Lamp**Order Code:****15110** Beige 1 x B22**15111** Black 1 x B22**15112** Burgundy 1 x B22**15113** Green 1 x B22**15115** White 1 x B22**GT-245 Wall Mounted**

Half Paris head for surface mounting.


**Specification:****Projection:** 150mm**Height:** 390mm**Width:** 236mm**Requires:** Lamp**Order Code:****15176** Beige 1 x B22**15177** Black 1 x B22**15178** Burgundy 1 x B22**15179** Green 1 x B22**15181** White 1 x B22

**GT-234 Single Head on Post 1.31m**


Single Paris head on fancy post with small base.

**Specification:****Height:** 1310mm**Width:** 170mm**Requires:** Lamp**Order Code:****15134** Beige 1 x B22**15135** Black 1 x B22**15136** Burgundy 1 x B22**15137** Green 1 x B22**15139** White 1 x B22**GT-236 Single Head on Post 1.94m**


Single Paris head on fancy post with small base.

**Specification:****Height:** 1940mm**Width:** 170mm**Requires:** Lamp**Order Code:****15146** Beige 1 x B22**15147** Black 1 x B22**15148** Burgundy 1 x B22**15149** Green 1 x B22**15151** White 1 x B22**GT-235 Twin Head on Post 1.46m**

Twin head on fancy post with small base.

**Specification:****Height:** 1460mm**Width:** 620mm**Requires:** Lamps**Order Code:****15140** Beige 2 x B22**15141** Black 2 x B22**15142** Burgundy 2 x B22**15143** Green 2 x B22**15145** White 2 x B22**GT-237 Twin Head on Post 2.9m**

Twin head on fancy post with small base.

**Specification:****Height:** 2090mm**Requires:** Lamps**Order Code:****15152** Beige 2 x B22**15153** Black 2 x B22**15154** Burgundy 2 x B22**15155** Green 2 x B22**15157** White 2 x B22

**GT-238 Single Head on Post 2.3m**

Single Paris head on fancy post with tall base.

**Specification:**

**Height:** 2300mm

**Width:** 170mm

**Requires:** Lamp

**Order Code:**


**15158** Beige 1 x B22

**15159** Black 1 x B22

**15160** Burgundy 1 x B22

**15161** Green 1 x B22

**15163** White 1 x B22

**GT-242 Triple Head on Post 2.45m**

Triple Paris head on fancy post with tall base.

**Specification:**

**Height:** 2450mm

**Requires:** Lamp

**Order Code:**

**15170** Beige 3 x B22

**15171** Black 3 x B22

**15172** Burgundy 3 x B22

**15173** Green 3 x B22

**15175** White 3 x B22

**GT-240 Twin Head on Post 2.45m**

Twin Paris head on fancy post and tall base.

**Specification:**

**Height:** 2450mm

**Width:** 620mm

**Requires:** Lamps

**Order Code:**

**15164** Beige 2 x B22

**15165** Black 2 x B22

**15166** Burgundy 2 x B22

**15167** Green 2 x B22

**15169** White 2 x B22



**GT-271 Wall Bracket**

Avignon head complete with arm and wall bracket.

**Specification:**  
**Projection:** 285mm  
**Height:** 480mm  
**Requires:** Lamp

**Order Code:**  
**15194** Beige 1 x B22  
**15195** Black 1 x B22  
**15196** Burgundy 1 x B22  
**15197** Green 1 x B22  
**15199** White 1 x B22

**GT-272 Wall Bracket**

Avignon head complete with arm and wall bracket.

**Specification:**  
**Projection:** 285mm  
**Height:** 500mm  
**Requires:** Lamp

**Order Code:**  
**15200** Beige 1 x B22  
**15201** Black 1 x B22  
**15202** Burgundy 1 x B22  
**15203** Green 1 x B22  
**15205** White 1 x B22

**GT-273 Pillar Mount**

Single Avignon head on pillar mount post.

**Specification:**  
**Height:** 520mm  
**Width:** 210mm  
**Base:** Ø170mm  
**Requires:** Lamp


**Order Code:**  
**15206** Beige 1 x B22  
**15207** Black 1 x B22  
**15208** Burgundy 1 x B22  
**15209** Green 1 x B22  
**15211** White 1 x B22

**GT-289 Post Top**

Avignon head complete with post top.

**Specification:**  
**Width:** 67.5mm  
**Height:** 430mm  
**Requires:** Lamp

**Order Code:**  
**15254** Beige 1 x B22  
**15255** Black 1 x B22  
**15256** Burgundy 1 x B22  
**15257** Green 1 x B22  
**15259** White 1 x B22



**GT-270 Pendant**

Avignon head complete with chain and mounting bracket.

**Specification:**

**Projection:** 210mm

**Base to Head Height:** 300mm

**Head Height:** 350mm

**Requires:** Lamp

**Order Code:**


**15188** Beige 1 x B22

**15189** Black 1 x B22

**15190** Burgundy 1 x B22

**15191** Green 1 x B22

**15193** White 1 x B22

**GT-274 Single Head on Post 1.25m**

Single Avignon head on fancy post with small base.

**Specification:**

**Width:** 210mm

**Height:** 1250mm

**Requires:** Lamp

**Order Code:**


**15212** Beige 1 x B22

**15213** Black 1 x B22

**15214** Burgundy 1 x B22

**15215** Green 1 x B22

**15217** White 1 x B22

**GT-275 Twin Head on Post 1.4m**

Two Avignon heads on fancy post complete with small base.

**Specification:**

**Width:** 620mm

**Height:** 1400mm

**Requires:** Lamps

**Order Code:**

**15218** Beige 2 x B22

**15219** Black 2 x B22

**15220** Burgundy 2 x B22

**15221** Green 2 x B22

**15223** White 2 x B22

**GT-276 Single Head on Post 1.9m**

Single Avignon head on medium fancy post complete with small base.

**Specification:**

**Height:** 1900mm

**Requires:** Lamp

**Order Code:**


**15224** Beige 1 x B22

**15225** Black 1 x B22

**15226** Burgundy 1 x B22

**15227** Green 1 x B22

**15229** White 1 x B22



**GT-277 Twin Head on Post 2.05m**

Two Avignon heads on medium fancy post complete with small base.

**Specification:**

**Height:** 2050mm

**Requires:** Lamps

**Order Code:**


**15230** Beige 2 x B22

**15231** Black 2 x B22

**15232** Burgundy 2 x B22

**15233** Green 2 x B22

**15235** White 2 x B22

**GT-278 Single Head on Post 2.26m**

Single Avignon Head on fancy post complete with tall base.

**Specification:**

**Height:** 2260mm

**Width:** 210mm

**Requires:** Lamp

**Order Code:**


**15236** Beige 1 x B22

**15237** Black 1 x B22

**15238** Burgundy 1 x B22

**15239** Green 1 x B22

**15241** White 1 x B22

**GT-280 Twin Head on Post 2.4m**

Twin Avignon head on fancy post complete with tall base.

**Specification:**

**Height:** 2400mm

**Width:** 620mm

**Requires:** Lamps

**Order Code:**


**15242** Beige 2 x B22

**15243** Black 2 x B22

**15244** Burgundy 2 x B22

**15245** Green 2 x B22

**15247** White 2 x B22

**GT-282 Triple Head on Post 2.4m**

Triple Avignon head on fancy post complete with tall base.

**Specification:**

**Height:** 2400mm

**Width:** 620mm

**Requires:** Lamps

**Order Code:**

**15248** Beige 3 x B22

**15249** Black 3 x B22

**15250** Burgundy 3 x B22

**15251** Green 3 x B22

**15253** White 3 x B22





**GT-421 Wall Bracket**

Turin head complete with wall bracket.

**Specification:**

**Projection:** 310mm

**Height:** 540mm

**Requires:** Lamp

**Order Code:**

**15416** Beige 1 x B22

**15417** Black 1 x B22

**15418** Burgundy 1 x B22

**15419** Green 1 x B22

**15421** White 1 x B22

**GT-422 Wall Bracket**

Turin head complete with wall bracket.

**Specification:**

**Projection:** 310mm

**Height:** 540mm

**Requires:** Lamp

**Order Code:**

**15422** Beige 1 x B22

**15423** Black 1 x B22

**15424** Burgundy 1 x B22

**15425** Green 1 x B22

**15427** White 1 x B22

**GT-423 Pillar Mount**

Turin head complete with pillar mount.

**Specification:**

**Width:** 170mm

**Height:** 560mm

**Requires:** Lamp

**Order Code:**

**15428** Beige 1 x B22

**15429** Black 1 x B22

**15430** Burgundy 1 x B22

**15431** Green 1 x B22

**15433** White 1 x B22

**GT-439 Post Top**

Turin head complete with post top to suit  
Ø60mm post.

**Specification:**

**Height:** 440mm

**Requires:** Lamp

**Order Code:**

**15476** Beige 1 x B22

**15477** Black 1 x B22

**15478** Burgundy 1 x B22

**15479** Green 1 x B22

**15481** White 1 x B22



**GT-420 Pendant**


Turin head complete with chain and mounting bracket.

**Specification:**

**Head to base:** 300mm  
**Height of Head:** 370mm  
**Width:** (Ø) 223mm  
**Requires:** Lamp

**Order Code:**

**15410** Beige 1 x B22  
**15411** Black 1 x B22  
**15412** Burgundy 1 x B22  
**15413** Green 1 x B22  
**15415** White 1 x B22

**GT-424 Single Head on Post 1.32m**


Single Turin head on fancy post with base.

**Specification:**

**Height:** 1320mm  
**Requires:** Lamp

**Order Code:**

**15434** Beige 1 x B22  
**15435** Black 1 x B22  
**15436** Burgundy 1 x B22  
**15437** Green 1 x B22  
**15439** White 1 x B22

**GT-425 Twin Head on Post 1.49m**

Twin Turin heads on fancy post with base.

**Specification:**

**Height:** 1490mm  
**Width:** 680mm  
**Requires:** Lamps

**Order Code:**

**15440** Beige 2 x B22  
**15441** Black 2 x B22  
**15442** Burgundy 2 x B22  
**15443** Green 2 x B22  
**15445** White 2 x B22

**GT-426 Single Head on Post 1.96m**


Single Turin head on fancy post with base.

**Specification:**

**Height:** 1960mm  
**Requires:** Lamp


**Order Code:**

**15446** Beige 1 x B22  
**15447** Black 1 x B22  
**15448** Burgundy 1 x B22  
**15449** Green 1 x B22  
**15451** White 1 x B22




**GT-427 Twin Head on Post 2.11m**

Twin Turin head on fancy post with base.

**Specification:****Height:** 2110mm**Requires:** Lamps**Order Code:****15452** Beige 2 x B22**15453** Black 2 x B22**15454** Burgundy 2 x B22**15455** Green 2 x B22**15457** White 2 x B22**GT-428 Single Head on Post 2.37m**

Twin Turin head on fancy post with tall base.

**Specification:****Height:** 2110mm**Width:** 680mm**Requires:** Lamp**Order Code:****15458** Beige 1 x B22**15459** Black 1 x B22**15460** Burgundy 1 x B22**15461** Green 1 x B22**15463** White 1 x B22**GT-430 Twin Head on Post 2.47m**

Twin Turin head on fancy post with tall base.

**Specification:****Height:** 2470mm**Width:** 680mm**Requires:** Lamps**Order Code:****15464** Beige 2 x B22**15465** Black 2 x B22**15466** Burgundy 2 x B22**15467** Green 2 x B22**15469** White 2 x B22**GT-432 Triple Head on Post 2.47m**

Triple Turin head on fancy post with tall base.

**Specification:****Height:** 2470mm**Width:** 680mm**Requires:** Lamps**Order Code:****15470** Beige 3 x B22**15471** Black 3 x B22**15472** Burgundy 3 x B22**15473** Green 3 x B22**15475** White 3 x B22

**GT-481 Large Wall Bracket**

Turin head complete with arm and wall bracket.

**Specification:**

**Height:** 640mm

**Projection:** 370mm

**Requires:** Lamp

**Order Code:**


**15482** Beige 1 x B22

**15483** Black 1 x B22

**15484** Burgundy 1 x B22

**15485** Green 1 x B22

**15487** White 1 x B22

**GT-482 Large Wall Bracket**

Turin head complete with arm and wall bracket.

**Specification:**

**Height:** 640mm

**Projection:** 370mm

**Requires:** Lamp

**Order Code:**


**15488** Beige 1 x B22

**15489** Black 1 x B22

**15490** Burgundy 1 x B22

**15491** Green 1 x B22

**15493** White 1 x B22

**GT-483 Large Pillar Mount**

Turin head complete with arm and wall bracket.

**Specification:**

**Height:** 650mm

**Projection:** 310mm

**Requires:** Lamp

**Order Code:**


**15494** Beige 1 x B22

**15495** Black 1 x B22

**15496** Burgundy 1 x B22

**15497** Green 1 x B22

**15499** White 1 x B22

**GT-486 Large Post Top**

Turin head complete with post top to suit  
Ø60mm post.

**Specification:**

**Height:** 520mm

**Width:** 310mm

**Requires:** Lamp

**Order Code:**


**15506** Beige 1 x B22

**15507** Black 1 x B22

**15508** Burgundy 1 x B22

**15509** Green 1 x B22

**15511** White 1 x B22




**GT-485 Large Pendant**

Large Turin head complete with chain and mounting bracket.

**Specification:**  
**Height from Base to Head:** 300mm  
**Height of Head:** 500mm  
**Requires:** Lamp


**Order Code:**  
**15500** Beige 1 x B22  
**15501** Black 1 x B22  
**15502** Burgundy 1 x B22  
**15503** Green 1 x B22  
**15505** White 1 x B22

**GT-488 Large Head on Post 2.45m**

Single large Turin head on fancy post complete with tall base.

**Specification:**  
**Height:** 2450mm  
**Requires:** Lamp

**Order Code:**  
**15512** Beige 1 x B22  
**15513** Black 1 x B22  
**15514** Burgundy 1 x B22  
**15515** Green 1 x B22  
**15517** White 1 x B22

**GTA-335 Exterior Arm**

Exterior arm including mounting bracket.

**Specification:**  
**Projection:** 175mm  
**Height:** 220mm

**Order Code:**  
**16057** Beige  
**16058** Black  
**16059** Burgundy  
**16060** Green  
**16062** White

**GTA-652 Diffuser Only**

Diffuser to suit Monaco series.

**Specification:**  
**Width:** 58mm  
**Height:** 150mm

**Order Code:**  
**16098** Diffuser Only

**GTA-72 Diffuser Ring**

Ring to suit Monaco Diffuser.

**Specification:**  
**Diameter:** 165mm

**Order Code:**  
**16089** Diffuser Ring



**GTA-94 Thread Adapter Plate**

Adapter plate - post to base.

**Specification:**

**Width:** 115mm

**Height:** 60mm

**Order Code:**

**16069** Beige

**16070** Black

**16071** Burgundy

**16072** Green

**16074** White

**GTA-832 Base & Adapter Plate**

Base and adapter plate.

**Specification:**

**Width:** 190mm

**Height:** 240mm

**Order Code:**

**16063** Beige

**16064** Black

**16065** Burgundy

**16066** Green

**16068** White

**GTA-220 1.93m Post and Tall Base**

Fancy post complete with tall base.

**Specification:**

**Height:** 1930mm

**Diameter:** 260mm

**Order Code:**

**16039** Beige

**16040** Black

**16041** Burgundy

**16042** Green

**16044** White

**GTA-221 1.57m Post with Base**

Fancy post complete with base.

**Specification:**

**Height:** 1570mm

**Base:** (Ø) 240mm

**Order Code:**

**16045** Beige

**16046** Black

**16047** Burgundy

**16048** Green

**16050** White

**GTA-222 95cm Post with Base**

Fancy post complete with base.

**Specification:**

**Height:** 950mm

**Base:** (Ø) 240mm

**Order Code:**

**16051** Beige

**16052** Black

**16053** Burgundy

**16054** Green

**16056** White

**GTA-98 Cap to Suit 60mm Post**

Thermoplastic cap to suit 60mm post.

**Order Code:**

**16087** Black

**16088** White





**GTA-140 Post Top Adapter 43mm**

Post top adapter to suit 40mm posts.

**Specification:**

**Width:** 43mm ID

**Width:** 51mm OD

**Height:** 60mm

**Order Code:**

**16021** Beige

**16022** Black

**16023** Burgundy

**16024** Green

**16026** White

**GTA-141 Post Top Adapter 50mm**

Post top adapter to suit 50mm posts.

**Specification:**

**Width:** 50mm ID

**Width:** 60mm OD

**Height:** 60mm

**Order Code:**

**16027** Beige

**16028** Black

**16029** Burgundy

**16030** Green

**16032** White

**GTA-142 Post Top Adapter 60mm**

Post top adapter to suit 60mm posts.

**Specification:**

**Width:** 60mm ID

**Width:** 66mm OD

**Height:** 115mm

**Order Code:**

**16033** Beige

**16034** Black

**16035** Burgundy

**16036** Green

**16038** White

**GTA-95 CTC Bracket**

Close-To-Ceiling (CTC) base only.

**Specification:**

**Width:** 115mm

**Height:** 90mm

**Order Code:**

**16075** Beige

**16076** Black

**16077** Burgundy

**16078** Green

**16080** White

**GTA-96 Pillar Mount Base**

Pillar mount base only.

**Specification:**

**Width:** 170mm

**Height:** 200mm

**Order Code:**

**16081** Beige

**16082** Black

**16083** Burgundy

**16084** Green

**16086** White



# Power Supplies



## DM1210

10W 12V DC Constant Voltage LED Driver for use on LED MR16 Lamps, LED strip lighting, inground uplighters and much more.

### Specification:

Dimensions: (L) 161mm x (W) 45mm x (H) 25mm

### Order Code:

**20396** DM1210 - 10W 12V DC LED Driver



## DM1230

30W 12V DC Constant Voltage LED Driver for use on LED MR16 Lamps, LED strip lighting, inground uplighters and much more.

### Specification:

Dimensions: (L) 135mm x (W) 40mm x (H) 25mm

### Order Code:

**20397** DM1230 - 30W 12V DC LED Driver



## DM2410

10W 24V DC Constant Voltage LED Driver for use on LED MR16 Lamps, LED strip lighting, inground uplighters and much more.

### Specification:

Dimensions: (L) 161mm x (W) 45mm x (H) 25mm

### Order Code:

**20398** DM2410 - 10W 24V DC LED Driver



**DM3350**

3W 350mA Constant Current LED Driver for use on LED Power Puk Lamps, inground uplighters and much more.

**Specification:**

**Dimensions:** (L) 40mm x (W) 20mm x (H) 20mm

**Order Code:**

**20394** DM3350 - 3W 350mA Constant Current LED Driver

**DM3700**

3W 700mA Constant Current LED Driver for use on LED Power Puk Lamps, inground uplighters and much more.

**Specification:**

**Dimensions:** (L) 40mm x (W) 20mm x (H) 20mm

**Order Code:**

**20393** DM3700 - 3W 700mA Constant Current LED Driver

**DM21/700**

3-21W 700mA Constant Current LED Driver for use on LED Power Puk Lamps, LED wall washers, inground uplighters and much more.

**Specification:**

**Dimensions:** (L) 161mm x (W) 45mm x (H) 25mm

**Order Code:**

**20205** DM21/700 - 3-21W 700mA Constant Current LED Driver

**DM-WPBOX Weatherproof Box**

Allows certain LED Drivers to be weatherproof, enclosed and applicable for wet areas and outdoor. IP65.

**Specification:**

**Dimensions:** (L) 200mm x (W) 90mm x (H) 45mm

**Order Code:**

**20409** DM-WPBOX - Weatherproof Box to suit certain LED Drivers.

Suitable with DM1210, DM1230, DM2410, DM20/350 and DM21/700.



**WP12/10**

10W 12V DC Weatherproof Constant Voltage LED Driver for use on LED strip lighting, garden lights, Inground uplighters and much more.

**Specification:**

**Dimensions:** (L) 55mm x (W) 30mm x (H) 20mm

**Order Code:**

**20198** WP12/10 - 10W 12V DC Weatherproof LED Driver

**NEW****WP12/15**

15W 12V DC Weatherproof Constant Voltage LED Driver for use on LED strip lighting, garden lights, inground uplighters and much more.

**Specification:**

**Dimensions:** (L) 160mm x (W) 29mm x (H) 21mm

**Order Code:**

**20200** WP12/15 - 15W 12V DC Weatherproof LED Driver

**WP12/30**

30W 12V DC Weatherproof Constant Voltage LED Driver for use on LED strip lighting, garden lights, inground uplighters and much more.

**Specification:**

**Dimensions:** (L) 203mm x (W) 35mm x (H) 27mm

**Order Code:**

**20201** WP12/30 - 30W 12V DC Weatherproof LED Driver

**WP12/60**

60W 12V DC Weatherproof Constant Voltage LED Driver for use on LED strip lighting, garden lights, inground uplighters and much more.

**Specification:**

**Dimensions:** (L) 178mm x (W) 71mm x (H) 45mm

**Order Code:**

**20202** WP12/60 - 60W 12V DC Weatherproof LED Driver

**WP12/100**

100W 12V DC Weatherproof Constant Voltage LED Driver for use on LED strip lighting, garden lights, inground uplighters and much more.

**Specification:**

**Dimensions:** (L) 240mm x (W) 71mm x (H) 46mm

**Order Code:**

**20203** WP12/100 - 100W 12V DC Weatherproof LED Driver

**WP12/150**

150W 12V DC Weatherproof Constant Voltage LED Driver for use on LED strip lighting, garden lights, inground uplighters and much more.

**Specification:**

**Dimensions:** (L) 240mm x (W) 71mm x (H) 46mm

**Order Code:**

**20204** WP12/150 - 150W 12V DC Weatherproof LED Driver





**WP12/200**

200W 12V DC Weatherproof Constant Voltage LED Driver for use on LED strip lighting, garden lights, inground uplighters and much more.

**Specification:**

**Dimensions:** (L) 235mm x (W) 127mm x (H) 59mm

**Order Code:**

**20199** WP12/200 - 200W 12V DC Weatherproof LED Driver

**WP24/15**

15W 24V DC Weatherproof Constant Voltage LED Driver for use on LED strip lighting, garden lights, inground uplighters and much more.

**Specification:**

**Dimensions:** (L) 160mm x (W) 29mm x (H) 21mm

**Order Code:**

**20250** WP24/15 - 15W 24V DC Weatherproof LED Driver

**WP24/30**

30W 24V DC Weatherproof Constant Voltage LED Driver for use on LED strip lighting, garden lights, inground uplighters and much more.

**Specification:**

**Dimensions:** (L) 203mm x (W) 35mm x (H) 27mm

**Order Code:**

**20251** WP24/30 - 30W 24V DC Weatherproof LED Driver

**WP24/60**

60W 24V DC Weatherproof Constant Voltage LED Driver for use on LED strip lighting, garden lights, inground uplighters and much more.

**Specification:**

**Dimensions:** (L) 178mm x (W) 71mm x (H) 45mm

**Order Code:**

**20252** WP24/60 - 60W 24V DC Weatherproof LED Driver



**WP24/100**

100W 24V DC Weatherproof Constant Voltage LED Driver for use on LED strip lighting, garden lights, inground uplighters and much more.

**Specification:**

**Dimensions:** (L) 240mm x (W) 71mm x (H) 46mm

**Order Code:**

**20253** WP24/100 - 100W 24V DC Weatherproof LED Driver

**WP24/150**

150W 24V DC Weatherproof Constant Voltage LED Driver for use on LED strip lighting, garden lights, inground uplighters and much more.

**Specification:**

**Dimensions:** (L) 240mm x (W) 71mm x (H) 46mm

**Order Code:**

**20254** WP24/150 - 150W 24V DC Weatherproof LED Driver

**WP24/200**

200W 24V DC Weatherproof Constant Voltage LED Driver for use on LED strip lighting, garden lights, inground uplighters and much more.

**Specification:**

**Dimensions:** (L) 235mm x (W) 127mm x (H) 59mm

**Order Code:**

**20257** WP24/200 - 200W 24V DC Weatherproof LED Driver

**WP12/Slim30**

Slim 30W 12V DC Weatherproof Constant Voltage LED Driver for use on LED strip lighting, strip lighting profiles, garden lights, inground uplighters and much more.

**Specification:**

**Dimensions:** (L) 165mm x (W) 28mm x (H) 21mm (without tabs).

**Order Code:**

**20195** WP12/Slim30 - Slim 30W 12V DC Weatherproof LED Driver

**WP12/Slim60**

Slim 60W 12V DC Weatherproof Constant Voltage LED Driver for use on LED strip lighting, strip lighting profiles, garden lights, inground uplighters and much more.

**Specification:**

**Dimensions:** (L) 240mm x (W) 28mm x (H) 21mm (without tabs).

**Order Code:**

**20196** WP12/Slim60 - Slim 60W 12V DC Weatherproof LED Driver

**WP12/Slim80**

Slim 80W 12V DC Weatherproof Constant Voltage LED Driver for use on LED strip lighting, strip lighting profiles, garden lights, inground uplighters and much more.

**Specification:**

**Dimensions:** (L) 240mm x (W) 28mm x (H) 21mm (without tabs).

**Order Code:**

**20180** WP12/Slim80 - Slim 80W 12V DC Weatherproof LED Driver



NEW



**WP24/Slim30**

Slim 30W 24V DC Weatherproof Constant Voltage LED Driver for use on LED strip lighting, strip lighting profiles, garden lights, Inground uplighters and much more.

**Specification:**

**Dimensions:** (L) 165mm x (W) 28mm x (H) 21mm (without tabs).

**Order Code:**

**20194** WP24/SLIM30 - Slim 30W 24V DC Weatherproof LED Driver

**NEW****WP24/Slim60**

Slim 60W 24V DC Weatherproof Constant Voltage LED Driver for use on LED strip lighting, strip lighting profiles, garden lights, Inground uplighters and much more.

**Specification:**

**Dimensions:** (L) 240mm x (W) 28mm x (H) 21mm (without tabs).

**Order Code:**

**20197** WP24/SLIM60 - Slim 60W 24V DC Weatherproof LED Driver

**NEW****WP24/Slim80**

Slim 80W 24V DC Weatherproof Constant Voltage LED Driver for use on LED strip lighting, strip lighting profiles, garden lights, Inground uplighters and much more.

**Specification:**

**Dimensions:** (L) 240mm x (W) 28mm x (H) 21mm (without tabs).

**Order Code:**

**20188** WP24/SLIM80 - Slim 80W 24V DC Weatherproof LED Driver

**NEW****WP11/350**

11W 350mA Weatherproof Constant Current LED Driver for use on LED Power Puk Lamps, inground uplighters and much more.

**Specification:**

**Dimensions:** (L) 70mm x (W) 29mm x (H) 21mm

**Order Code:**

**20255** WP11/350 - 11W 350mA Weatherproof - LED Driver

**WP21/700**

21W 700mA Weatherproof Constant Current LED Driver for use on LED Power Puk Lamps, inground uplighters and much more.

**Specification:**

**Dimensions:** (L) 130mm x (W) 29mm x (H) 21mm


**Order Code:**

**20256** WP21/700 - 21W 700mA Weatherproof Constant Current - LED Driver




# Panel 101 Multiple Connections Wiring Diagram (Non Dimmable)

Wiring diagram to allow multiple Panel-101 fixtures to be wired to one Constant Voltage LED driver




# Panel 101 0-10V Dimmable Wiring Diagram


Wiring diagram to allow the Panel-101 to be dimmed using 0-10V Interface and Constant Voltage to Constant Current converters.



## Parallel Wiring Diagram



## Series Wiring Diagram



# Index

10393	.....211	10838	.....220	11116	.....142	15015	.....265	15073	.....268	15142	.....274
10394	.....211	10839	.....220	11118	.....142	15016	.....265	15074	.....269	15143	.....274
10396	.....211	10840	.....220	11120	.....139	15017	.....265	15075	.....269	15145	.....274
10403	.....211	10842	.....220	11121	.....139	15019	.....265	15076	.....269	15146	.....275
10417	.....211	10849	.....225	11122	.....144	15020	.....266	15077	.....269	15147	.....275
10418	.....211	10850	.....225	11131	.....144	15021	.....266	15079	.....269	15148	.....275
10420	.....211	10851	.....225	11133	.....135	15022	.....266	15080	.....270	15149	.....275
10427	.....211	10852	.....225	14966	.....263	15023	.....266	15081	.....270	15151	.....275
10441	.....211	10853	.....225	14967	.....263	15025	.....266	15082	.....270	15152	.....275
10442	.....211	10854	.....225	14968	.....263	15026	.....266	15083	.....270	15153	.....275
10444	.....211	10855	.....225	14969	.....263	15027	.....266	15085	.....270	15154	.....275
10451	.....211	10856	.....225	14971	.....263	15028	.....266	15086	.....269	15155	.....275
10537	.....212	10857	.....225	14972	.....260	15029	.....266	15087	.....269	15157	.....275
10538	.....212	10858	.....225	14973	.....260	15031	.....266	15088	.....269	15158	.....276
10539	.....212	10859	.....225	14974	.....260	15032	.....262	15089	.....269	15159	.....276
10545	.....212	10860	.....225	14975	.....260	15033	.....262	15091	.....269	15160	.....276
10700	.....224	10861	.....225	14977	.....260	15034	.....262	15092	.....270	15161	.....276
10701	.....224	10862	.....225	14978	.....260	15035	.....262	15093	.....270	15163	.....276
10702	.....224	10863	.....225	14979	.....260	15037	.....262	15094	.....270	15164	.....276
10703	.....224	11034	.....130	14980	.....260	15038	.....261	15095	.....270	15165	.....276
10704	.....224	11035	.....130	14981	.....260	15039	.....261	15097	.....270	15166	.....276
10771	.....212	11036	.....140	14983	.....260	15040	.....261	15110	.....273	15167	.....276
10773	.....224	11037	.....131	14984	.....262	15041	.....261	15111	.....273	15169	.....276
10783	.....210	11040	.....134	14985	.....262	15043	.....261	15112	.....273	15170	.....277
10784	.....210	11042	.....134	14986	.....262	15044	.....261	15113	.....273	15171	.....277
10785	.....210	11044	.....134	14987	.....262	15045	.....261	15115	.....273	15172	.....277
10786	.....210	11049	.....143	14989	.....262	15046	.....261	15116	.....271	15173	.....277
10787	.....210	11051	.....143	14990	.....263	15047	.....261	15117	.....271	15175	.....277
10788	.....210	11074	.....130	14991	.....263	15049	.....261	15118	.....271	15176	.....273
10789	.....210	11075	.....137	14992	.....263	15050	.....267	15119	.....271	15177	.....273
10790	.....210	11076	.....137	14993	.....263	15051	.....267	15121	.....271	15178	.....273
10791	.....210	11077	.....137	14995	.....263	15052	.....267	15122	.....271	15179	.....273
10819	.....220	11080	.....145	14996	.....264	15053	.....267	15123	.....271	15181	.....273
10820	.....220	11081	.....145	14997	.....264	15055	.....267	15124	.....271	15182	.....272
10821	.....220	11082	.....131	14998	.....264	15056	.....267	15125	.....271	15183	.....272
10822	.....220	11083	.....131	14999	.....264	15057	.....267	15127	.....271	15184	.....272
10824	.....220	11084	.....132	15001	.....264	15058	.....267	15128	.....272	15185	.....272
10825	.....220	11085	.....132	15002	.....264	15059	.....267	15129	.....272	15187	.....272
10826	.....220	11090	.....133	15003	.....264	15061	.....267	15130	.....272	15188	.....280
10827	.....220	11091	.....133	15004	.....264	15062	.....268	15131	.....272	15189	.....280
10828	.....220	11093	.....143	15005	.....264	15063	.....268	15133	.....272	15190	.....280
10830	.....220	11094	.....143	15007	.....264	15064	.....268	15134	.....274	15191	.....280
10831	.....220	11101	.....138	15008	.....265	15065	.....268	15135	.....274	15193	.....280
10832	.....220	11102	.....135	15009	.....265	15067	.....268	15136	.....274	15194	.....278
10833	.....220	11105	.....136	15010	.....265	15068	.....268	15137	.....274	15195	.....278
10834	.....220	11110	.....135	15011	.....265	15069	.....268	15139	.....274	15196	.....278
10836	.....220	11113	.....136	15013	.....265	15070	.....268	15140	.....274	15197	.....278
10837	.....220	11115	.....138	15014	.....265	15071	.....268	15141	.....274	15199	.....278

15200	.....278	15257	.....279	15465	.....289	15523	.....242	15580	.....244	15638	.....245
15201	.....278	15259	.....279	15466	.....289	15524	.....241	15581	.....244	15639	.....245
15202	.....278	15410	.....286	15467	.....289	15525	.....241	15583	.....244	15640	.....245
15203	.....278	15411	.....286	15469	.....289	15526	.....241	15584	.....244	15641	.....245
15205	.....278	15412	.....286	15470	.....289	15527	.....241	15585	.....244	15643	.....245
15206	.....279	15413	.....286	15471	.....289	15529	.....241	15586	.....244	15644	.....245
15207	.....279	15415	.....286	15472	.....289	15530	.....241	15587	.....244	15645	.....245
15208	.....279	15416	.....284	15473	.....289	15531	.....241	15589	.....244	15646	.....245
15209	.....279	15417	.....284	15475	.....289	15532	.....241	15590	.....245	15647	.....245
15211	.....279	15418	.....284	15476	.....285	15533	.....241	15591	.....245	15649	.....245
15212	.....280	15419	.....284	15477	.....285	15535	.....241	15592	.....245	15650	.....246
15213	.....280	15421	.....284	15478	.....285	15536	.....242	15593	.....245	15651	.....246
15214	.....280	15422	.....284	15479	.....285	15537	.....242	15595	.....245	15652	.....246
15215	.....280	15423	.....284	15481	.....285	15538	.....242	15596	.....245	15653	.....246
15217	.....280	15424	.....284	15482	.....290	15539	.....242	15597	.....245	15655	.....246
15218	.....281	15425	.....284	15483	.....290	15541	.....242	15598	.....245	15656	.....246
15219	.....281	15427	.....284	15484	.....290	15542	.....242	15599	.....245	15657	.....246
15220	.....281	15428	.....285	15485	.....290	15543	.....242	15601	.....245	15658	.....246
15221	.....281	15429	.....285	15487	.....290	15544	.....242	15602	.....246	15659	.....246
15223	.....281	15430	.....285	15488	.....290	15545	.....242	15603	.....246	15661	.....246
15224	.....281	15431	.....285	15489	.....290	15547	.....242	15604	.....246	15662	.....234
15225	.....281	15433	.....285	15490	.....290	15548	.....243	15605	.....246	15663	.....234
15226	.....281	15434	.....286	15491	.....290	15549	.....243	15607	.....246	15664	.....234
15227	.....281	15435	.....286	15493	.....290	15550	.....243	15608	.....246	15665	.....234
15229	.....281	15436	.....286	15494	.....291	15551	.....243	15609	.....246	15667	.....234
15230	.....282	15437	.....286	15495	.....291	15553	.....243	15610	.....246	15668	.....234
15231	.....282	15439	.....286	15496	.....291	15554	.....243	15611	.....246	15669	.....234
15232	.....282	15440	.....287	15497	.....291	15555	.....243	15613	.....246	15670	.....234
15233	.....282	15441	.....287	15499	.....291	15556	.....243	15614	.....247	15671	.....234
15235	.....282	15442	.....287	15500	.....292	15557	.....243	15615	.....247	15673	.....234
15236	.....282	15443	.....287	15501	.....292	15559	.....243	15616	.....247	15674	.....235
15237	.....282	15445	.....287	15502	.....292	15560	.....244	15617	.....247	15675	.....235
15238	.....282	15446	.....287	15503	.....292	15561	.....244	15619	.....247	15676	.....235
15239	.....282	15447	.....287	15505	.....292	15562	.....244	15620	.....247	15677	.....235
15241	.....282	15448	.....287	15506	.....291	15563	.....244	15621	.....247	15679	.....235
15242	.....283	15449	.....287	15507	.....291	15565	.....244	15622	.....247	15680	.....235
15243	.....283	15451	.....287	15508	.....291	15566	.....241	15623	.....247	15681	.....235
15244	.....283	15452	.....288	15509	.....291	15567	.....241	15625	.....247	15682	.....235
15245	.....283	15453	.....288	15511	.....291	15568	.....241	15626	.....247	15683	.....235
15247	.....283	15454	.....288	15512	.....292	15569	.....241	15627	.....247	15685	.....235
15248	.....283	15455	.....288	15513	.....292	15571	.....241	15628	.....247	15686	.....235
15249	.....283	15457	.....288	15514	.....292	15572	.....241	15629	.....247	15687	.....235
15250	.....283	15458	.....288	15515	.....292	15573	.....241	15631	.....247	15688	.....235
15251	.....283	15459	.....288	15517	.....292	15574	.....241	15632	.....247	15689	.....235
15253	.....283	15460	.....288	15518	.....242	15575	.....241	15633	.....247	15691	.....235
15254	.....279	15461	.....288	15519	.....242	15577	.....241	15634	.....247	15692	.....235
15255	.....279	15463	.....288	15520	.....242	15578	.....244	15635	.....247	15693	.....235
15256	.....279	15464	.....289	15521	.....242	15579	.....244	15637	.....247	15694	.....235

# Index

15695	.....235	15753	.....238	15811	.....227	15868	.....233	15926	.....254	15983	.....258			16040	.....294	18588	.....214	19304	.....97	19409	.....194	19484	.....177	19553	.....93
15697	.....235	15754	.....238	15812	.....227	15869	.....233	15927	.....254	15985	.....258			16041	.....294	18590	.....215	19305	.....97	19410	.....166	19485	.....177	19554	.....93
15698	.....236	15755	.....238	15813	.....227	15871	.....233	15928	.....254	15986	.....257			16042	.....294	18592	.....215	19306	.....97	19411	.....166	19486	.....174	19555	.....93
15699	.....236	15757	.....238	15814	.....227	15872	.....232	15929	.....254	15987	.....257			16044	.....294	18595	.....218	19307	.....97	19412	.....166	19487	.....174	19556	.....93
15700	.....236	15758	.....238	15815	.....227	15873	.....232	15931	.....254	15988	.....257			16045	.....295	18599	.....221	19308	.....97	19413	.....168	19488	.....174	19557	.....93
15701	.....236	15759	.....238	15817	.....227	15874	.....232	15932	.....254	15989	.....257			16046	.....295	18600	.....221	19309	.....98	19414	.....168	19489	.....174	19558	.....93
15703	.....236	15760	.....238	15818	.....229	15875	.....232	15933	.....254	15991	.....257			16047	.....295	18601	.....221	19310	.....98	19415	.....168	19490	.....174	19559	.....93
15704	.....236	15761	.....238	15819	.....229	15877	.....232	15934	.....254	15992	.....257			16048	.....295	18602	.....221	19311	.....98	19416	.....194	19491	.....174	19560	.....93
15705	.....236	15763	.....238	15820	.....229	15878	.....250	15935	.....254	15993	.....257			16050	.....295	18603	.....221	19312	.....98	19420	.....208	19492	.....174	19561	.....93
15706	.....236	15764	.....238	15821	.....229	15879	.....250	15937	.....254	15994	.....257			16051	.....295	18604	.....221	19313	.....98	19421	.....208	19493	.....174	19570	.....169
15707	.....236	15765	.....238	15823	.....229	15880	.....250	15938	.....255	15995	.....257			16052	.....295	18605	.....221	19314	.....98	19422	.....208	19494	.....177	19571	.....169
15709	.....236	15766	.....238	15824	.....229	15881	.....250	15939	.....255	15997	.....257			16053	.....295	18606	.....221	19324	.....99	19423	.....208	19495	.....177	19572	.....169
15710	.....236	15767	.....238	15825	.....229	15883	.....250	15940	.....255	15998	.....258			16054	.....295	18607	.....218	19325	.....99	19424	.....206	19496	.....177	19573	.....169
15711	.....236	15769	.....238	15826	.....229	15884	.....250	15941	.....255	15999	.....258			16056	.....295	18608	.....218	19326	.....99	19426	.....206	19497	.....177	19576	.....169
15712	.....236	15770	.....239	15827	.....229	15885	.....250	15943	.....255	16000	.....258			16057	.....293	18609	.....223	19327	.....99	19428	.....207	19499	.....197	19577	.....169
15713	.....236	15771	.....239	15829	.....229	15886	.....250	15944	.....251	16001	.....258			16058	.....293	18610	.....223	19328	.....100	19430	.....207	19500	.....197	19578	.....169
15715	.....236	15772	.....239	15830	.....230	15887	.....250	15945	.....251	16003	.....258			16059	.....293	18611	.....223	19329	.....100	19432	.....207	19501	.....197	19579	.....169
15716	.....236	15773	.....239	15831	.....230	15889	.....250	15946	.....251	16004	.....257			16060	.....293	18612	.....223	19330	.....100	19434	.....207	19502	.....199	19584	.....196
15717	.....236	15775	.....239	15832	.....230	15890	.....250	15947	.....251	16005	.....257			16062	.....293	18613	.....219	19331	.....100	19436	.....206	19503	.....199	19585	.....196
15718	.....236	15776	.....239	15833	.....230	15891	.....250	15949	.....251	16006	.....257			16063	.....294	18614	.....219	19332	.....100	19438	.....206	19504	.....199	19586	.....196
15719	.....236	15777	.....239	15835	.....230	15892	.....250	15950	.....251	16007	.....257			16064	.....294	18615	.....219	19333	.....100	19440	.....206	19505	.....199	19587	.....196
15721	.....236	15778	.....239	15836	.....230	15893	.....250	15951	.....251	16009	.....257			16065	.....294	18616	.....219	19334	.....100	19442	.....207	19510	.....172	19598	.....102
15722	.....237	15779	.....239	15837	.....230	15895	.....250	15952	.....251	16010	.....259			16066	.....294	18617	.....213	19335	.....100	19444	.....207	19511	.....172	19599	.....102
15723	.....237	15781	.....239	15838	.....230	15896	.....250	15953	.....251	16011	.....259			16068	.....294	18619	.....213	19350	.....122	19446	.....207	19512	.....172	19602	.....102
15724	.....237	15782	.....239	15839	.....230	15897	.....250	15955	.....251	16012	.....259			16069	.....294	18621	.....213	19351	.....122	19448	.....207	19513	.....172	19603	.....102
15725	.....237	15783	.....239	15841	.....230	15898	.....250	15956	.....249	16013	.....259			16070	.....294	18623	.....213	19352	.....123	19451	.....206	19518	.....195	19604	.....102
15727	.....237	15784	.....239	15842	.....231	15899	.....250	15957	.....249	16015	.....259			16071	.....294	18629	.....218	19353	.....123	19458	.....206/207	19519	.....195	19605	.....102
15728	.....237	15785	.....239	15843	.....231	15901	.....250	15958	.....249	16016	.....228			16072	.....294	18631	.....218	19354	.....123	19459	.....206/207	19520	.....195	19608	.....103
15729	.....237	15787	.....239	15844	.....231	15902	.....252	15959	.....249	16017	.....228			16074	.....294	18633	.....222	19355	.....123	19460	.....171	19521	.....195	19609	.....103
15730	.....237	15788	.....240	15845	.....231	15903	.....252	15961	.....249	16018	.....228			16075	.....297	18634	.....222	19360	.....122	19461	.....171	19522	.....195	19618	.....103
15731	.....237	15789	.....240	15847	.....231	15904	.....252	15962	.....249	16019	.....228			16076	.....297	18636	.....222	19361	.....122	19462	.....171	19523	.....195	19619	.....103
15733	.....237	15790	.....240	15848	.....231	15905	.....252	15963	.....249	16020	.....228			16077	.....297	18637	.....216	19362	.....124	19463	.....171	19524	.....195	19700	.....175
15734	.....237	15791	.....240	15849	.....231	15907	.....252	15964	.....249	16021	.....296			16078	.....297	18639	.....216	19363	.....124	19464	.....171	19525	.....195	19701	.....175
15735	.....237	15793	.....240	15850	.....231	15908	.....252	15965	.....249	16022	.....296			16080	.....297	18641	.....216	19364	.....124	19465	.....171	19530	.....92	19702	.....175
15736	.....237	15794	.....240	15851	.....231	15909	.....252	15967	.....249	16023	.....296			16081	.....297	18643	.....216	19365	.....124	19466	.....176	19531	.....92	19703	.....175
15737	.....237	15795	.....240	15853	.....231	15910	.....252	15968	.....256	16024	.....296			16082	.....297	18645	.....216	19396	.....168	19467	.....176	19532	.....92	19704	.....175
15739	.....237	15796	.....240	15854	.....232	15911	.....252	15969	.....256	16026	.....296			16083	.....297	18647	.....216	19397	.....168	19468	.....178	19533	.....92	19705	.....175
15740	.....237	15797	.....240	15855	.....232	15913	.....252	15970	.....256	16027	.....296			16084	.....297	18649	.....217	19398	.....166	19469	.....178	19534	.....92	19706	.....175
15741	.....237	15799	.....240	15856	.....232	15914	.....253	15971	.....256	16028	.....296			16086	.....297	18651	.....217	19399	.....166	19470	.....178	19535	.....92	19707	.....175
15742	.....237	15800	.....228	15857	.....232	15915	.....253	15973	.....256	16029	.....296			16087	.....295	18653	.....217	19400	.....168	19471	.....178	19536	.....92	19708	.....175
15743	.....237	15801	.....228	15859	.....232	15916	.....253	15974	.....256	16030	.....296			16088	.....295	19296	.....96	19401	.....168	19472	.....176	19537	.....92	19709	.....175
15745	.....237	15802	.....228	15860	.....233	15917	.....253	15975	.....256	16032	.....296			16089	.....293	19297	.....96	19402	.....168	19473	.....176	19538	.....92	19710	.....175
15746	.....238	15803	.....228	15861	.....233	15919	.....253	15976	.....256	16033	.....296			16098	.....293	19298	.....96	19403	.....168	19474	.....176	19539	.....92	19711	.....175
15747	.....238	15805	.....228	15862	.....233	15920	.....253	15977	.....256	16034	.....296			18473	.....215	19299	.....96	19404	.....166	19475	.....176	19540	.....92	19712	.....175
15748	.....238	15806	.....227	15863	.....233	15921	.....253	15979	.....256	16035	.....296			18475	.....215	19300	.....96	19405	.....166	19480	.....194	19541	.....92	19713	.....175
15749	.....238	15807	.....227	15865	.....233	15922	.....253	15980	.....258	16036	.....296			18477	.....214	19301	.....96	19406	.....166	19481	.....194	19550	.....93	19714	.....175
15751	.....238	15808	.....227	15866	.....233	15923	.....253	15981	.....258	16038	.....296			18479	.....214	19302	.....96	19407	.....166	19482	.....194	19551	.....93	19715	.....175
15752	.....238	15809	.....227	15867	.....233	15925	.....253	15982	.....258	16039	.....294			18481	.....214	19303	.....97	19408	.....194	19483	.....194	19552	.....93	19716	.....175

Index

19717	20033	20254	20527	20611	20782	20935	21497	22041	35002	50073	65054
19960	20050	20255	20530	20612	20783	20936	21502	50/51/ 52/53/58/60/61/ 62/67/68/69/70/72	35005	50080	65060
19961	20051	20256	20531	20613	20784	20937	21503	54	35006	50081	65062
19962	20056	20257	20540	20630	20785	21100	21828	54	35009	50082	65064
19963	20057	20302	20541	20631	20786	21101	21829	54	35010	50083	65066
19964	20060	76/78	20542	20646	20787	21102	21830	55	35017	50200	65068
19965	20061	20393	20543	20647	20788	21103	21831	55	35018	50201	65070
19966	20093	20394	20544	20648	20789	21104	21999	58	35020	50351	65072
19967	20094	20396	20545	20649	20790	21105	50/51/52/53	58	35021	50352	65074
19968	20095	20397	20550	20650	20791	21106	22000	58	35022	50361	65080
19969	20096	20398	20551	20651	20792	21280	22001	61	35030	50362	65082
19970	20100	20400	20552	20652	20793	21281	22002	61	35031	50371	65084
19971	20101	20401	20553	20653	20794	21282	22003	68	35032	50372	65086
19972	20102	20402	20560	20654	20795	21283	22004	68	35033	50401	65088
19973	20110	20403	20561	20655	20796	21306	22005	69	35034	50402	65090
19974	20112	20404	20562	20656	20806	21307	22006	69	35035	50403	65092
19975	20113	20405	20563	20657	20808	21312	22007	70	35040	50404	65094
19976	20114	20406	20564	20658	20809	21335	22008	70	35041	50420	65140
19977	20115	20407	20565	20659	20811	21336	22009	190	35042	50421	65142
19978	20116	20408	20566	20660	20824	21342	22010	190	35043	50422	65144
19979	20120	20409	20567	20661	20826	21343	50/71	190	35048	50425	65146
19980	20124	20488	20570	20662	20836	21348	22012	52	35049	50426	65150
19981	20129	20489	20571	20663	20838	21350	22013	52	50000	50427	65152
19985	20130	20490	20574	20664	20845	21352	22014	53	50001	50430	65154
19986	20132	20491	20575	20665	20847	21353	22015	53	50011	50431	65156
19987	20133	20496	20576	20680	20848	21365	22016	71	25007	50440	65160
19988	20134	20497	20577	20681	20850	21366	22017	71	25008	50441	65162
20007	20138	20498	20578	20684	20860	21367	22018	66	25010	50442	65164
20008	20139	20499	20579	20685	20862	21373	22019	66	25011	50015	65166
20009	20149	20500	20580	20686	20863	21374	22020	60	25012	50020	65194
20010	20180	20501	20581	20687	20865	21379	22021	60	25013	50021	65196
20011	20188	20502	20585	20690	20900	21408	22022	67	25014	50022	70001
20012	20194	20503	20586	20691	20901	21409	22023	67	25015	50023	70002
20013	20195	20504	20587	20692	20902	21415	22024	72	25016	50024	70003
20014	20196	20505	20588	20693	20903	21416	22025	72	25017	50025	70004
20015	20197	20509	20590	20696	20904	21421	22026	64	25018	50027	70005
20016	20198	20510	20591	20697	20905	21423	22027	64	25019	50028	70006
20017	20199	20511	20592	20730	20906	21425	22028	65	25020	50050	70007
20019	20200	20512	20593	20732	20907	21426	22029	65	25021	50051	70008
20020	20201	20513	20594	20733	20908	21431	22030	64/65	25022	50052	70009
20021	20202	20519	20595	20735	20909	21433	22031	73	25023	50053	70010
20022	20203	20520	20596	20740	20910	21434	22032	73	25024	50054	
20023	20204	20521	20597	20742	20911	21440	22033	66	25030	50055	
20024	20205	20522	20600	20743	20930	21441	22034	59	25031	50057	
20025	20250	20523	20601	20745	20931	21490	22035	59	25032	50058	
20026	20251	20524	20602	20775	20932	21491	22036	59	25033	50070	
20030	20252	20525	20603	20776	20933	21496	22039	62	35000	50071	
20031	20253	20526	20610	20781	20934		22040	62	35001	50072	



DOMUS®

