

Driver 12V IP67 20W

Constant Voltage LED Driver




Description

DRIVER-12V-IP67 Series are a range of outdoor non-dimmable 12V DC Constant Voltage LED Drivers for use with LED strip lighting, inground uplighters, garden spike lighting and much more. Secondary side short circuit protection. Thermal overload protection, over temperature protection and over voltage protection. Complete with 1M flex and plug. Non-dimmable. Suitable for outdoor use. Choose from 20W, 30W, 60W, 100W, 150W, 200W, 300W, 400W and 500W wattages. Parallel wiring. Backed by a 5 Year replacement Warranty.


Specification Features

Input Voltage:	240V AC
Power (W):	20W
Output Voltage:	12V DC
Output Current:	1.67A
Dimmable:	No
IP rating (IP):	IP67
Efficiency:	up to 89%; PF>0.95
Weight (g):	240
Size (mm):	150x44x32
Working Temp:	-40~+60°C
Working Humidity:	20~90%RH, Non-condensing



Diagrams / Additional

Item No.	Variant	Wattage
DRIVER-12V-IP67	23183	20W



Driver 12V IP67 30W

Constant Voltage LED Driver



Description

DRIVER-12V-IP67 Series are a range of outdoor non-dimmable 12V DC Constant Voltage LED Drivers for use with LED strip lighting, inground uplighters, garden spike lighting and much more. Secondary side short circuit protection. Thermal overload protection, over temperature protection and over voltage protection. Complete with 1M flex and plug. Non-dimmable. Suitable for outdoor use. Choose from 20W, 30W, 60W, 100W, 150W, 200W, 300W, 400W and 500W wattages. Parallel wiring. Backed by a 5 Year replacement Warranty.


Specification Features

Input Voltage:	240V AC
Power (W):	30W
Output Voltage:	12V
Output Current:	2.5A
Dimmable:	No
IP rating (IP):	IP67
Efficiency:	up to 89%; PF>0.95
Weight (g):	240
Size (mm):	150x44x32
Working Temp:	-40~+60°C
Working Humidity:	20~90%RH, Non-condensing



Diagrams / Additional

Item No.	Variant	Wattage
DRIVER-12V-IP67	23184	30W



Driver 12V IP67 60W

Constant Voltage LED Driver



Description

DRIVER-12V-IP67 Series are a range of outdoor non-dimmable 12V DC Constant Voltage LED Drivers for use with LED strip lighting, inground uplighters, garden spike lighting and much more. Secondary side short circuit protection. Thermal overload protection, over temperature protection and over voltage protection. Complete with 1M flex and plug. Non-dimmable. Suitable for outdoor use. Choose from 20W, 30W, 60W, 100W, 150W, 200W, 300W, 400W and 500W wattages. Parallel wiring. Backed by a 5 Year replacement Warranty.




Specification Features

Input Voltage:	240V AC
Power (W):	60W
Output Voltage:	12V DC
Output Current:	5A
Dimmable:	No
IP rating (IP):	IP67
Efficiency:	up to 89%; PF>0.95
Weight (g):	450
Size (mm):	154x56x35
Working Temp:	-40~+60°C
Working Humidity:	20~90%RH, Non-condensing

Diagrams / Additional

Item No.	Variant	Wattage
DRIVER-12V-IP67	23185	60W



Driver 12V IP67 100W

Constant Voltage LED Driver



Description

DRIVER-12V-IP67 Series are a range of outdoor non-dimmable 12V DC Constant Voltage LED Drivers for use with LED strip lighting, inground uplighters, garden spike lighting and much more. Secondary side short circuit protection. Thermal overload protection, over temperature protection and over voltage protection. Complete with 1M flex and plug. Non-dimmable. Suitable for outdoor use. Choose from 20W, 30W, 60W, 100W, 150W, 200W, 300W, 400W and 500W wattages. Parallel wiring. Backed by a 5 Year replacement Warranty.




Specification Features

Input Voltage:	240V AC
Power (W):	100W
Output Voltage:	12V DC
Output Current:	8.33A
Dimmable:	No
IP rating (IP):	IP67
Efficiency:	up to 89%; PF>0.95
Weight (g):	800
Size (mm):	186x68x39
Working Temp:	-40~+60°C
Working Humidity:	20~90%RH, Non-condensing

Diagrams / Additional

Item No.	Variant	Wattage
DRIVER-12V-IP67	23186	100W



Driver 12V IP67 150W

Constant Voltage LED Driver



Description

DRIVER-12V-IP67 Series are a range of outdoor non-dimmable 12V DC Constant Voltage LED Drivers for use with LED strip lighting, inground uplighters, garden spike lighting and much more. Secondary side short circuit protection. Thermal overload protection, over temperature protection and over voltage protection. Complete with 1M flex and plug. Non-dimmable. Suitable for outdoor use. Choose from 20W, 30W, 60W, 100W, 150W, 200W, 300W, 400W and 500W wattages. Parallel wiring. Backed by a 5 Year replacement Warranty.




Specification Features

Input Voltage:	240V AC
Power (W):	150W
Output Voltage:	12V DC
Output Current:	12.5A
Dimmable:	No
IP rating (IP):	IP67
Efficiency:	up to 89%; PF>0.95
Weight (g):	1200
Size (mm):	196x68x39
Working Temp:	-40~+60°C
Working Humidity:	20~90%RH, Non-condensing

Diagrams / Additional

Item No.	Variant	Wattage
DRIVER-12V-IP67	23187	150W



Driver 12V IP67 200W

Constant Voltage LED Driver



Description

DRIVER-12V-IP67 Series are a range of outdoor non-dimmable 12V DC Constant Voltage LED Drivers for use with LED strip lighting, inground uplighters, garden spike lighting and much more. Secondary side short circuit protection. Thermal overload protection, over temperature protection and over voltage protection. Complete with 1M flex and plug. Non-dimmable. Suitable for outdoor use. Choose from 20W, 30W, 60W, 100W, 150W, 200W, 300W, 400W and 500W wattages. Parallel wiring. Backed by a 5 Year replacement Warranty.



Specification Features

Input Voltage:	240V AC
Power (W):	200W
Output Voltage:	12V DC
Output Current:	16.7A
Dimmable:	No
IP rating (IP):	IP67
Efficiency:	up to 89%; PF>0.95
Weight (g):	1400
Size (mm):	236x68x39
Working Temp:	-40~+60°C
Working Humidity:	20~90%RH, Non-condensing

Diagrams / Additional

Item No.	Variant	Wattage
DRIVER-12V-IP67	23188	200W



Driver 12V IP67 300W

Constant Voltage LED Driver



Description

DRIVER-12V-IP67 Series are a range of outdoor non-dimmable 12V DC Constant Voltage LED Drivers for use with LED strip lighting, inground uplighters, garden spike lighting and much more. Secondary side short circuit protection. Thermal overload protection, over temperature protection and over voltage protection. Complete with 1M flex and plug. Non-dimmable. Suitable for outdoor use. Choose from 20W, 30W, 60W, 100W, 150W, 200W, 300W, 400W and 500W wattages. Parallel wiring. Backed by a 5 Year replacement Warranty.





Specification Features

Input Voltage:	240V AC
Power (W):	300W
Output Voltage:	12V DC
Output Current:	25A
Dimmable:	No
IP rating (IP):	IP67
Efficiency:	up to 89%; PF>0.95
Weight (g):	2400
Size (mm):	244x75x38
Working Temp:	-40~+60°C
Working Humidity:	20~90%RH, Non-condensing

Diagrams / Additional

Item No.	Variant	Wattage
DRIVER-12V-IP67	23190	300W



Driver 12V IP67 400W

Constant Voltage LED Driver



Description

DRIVER-12V-IP67 Series are a range of outdoor non-dimmable 12V DC Constant Voltage LED Drivers for use with LED strip lighting, inground uplighters, garden spike lighting and much more. Secondary side short circuit protection. Thermal overload protection, over temperature protection and over voltage protection. Complete with 1M flex and plug. Non-dimmable. Suitable for outdoor use. Choose from 20W, 30W, 60W, 100W, 150W, 200W, 300W, 400W and 500W wattages. Parallel wiring. Backed by a 5 Year replacement Warranty.





Specification Features

Input Voltage:	240V AC
Power (W):	400W
Output Voltage:	12V DC
Output Current:	33.3A
Dimmable:	No
IP rating (IP):	IP67
Efficiency:	up to 89%; PF>0.95
Weight (g):	2500
Size (mm):	260x89x43
Working Temp:	-40~+60°C
Working Humidity:	20~90%RH, Non-condensing

Diagrams / Additional

Item No.	Variant	Wattage
DRIVER-12V-IP67	23191	400W



Driver 12V IP67 500W

Constant Voltage LED Driver



Description

DRIVER-12V-IP67 Series are a range of outdoor non-dimmable 12V DC Constant Voltage LED Drivers for use with LED strip lighting, inground uplighters, garden spike lighting and much more. Secondary side short circuit protection. Thermal overload protection, over temperature protection and over voltage protection. Complete with 1M flex and plug. Non-dimmable. Suitable for outdoor use. Choose from 20W, 30W, 60W, 100W, 150W, 200W, 300W, 400W and 500W wattages. Parallel wiring. Backed by a 5 Year replacement Warranty.



Specification Features

Input Voltage:	240V AC
Power (W):	500W
Output Voltage:	12V DC
Output Current:	41.66A
Dimmable:	No
IP rating (IP):	IP67
Efficiency:	up to 89%; PF>0.95
Weight (g):	2500
Size (mm):	290x89x43
Working Temp:	-40~+60°C
Working Humidity:	20~90%RH, Non-condensing

Diagrams / Additional

Item No.	Variant	Wattage
DRIVER-12V-IP67	23192	500W

