



**Experience  
the Future  
of Bathroom  
Heaters**  
2026-2027

---

*Advanced heating,  
ventilation and lighting in  
one intelligent solution.*

*Transform everyday routines with the next generation of bathroom comfort.*

*Designed for modern Australian homes, the Domus Bathroom Heater range combines intelligent technology, premium styling and superior performance to create warmer, healthier and more comfortable bathrooms year-round.*

## Contents

|   |    |
|---|----|
| Experience the Future of Bathroom Heating | 3  |
| <i>PTC Technology</i>                     | 3  |
| <i>Patented Heat Breeze Technology</i>    | 4  |
| The Domus Difference                      | 5  |
| Technology That Works Smarter             | 5  |
| Intelligent Control At Your Fingertips    | 6  |
| Signature Range                           |    |
| <i>Vivaheat</i>                           | 8  |
| <i>Stream</i>                             | 10 |
| <i>Infinity</i>                           | 12 |
| <i>Airsway</i>                            | 14 |
| Select Range                              |    |
| <i>Tropix-II</i>                          | 16 |
| <i>Thermaflow</i>                         | 18 |
| <i>Elevate</i>                            | 20 |
| Retrofit Range                            |    |
| <i>Orbis</i>                              | 23 |
| <i>Heatcore</i>                           | 24 |
| Specifications                            | 26 |
| Warranty & Support                        | 27 |

# Experience the Future of Bathroom Heating

Whether you're building, renovating or upgrading, Domus Bathroom Heaters are engineered to deliver the perfect balance of warmth, ventilation and convenience. Combining advanced PTC heating technology, intelligent controls and premium lighting, every model is designed to enhance everyday living.

## PTC Technology

**Smarter Heating. Greater Efficiency.**

Advanced PTC (Positive Temperature Coefficient) technology delivers rapid warmth while automatically regulating temperature output. Unlike conventional heating elements, PTC technology improves efficiency, enhances safety and provides more consistent comfort.

Fast heat-up • Energy efficient • Self-regulating  
Reliable performance • Long service life

# Patented Heat Breeze Technology

**Exclusive Comfort. Patented Performance.**

Exclusive to Domus in Australia, Patented Heat Breeze Technology combines heating and extraction in one intelligent system. By warming the room while helping remove moisture and condensation, it creates a healthier bathroom environment and helps reduce mould and mildew growth.



# The Domus Difference

## Designed for Australian Homes.

Every Domus Bathroom Heater has been developed with Australian lifestyles in mind. From powerful airflow and rapid heating to intuitive controls and modern aesthetics, every feature is engineered to deliver superior comfort.

**Warmer bathrooms faster.**

**Reduced condensation.**

**Simple operation.**

**Contemporary design.**

**Backed by a 5-Year In-Home Warranty.**

## Range Overview

### Find Your Perfect Solution

From premium new builds to simple retrofit upgrades, Domus offers a bathroom heater solution for every project.

#### Signature

Advanced technology and 6-in-1 functionality.

#### Select

Outstanding performance and value.

#### Retrofit

Designed to replace traditional infrared heaters with ease.

# Technology That Works Smarter

## Up to 6-in-1 Functionality

Heating, extraction, circulation, drying, lighting and sway functionality in one streamlined solution.



## Domus Innovation

### Digital Temperature Display

Monitor room temperature at a glance with a premium integrated display.

### Oscillating Sway Function

Distributes warm air more evenly for improved comfort and coverage.

### Mode Colour Indicators

Instant visual feedback showing active operating modes.

### Advanced Safety Feature

Automatic two-hour shut-off for added safety and peace of mind.


### Digital Wall Controllers

Simple one-touch operation with intuitive control of every function.

# Intelligent at Your Control Your Fingertips



Black and white Horizontal  
Switchplate Film Covers



## One Touch. Total Control.

Take complete control of your bathroom environment through a sleek, intuitive interface. Domus Digital Wall Controllers bring heating, ventilation, lighting and drying functions together in one easy-to-use system.

## Feature Highlights

- Digital Temperature Display – Monitor room temperature in real time.
- Mode Colour Indicators – Instantly identify active operating modes.
- Dual Heat Settings – Select the ideal level of warmth.
- Automatic Dry Mode – Helps reduce condensation and moisture.
- AUX Function – Control compatible auxiliary lighting or ventilation.
- One-Touch All-Off Function – Convenient shutdown of all functions.

## Easier Installation

Domus Digital Wall Controllers are designed with simplified wiring in mind, requiring only two cores for operation on compatible models. This innovative approach reduces installation complexity and makes upgrading to a modern bathroom heater easier than ever.

New

# Vivaheat

## Premium Comfort Meets Intelligent Control

Combining powerful heating, premium lighting and intelligent digital controls, Vivaheat delivers the ultimate bathroom comfort experience. Designed for homeowners who want the very best in performance and convenience.

# DOMUS®

### Features

- Mode Colour Indicators
- Oscillating Sway Function
- Digital Temperature Display
- Digital Wall Controller
- Tri-Colour Switchable Light
- Advanced Safety Feature

### Dimensions



- Cutout: 595x280mm
- Fascia: 615x315mm

| Item No. | Variant |
|----------|---------|
| VIVAHEAT | 56080   |

Design Registration No. 202614144



Find out more



Digital Temperature Display  
Mode Colour Indicator




Red - Heat

Green - Circulation

Blue - Exhaust

Orange - Dry

Wall Controller  
(Included)



New

# Stream

Minimalist Design. Maximum Performance.

Stream blends contemporary styling with advanced functionality. Featuring intelligent controls, powerful airflow and energy-efficient heating, it delivers premium comfort in a refined design.



## Features

- Oscillating Sway Function
- Digital Temperature Display
- Advance Safety Feature
- Digital Wall Controller
- Tri-Colour Switchable Light
- Advanced Safety Feature

Item No. | Variant  
STREAM | 56083




Design Registration No. 202614147

## Dimensions

- Cutout: 595x280mm
- Fascia: 615x315mm



Find out more




Digital Temperature Display Mode Colour Indicator

Wall Controller (Included)

# Infinity

The Ultimate Statement in Bathroom Comfort

Infinity combines sophisticated aesthetics with innovative technology to create a luxurious bathroom heating solution. Designed for premium residential applications.



**Signature Range**  
**6 in 1**

- Heater
- Exhaust Fan
- Circulating Fan
- LED Light
- Dry Heat
- Vent




## Features

- Mode Colour Indicators
- Digital Wall Controller
- Tri-Colour Switchable Light
- Advanced Safety Feature

## Dimensions

- Cutout: 595x280mm
- Fascia: 615x315mm



Wall Controller (Included)



Find out more



| Item No.  | Variant |
|-----------|---------|
| IINFINITY | 56010   |

Design Registration No. 202614159

Digital Temperature Display Mode Colour Indicator  
Blue - Exhaust Orange - Dry

Red - Heat



Green - Circulation



Blue - Exhaust



Orange - Dry



# Airway

Advanced Airflow. Superior Comfort.

Featuring an oscillating sway function for broader heat distribution, Airway helps deliver consistent warmth and enhanced comfort throughout the bathroom.



## Features

- Mode Colour Indicator
- Oscillating Sway Function
- Digital Temperature Display
- Digital Wall Controller
- Tri-Colour Switchable Light
- Advanced Safety Feature
- Available In White and Black Colour Options

## Dimensions



- Cutout: 595x280mm
- Fascia: 615x315mm

Find out more


| Item No. | Variants |       |
|----------|----------|-------|
|          | White    | Black |
| AIRWAY   | 56013    | 56014 |



Design Registration No. 202614162



Digital Temperature Display  
Mode Colour Indicator



Wall Controller (Included)



# Tropix-II

## Performance Meets Value

A practical and reliable bathroom heating solution delivering the perfect balance of comfort, functionality and affordability.

### Features

- Digital Wall Controller
- Tri-Colour Switchable Light
- Advanced Safety Feature
- Available In White and Black Colour Options


### Dimensions

- Cutout: 595x280mm
- Fascia: 615x315mm

| Item No.  | Variants |       |
|-----------|----------|-------|
|           | White    | Black |
| TROPIX-II | 56027    | 56028 |

Design Registration No. 202614157

Select Range  
**4 in 1**



Wall Controller (Included)



Find out more




New

# Thermaflow

Modern Styling. Proven Performance.

With its contemporary round design and powerful performance, Thermaflow is ideal for modern bathroom spaces requiring efficient heating and ventilation.



## Features

- Digital wall controller
- Tri-Colour Switchable Light
- Advanced Safety Feature
- Available in White/White and White/Black colour options

## Dimensions

- Cutout: Ø330mm
- Fascia: Ø350mm



Find out more




| Item No.   | Variants |         |
|------------|----------|---------|
|            | Wht/Wht  | Wht/Blk |
| THERMAFLOW | 56089    | 56090   |

Design Registration No. 202614145



Wall Controller (Included)



DOMUS®

New

# Elevate

Designed for Larger Cut-Outs

Engineered to simplify replacement projects, Elevate provides a stylish and effective solution for larger ceiling openings while delivering modern comfort and performance.



Select Range  
**4 in 1**

- Heater
- Exhaust Fan
- Circulating Fan
- LED Light

## Features

- Digital Wall Controller
- Tri-Colour Switchable Light
- Advanced Safety Feature

## Dimensions

- Cutout: 450x300mm
- Fascia: 500x350mm

Item No. | Variants  
ELEVATE | **56086**  
Available Q4 2026

Design Registration No. 202614148



Find out more




Wall Controller (Included)



# Orbis

## Simple Retrofit Solution

Designed to replace older bathroom heaters with minimal ceiling modification, Orbis offers an easy path to modern PTC technology.



Wall Controller (Included)

### Features

- Digital Wall Controller
- Tri-Colour Switchable Light
- Advanced Safety Feature
- Retrofit Compatible Covering Most Existing 2&4 Heat Infrared Models

### Dimensions

- Cutout: 330x350mm
- Fascia: 390x390mm

Design Registration No. 202613788

Item No. Variant  
 ORBIS | 56021

domuslighting.com.au



Find out more



# Heatcore

## Upgrade Without Compromise

Heatcore replaces traditional infrared systems with advanced heating, ventilation and lighting technology, delivering improved comfort and efficiency.

**DOMUS**<sup>®</sup>

### Features

- Digital Wall Controller
- Tri-Colour Switchable Light
- Advanced Safety Feature
- Retrofit Compatible Covering Most Existing 2&4 Heat Infrared Models
- Available In White and Black Colour Options

### Dimensions


- Cutout: 330x350mm
- Fascia: 390x390mm

| Item No. | Variants |       |
|----------|----------|-------|
|          | White    | Black |
| HEATCORE | 56024    | 56025 |

Design Registration No. 202614158



Find out more



Wall Controller (Included)

# Specifications

## Compare the Range

Key features and technical specifications across the complete Domus Bathroom Heater range.

|                             | Vivaheat                         | Stream | Infinity | Airswey | Tropix II            | Thermaflow | Elevate   | Orbis                | Heatcore |
|-----------------------------|----------------------------------|--------|----------|---------|----------------------|------------|-----------|----------------------|----------|
|                             | Signature                        |        |          |         | Select               |            |           | Retrofit             |          |
| Functionality               | 6 in 1                           |        |          |         | 4 in 1               |            |           | 4 in 1               |          |
| <b>Features</b>             |                                  |        |          |         |                      |            |           |                      |          |
| Mode Colour Indicators      | ✓                                | ✓      | ✓        | ✓       |                      |            |           |                      |          |
| Digital Temperature Display | ✓                                | ✓      | ✓        | ✓       |                      |            |           |                      |          |
| Oscillating Sway Function   | ✓                                | ✓      | ✓        | ✓       |                      |            |           |                      |          |
| Digital Wall Controllers    | ✓                                | ✓      | ✓        | ✓       | ✓                    | ✓          | ✓         | ✓                    | ✓        |
| Advanced Safety Feature     | 2hrs                             |        |          |         |                      |            |           |                      |          |
| <b>Specifications</b>       |                                  |        |          |         |                      |            |           |                      |          |
| Input Voltage               | 240V AC                          |        |          |         |                      |            |           |                      |          |
| Power                       | 2250W                            |        |          |         |                      |            |           |                      |          |
| Motor Wattage               | 60W AC                           | 75W DC | 60W AC   | 60W AC  |                      |            | 60W AC    |                      |          |
| Fan Size                    | 60W                              |        |          |         |                      |            |           |                      |          |
| Air Extraction              | 500m <sup>3</sup> /h             |        |          |         | 300m <sup>3</sup> /h |            |           | 300m <sup>3</sup> /h |          |
| Heat Wattage                | 2150W                            |        |          |         |                      |            |           |                      |          |
| Heat Type                   | PTC                              |        |          |         |                      |            |           |                      |          |
| Light Wattage               | 25W                              | 25W    | 25W      | 25W     | 25W                  | 12W        | 25W       | 12W                  | 12W      |
| IP Rating (IP)              | IPX2                             |        |          |         |                      |            |           |                      |          |
| Decibel Rating (dB)         | ≤48dB                            |        |          |         |                      | ≤46dB      |           |                      |          |
| CCT                         | 3000K, 4000K, 5000K (Switchable) |        |          |         |                      |            |           |                      |          |
| CRI                         | ≥80                              |        |          |         |                      |            |           |                      |          |
| <b>Dimensions</b>           |                                  |        |          |         |                      |            |           |                      |          |
| Cutout                      | 595x280mm                        |        |          |         | Ø330mm               | 450x300mm  | 330x350mm |                      |          |
| Fascia Size                 | 615x315mm                        |        |          |         | Ø350mm               | 500x350mm  | 390x390mm |                      |          |
| Duct Size                   | 150mm                            |        |          |         | 100mm                | 150mm      | 100mm     |                      |          |

# Warranty & Support

## Confidence Built Into Every Product

Every Domus Bathroom Heater is backed by a comprehensive 5-Year In-Home Warranty. Supported by Australia-wide service and technical assistance, Domus products are designed to provide dependable performance for years to come.

## Support You Can Trust

Our experienced customer service and technical teams are available to assist with product enquiries, installation guidance and warranty support, helping ensure a smooth ownership experience from installation onwards.

**Comprehensive warranty coverage backed by Australia wide support and a trusted Australian brand.**



- Australia-Wide Support Network
- Protection Against Manufacturing Defects
- Dedicated Technical Assistance
- Trusted Australian Brand
- Long-Term Product Reliability



# Why Choose Domus?

Advanced technology.  
Premium design. Trusted performance.

Discover the complete  
Domus Bathroom Heater range at  
[domuslighting.com.au](http://domuslighting.com.au)  
1300 236 687

