

DOMUS[®]

LED Globes



Contents

LF-C35	3	KEY G5.3 TRIO	16
LF-G45	4	KEY G9 TRIO	16
LF-A60	5	KEY G9	17
LF-G95	5	KEY MR16 TRIO	18
LF-G120	6	KEY GU10 TRIO	18
LF-ST64	8	KEY T40 TRIO	19
KEY-MR11-3	10	KEY PAR 30 TRIO	20
KEY-MR16 Glass	10	KEY PAR 38	20
KEY GU10 Glass	11		
LRF-T30	12		
LRF-T45	12		
LRF-ST64	13		
LRF-G95	13		
LRF-G125	14		
KEY GLS	15		



The Domus lamp range is designed to support both simple replacements and larger lighting schedules across residential and commercial settings. It includes a broad mix of shapes such as candle, pear, fancy round and traditional forms, with base types covering E27, E14, GU10, B15, B22 and more. Each lamp is efficient, with a strong output and high performing light distribution.

Clear and frosted options are available throughout the range. Clear globes allow the filament to stand out as a feature, while frosted versions diffuse the light more evenly and reduce direct glare. Most lamps are dimmable with a suitable driver, and all models are built for long life, supported by a two to three year warranty.

Colour temperatures range from 1800K to 6500K, with select models offering tri-colour switching via a built-in control. Some lamps also feature higher IP ratings, allowing use in sealed outdoor fittings. If you're replacing a single globe or specifying a full project, the Domus lamp range offers a reliable and straightforward solution backed by local expertise. If you have any questions or require a quote, please reach out.

4.2W Mini household globe, candle shape. Available in ES (E27), BC (B22), SES (E14) and SBC (B15) base options. 2700K Warm White and 6500K White LED colour temperature options. Clear and frosted glass diffuser options. Fully dimmable with suitable dimmers.



Specification Features

Input Voltage: 240V AC

Power (W): 4.2W

Clear

Frost

Lumens (lm): Warm White 2700K - 470lm
White 6500K - 500lm

Warm White 2700K - 470lm
White 6500K - 470lm

LED type: Filament

CCT: 2700K - 6500K

CRI: ≥ 80

Beam Angle (°): 360°

Dimmable: Yes*

Lifespan (hrs): 15,000hrs

**Fully dimmable with suitable dimmers.*



Item No:	Variant		CCT
	Clr	Frst	
LF-C35-E14	65924	65968	2700K
	65925	65969	6500K

Item No:	Variant		CCT
	Clr	Frst	
LF-C35-B15	65922	65966	2700K
	65923	65967	6500K



Item No:	Variant		CCT
	Clr	Frst	
LF-C35-E27	65842	65847	2700K
	65843	65848	6500K

Item No:	Variant		CCT
	Clr	Frst	
LF-C35-B22	65840	65845	2700K
	65841	65846	6500K



4.2W Mini household globe, fancy round shape. Available in ES (E27), BC (B22), SES (E14) and SBC (B15) base options. 2700K Warm White and 6500K White LED colour temperature options. Clear and frosted glass diffuser options. Fully dimmable with suitable dimmers.



Specification Features

Input Voltage:	240V AC	
Power (W):	4.2W	
	Clear	Frost
Lumens (lm):	Warm White 2700K - 470lm White 6500K - 500lm	Warm White 2700K - 470lm White 6500K - 470lm
LED type:	Filament	
CCT:	2700K - 6500K	
CRI:	≥80	
Beam Angle (°):	360°	
Dimmable:	Yes*	
Lifespan (hrs):	15,000hrs	

*Fully dimmable with suitable dimmers.



Item No:	Variant		CCT
	Clr	Frst	
LF-G45-E14	65926	65970	2700K
	65927	65971	6500K

Item No:	Variant		CCT
	Clr	Frst	
LF-G45-B15	65928	65972	2700K
	65929	65973	6500K



Item No:	Variant		CCT
	Clr	Frst	
LF-G45-E27	65852	65857	2700K
	65853	65858	6500K

Item No:	Variant		CCT
	Clr	Frst	
LF-G45-B22	65850	65855	2700K
	65851	65856	6500K



LF-A60

7.8W or 8.5W Standard household globe, GLS shape. Available in ES (E27) and BC (B22) base options. 2700K Warm White and 6500K White LED options. Clear and Frosted glass diffuser options. Fully dimmable with suitable dimmers.

Specification Features


Input Voltage:	240V AC	
	Clear	Frost
Power (W):	7.8W	8.5W
Lumens (lm):	Warm White 2700K - 1055lm White 6500 - 1055lm	Warm White 2700K - 1055lm White 6500 - 1055lm
LED type:	Filament	
CCT:	2700K - 6500K	
CRI:	≥80	
Beam Angle (°):	360°	
Dimmable:	Yes*	
Lifespan (hrs):	15,000hrs	

*Fully dimmable with suitable dimmers.



Item No:	Variant		CCT
	Clr	Frst	
LF-A60-E27	65932	65976	2700K
	65933	65977	6500K

Item No:	Variant		CCT
	Clr	Frst	
LF-A60-B22	65930	65974	2700K
	65931	65975	6500K



LF-G95

Lighting Up Your World

7.2W or 8.5W spherical classic vintage globe, G95 shape. Available in ES (E27) and BC (B22) base options. 2700K Warm white and 6500K White LED colour temperature option. Clear glass. Fully dimmable with suitable dimmers.

Specification Features



Input Voltage:	240V AC	
	Clear	Frost
Power (W):	7.2W	8.5W
Lumens (lm):	Warm White 2700K - 806lm White 6500 - 860lm	Warm White 2700K - 1055lm White 6500 - 1055lm
LED type:	Filament	
CCT:	2700K - 6500K	
CRI:	≥80	
Beam Angle (°):	360°	
Dimmable:	Yes*	
Lifespan (hrs):	15,000hrs	

*Fully dimmable with suitable dimmers.



Item No:	Variant		CCT
	Clr	Frst	
LF-G95-E27	65940	65984	2700K
	65941	65985	6500K

Item No:	Variant		CCT
	Clr	Frst	
LF-G95-B22	65938	65982	2700K
	65939	65983	6500K



7.8W or 8.5W spherical classic vintage globe, G120 shape. Available in ES (E27) and BC (B22) base options. 2700K Warm white and 6500K White LED colour temperature option. Clear glass. Fully dimmable with suitable dimmers.




Specification Features

Input Voltage:	240V AC	
	Clear	Frost
Power (W):	7.8W	8.5W
Lumens (lm):	Warm White 2700K - 1055lm White 6500K - 1055lm	Warm White 2700K - 1050lm White 6500K - 1050lm
LED type:	Filament	
CCT:	2700K - 6500K	
CRI:	≥80	
Beam Angle (°):	360°	
Dimmable:	Yes*	
Lifespan (hrs):	15,000hrs	

*Fully dimmable with suitable dimmers.

Item No:	Variant		CCT
	Clr	Frst	
LF-G120-E27	65944	65988	2700K
	65945	65989	6500K

Item No:	Variant		CCT
	Clr	Frst	
LF-G120-B22	65942	65986	2700K
	65943	65987	6500K





LF-ST64

7.2W pear style classic vintage globe, ST64 shape. Available in ES (E27) and BC (B22) base options. 2700K Warm white and 6500K White LED colour temperature option. Clear glass. Fully dimmable with suitable dimmers.

Specification Features



Input Voltage:	240V AC
Power (W):	7.2W
Lumens (lm):	Warm White 2700K - 806lm White 6500K - 860lm
LED type:	Filament
CCT:	2700K - 6500K
CRI:	≥80
Beam Angle (°):	360°
Dimmable:	Yes*
Lifespan (hrs):	15,000hrs

*Fully dimmable with suitable dimmers.



Item No:	Variant	CCT
	Clr	
LF-ST64-E27	65936	2700K
	65937	6500K

Item No:	Variant	CCT
	Clr	
LF-ST64-B22	65934	2700K
	65935	6500K





KEY-MR11-3


3W 12V globe, MR11 shape, with a 38° beam for better light projection. Available in single colour Warm White 3000K or White 6000K colour temperature options. Requires 12V DC Constant Voltage LED Driver.



Specification Features

- Input Voltage: 12V DC*
- Power (W): 3W
- Lumens (lm): Warm White 3000K - 240lm
White 6000K - 240lm
- CCT: 3000K - 6000K
- CRI: ≥80
- Beam Angle (°): 38°
- Dimmable: No
- Lifespan (hrs): 35,000hrs

*12V DC Constant Voltage LED Driver required.




Item No:	Variant	CCT
KEY-MR11-3	65016	3000K
	65017	6000K

KEY-MR16 Glass

4.7W Glass 12V globe, MR16 shape, with a wide beam for better light projection. 3000K Warm White and 5000K White LED options. Direct replacement in size to conventional size halogen MR16 lamps.



Item No:	Variant	CCT
KEY-MR16-GLASS	65100	3000K
	65102	5000K



Specification Features

- Input Voltage: 12V DC*
- Power (W): 4.7W
- Lumens (lm): Warm White 3000K - 390lm
White 5000K - 420lm
- LED type: SMD
- CCT: 3000K - 5000K
- CRI: ≥80
- Beam Angle (°): 60°
- Dimmable: Yes**
- Lifespan (hrs): 15,000hrs

* 12V DC Constant Voltage LED Driver required.


**Fully dimmable with suitable dimmers.

6.2W Glass 240V globe, GU10 shape, with a wide beam for better light projection. 3000K Warm White and 5000K White LED options. Direct replacement in size to conventional size halogen GU10 lamps.

Specification Features

- Input Voltage: 240V AC
- Power (W): 6.2W
- Lumens (lm): Warm White 3000K - 520lm
White 5000K - 540lm
- CCT: 3000K - 5000K
- CRI: ≥80
- Beam Angle (°): 60°
- Dimmable: Yes*
- Lifespan (hrs): 15,000hrs

*Fully dimmable with suitable dimmers.



Item No:	Variant	CCT
KEY-G9	65104	3000K
	65106	5000K



LRF-T30


Introducing the Retro LED Filament range from Domus. These classic style retro bulbs are a great choice for decorative pendants and table lamps. Offering a very warm decorative glow to create a warm modern feel. Available in Banana (T30), Mini Banana (T45), Pear (ST64), G95 Sphere and G125 Sphere, along with a choice of E27 and B22 lamp bases.

Specification Features

Input Voltage:	240V AC
Power (W):	2.3W
Lumens (lm):	Warm White 1800K - 65lm
LED type:	Filament
CCT:	1800K
Beam Angle (°):	360°
Dimmable:	Yes*
Lifespan (hrs):	15,000hrs

**Fully dimmable with suitable dimmers.*

Item No:	Variant		CCT
	E27	B22	
LRF-T30	65961	65960	1800K



LRF-T45


Introducing the Retro LED Filament range from Domus. These classic style retro bulbs are a great choice for decorative pendants and table lamps. Offering a very warm decorative glow to create a warm modern feel. Available in Banana (T30), Mini Banana (T45), Pear (ST64), G95 Sphere and G125 Sphere, along with a choice of E27 and B22 lamp bases.

Specification Features

Input Voltage:	240V AC
Power (W):	3.5W
Lumens (lm):	Warm White 1800K - 120lm
LED type:	Filament
CCT:	1800K
Beam Angle (°):	360°
Dimmable:	Yes*
Lifespan (hrs):	15,000hrs

**Fully dimmable with suitable dimmers.*

Item No:	Variant		CCT
	E27	B22	
LRF-T45	65963	65962	1800K



LRF-ST64


Introducing the Retro LED Filament range from Domus. These classic style retro bulbs are a great choice for decorative pendants and table lamps. Offering a very warm decorative glow to create a warm modern feel. Available in Banana (T30), Mini Banana (T45), Pear (ST64), G95 Sphere and G125 Sphere, along with a choice of E27 and B22 lamp bases.

Specification Features

Input Voltage:	240V AC
Power (W):	3.5W
Lumens (lm):	Warm White 1800K - 120lm
LED type:	Filament
CCT:	1800K
Beam Angle (°):	360°
Dimmable:	Yes*
Lifespan (hrs):	15,000hrs

**Fully dimmable with suitable dimmers.*

Item No:	Variant		CCT
	E27	B22	
LRF-ST64	65955	65954	1800K



LRF-G95


Introducing the Retro LED Filament range from Domus. These classic style retro bulbs are a great choice for decorative pendants and table lamps. Offering a very warm decorative glow to create a warm modern feel. Available in Banana (T30), Mini Banana (T45), Pear (ST64), G95 Sphere and G125 Sphere, along with a choice of E27 and B22 lamp bases.

Specification Features

Input Voltage:	240V AC
Power (W):	3.5W
Lumens (lm):	Warm White 1800K - 120lm
LED type:	Filament
CCT:	1800K
Beam Angle (°):	360°
Dimmable:	Yes*
Lifespan (hrs):	15,000hrs

**Fully dimmable with suitable dimmers.*

Item No:	Variant		CCT
	E27	B22	
LRF-G95	65957	65956	1800K



Introducing the Retro LED Filament range from Domus. These classic style retro bulbs are a great choice for decorative pendants and table lamps. Offering a very warm decorative glow to create a warm modern feel. Available in Banana (T30), Mini Banana (T45), Pear (ST64), G95 Sphere and G125 Sphere, along with a choice of E27 and B22 lamp bases.


Specification Features

- Input Voltage: 240V AC
- Power (W): 3.5W
- Lumens (lm): Warm White 1800K - 120lm
- LED type: Filament
- CCT: 1800K
- Beam Angle (°): 360°
- Dimmable: Yes*
- Lifespan (hrs): 15,000hrs

**Fully dimmable with suitable dimmers.*




Item No:	Variant		CCT
	E27	B22	
LRF-G125	65959	65958	1800K



GLS 12V DC Constant Voltage, Low Voltage 8W Standard household globe, GLS shape. Available in ES (E27) base option. Available in Warm White (3000K) and White (5000K) LED options. Frosted diffuser. Suitable for garden lighting, such as low voltage bollard lights.

Specification Features

Input Voltage:	12V DC
Power (W):	8W
Lumens (lm):	Warm White 3000K - 720lm White 5000K - 720lm
LED type:	SMD
CCT:	3000K - 5000K
CRI:	≥80
Beam angle (°):	220°
Dimmable:	No
Requires:	12V DC Constant Voltage LED Driver
Lifespan (hrs):	50,000hrs



Item No:	Variant	CCT
KEY-GLS-E27-12V	65108	3000K
	65109	5000K



12W 240V globe, A60 standard household globe, GLS shape, with a 190° wide beam for better light projection. Tricolour switchable: choose between Warm White 3000K, Neutral White 4000K, or White 5700K colour temperatures with the flick of a dip switch. Available in E27 and B22 lamp base options. Ideal for replacement globes for most applications such as pendants, table and floor lamps, interior wall lights, and suitable outdoor lights. Fully dimmable with suitable dimmers.



Specification Features

Input Voltage:	240V AC
Power (W):	12W
Lumens (lm):	Warm White 3000K - 1050lm Neutral White 4000K - 1150lm White 5700K - 1150lm
LED type:	SMD
CCT:	3000K - 4000K - 5700K (Switchable)
CRI:	≥80
Dimmable:	Yes*
Lifespan (hrs):	50,000hrs

*Fully dimmable with suitable dimmers.



Item No:	Variant		CCT
	E27	B22	
KEY-GLS-E27-12V	65114	65116	TRIO



KEY G5.3 TRIO


4W LED Bi-Pin 12V 3-CCT Switchable globe, G5.3 Pin Base, with a 280° beam for better light projection. Features excellent colour rendering, CRI90. High brightness with a maximum lumen output of 350lm. Available in TRIO, 3-CCT Switchable from Warm White 3000K, 4000K Neutral White or White 5000K colour temperature options. Requires 12V DC Constant Voltage LED Driver.

Specification Features

Input Voltage:	12V DC
Power (W):	4W
Lumens (lm):	Warm White 3000K - 330lm Neutral White 4000K - 350lm White 5000K - 330lm
CCT:	3000K - 4000K - 5000K (Switchable)
CRI:	≥90
Beam Angle (°):	280°
Dimmable:	No
Lifespan (hrs):	50,000hrs

Requires 12V DC Constant Voltage LED Driver

Item No:	Variant	CCT
KEY-G5.3-TRIO	65124	TRIO




KEY G9 TRIO

4W LED G9 Bi-Pin 240V 3-CCT Switchable globe, G9 Base, with a 280° beam for better light projection. Features excellent colour rendering, CRI90. High brightness with a maximum lumen output of 350lm. Available in TRIO, 3-CCT Switchable from Warm White 3000K, 4000K Neutral White or White 5000K colour temperature options.

Specification Features

Input Voltage:	240V AC
Power (W):	4W
Lumens (lm):	Warm White 3000K - 330lm Neutral White 4000K - 350lm White 5000K - 330lm
CCT:	3000K - 4000K - 5000K (Switchable)
CRI:	≥90
Beam Angle (°):	280°
Dimmable:	Yes*
Lifespan (hrs):	50,000hrs



Item No:	Variant	CCT
KEY-G9-TRIO	65126	TRIO



High output LED G9 style lamp replacement. Designed as an energy efficient and long life alternative to the traditional halogen G9 lamps. Available in Warm White 3000K and White 5000K colour temperature options. Fully dimmable with suitable dimmers.


Specification Features

Input Voltage:	240V AC
Power (W):	3.5W
Lumens (lm):	Warm White 3000K - 280lm White 5000K - 300lm
CCT:	1800K
CRI:	≥80
Beam Angle (°):	280°
Dimmable:	Yes*
Lifespan (hrs):	15,000hrs

**Fully dimmable with suitable dimmers.*



Item No:	Variant	CCT
KEY-G9	65104	3000K
	65106	5000K



KEY MR16 TRIO

6W 12V globe, MR16 shape, with a 60° wide beam for better light projection. Tricolour switchable: choose between Warm White 3000K, Neutral White 4000K, or White 6500K colour temperatures with the flick of a dip switch. Requires 12V or 24V DC Constant Voltage LED Driver.

Specification Features

Input Voltage:	12V DC*
Power (W):	6W
Lumens (lm):	Warm White 3000K - 500lm Neutral White 4000K - 550lm White 6500K - 550lm
LED type:	SMD
CCT:	3000K - 4000K - 6500K (Switchable)
Beam Angle (°):	60°
Dimmable:	No
Lifespan (hrs):	50,000hrs

*12 DC Constant Voltage LED Driver required.



KEY GU10 TRIO

6W 240V globe, GU10 shape, with a 60° wide beam for better light projection. Tricolour switchable: choose between Warm White 3000K, Neutral White 4000K, or White 6500K colour temperatures with the flick of a dip switch.

Specification Features



Input Voltage:	240V AC
Power (W):	6W
Lumens (lm):	Warm White 3000K - 500lm Neutral White 4000K - 550lm White 6500K - 550lm
LED type:	SMD
CCT:	3000K - 4000K - 6500K (Switchable)
Beam Angle (°):	80°
Dimmable:	Yes*
Lifespan (hrs):	5,000hrs

*Fully dimmable with suitable dimmers.



Item No:	Variant	CCT
KEY-MR16-TRIO	65122	TRIO

Item No:	Variant	CCT
LRF-T45	E27 B22	65963 65962 1800K



KEY T40 TRIO

12W 240V globe, T40 Tubular shape, with a 220° wide beam for better light projection. Tricolour switchable: choose between Warm White 3000K, Neutral White 4000K, or White 6500K colour temperatures with the flick of a dip switch. Available in E27 and B22 lamp base options. Ideal for replacement globes for ceiling fan lights as well as suitable outdoor wall lights and bollard lights.

Specification Features


Input Voltage:	240V AC
Power (W):	12W
Lumens (lm):	Warm White 3000K - 650lm Neutral White 4000K - 720lm White 6500K - 720lm
LED type:	SMD
CCT:	3000K - 4000K - 6500K (Switchable)
Beam Angle (°):	220°
Dimmable:	Yes*
Lifespan (hrs):	15,000hrs

**Fully dimmable with suitable dimmers.*



Item No:	Variant	CCT
	E27	B22

KEY-T40-TRIO	65118	65120	TRIO
--------------	-------	-------	------



KEY PAR 30 TRIO

10W exterior floodlight globe, PAR30 shape, and medium beam for better light projection. IP65 rated. Available in ES (E27) base option. 3-CCT Tri-Colour Switchable: Warm White 3000K, Neutral White 4000K and White 5000K LED options. Frosted lens diffuser. Fully dimmable with suitable dimmers. Backed by a 2 Year Replacement Warranty.

Specification Features

Input Voltage:	240V
Power (W):	10W
Lumens (lm):	Warm White 3000K - 900lm Neutral White 4000K - 1000lm White 5000K - 950lm
LED type:	SMD
CCT:	3000K - 4000K - 5000K (Switchable)
Beam Angle (°):	36°
Dimmable:	Yes*
Lifespan (hrs):	30,000hrs

*Fully dimmable with suitable dimmers.



KEY PAR 38


15W exterior floodlight globe, PAR38 shape, and wide beam for better light projection. Available in ES (E27) base, TRIO switchable colour temperature and a frosted lens diffuser.

Specification Features

Input Voltage:	240V AC
Power (W):	15W
Lumens (lm):	Warm White 2700K - 1500lm Neutral White 4000K - 1600lm White 5000K - 1600lm
LED type:	SMD
CCT:	2700K - 4000K - 5000K (Switchable)
Beam Angle (°):	100°
Dimmable:	No
Lifespan (hrs):	30,000hrs



Item No:	Variant	CCT
KEY-PAR30-TRIO	65130	TRIO



Item No:	Variant	CCT
KEY-PAR38-TRIO	65200	TIRO

